



WEB TECHNOLOGIES

FINAL PROJECT REPORT



RUBAB AHMAD
SP22-BDS-041

Submitted to:
Ma'am Humaira Waqas

8th June, 2024

Online Banking Website

Website Screenshots:



We build the best Business for you.



Seamless Transactions
Effortless Banking Experience



24/7 Support
No charge on 24/7 support



Enhanced Security
Full time financial protection

Celebrate Financial Literacy

Stay Informed: Explore Insights & Tips in Our Blog



Navigating the World of Investments

Discover the basics of investing, from stocks to bonds, and learn how to build a diversified portfolio tailored to your financial goals.

By **Alice Johnson**
21 Jun, 2023


[Read More](#)



Demystifying Credit Scores

By [Emma Davis](#) ⌚ 22 Jul, 2023

Gain insights into the factors that impact your credit score, including payment history and credit utilization, to make informed decisions and improve your financial health.

[Read More](#)

Technology in Banking

By [Bob Smith](#) ⌚ 23 Aug, 2023

Explore the evolving landscape of banking technology, from mobile banking apps to blockchain, and understand how these innovations are reshaping the banking industry.

[Read More](#)

Planning for Retirement

By [Carol White](#) ⌚ 24 Sep, 2023

Learn essential retirement planning strategies, including saving early, maximizing employer contributions, and diversifying investments, to ensure a comfortable and stress-free retirement.

[Read More](#)

Community Reviews

From there give dominion, lights doesn't good all rule let open,
appear our beast second bearing.



Ahmad Malik

★★★★☆

A game-changer in banking! Knowing that my accounts are secure gives me peace of mind. Highly impressed and satisfied with their service!



Ethan Clark

★★★★☆

Impressed with the security measures of this bank. The two-factor authentication adds an extra layer of protection to my account, giving me peace of mind.



Michael Brown

★★★★☆

Great bank with excellent loan options. I was able to get a home loan with a very competitive interest rate. The staff was very helpful throughout the process.

Contact Us

We list your menu online, help you process orders.



Frequently Asked Questions

Looking for more details?
Explore our Knowledge Base for comprehensive answers.

What is the fees associated with my checking account?

Fees associated with a checking account can include monthly maintenance fees, overdraft fees, and ATM fees for using out-of-network machines. Please refer to our fee schedule on the website or contact customer service for detailed information.

How can I open a new bank account?

To open a new bank account, visit our nearest branch or apply online through our website. You will need to provide valid identification documents, proof of address, and a completed application form. For further assistance, contact through email.

How do I apply for a personal loan?

You can apply for a personal loan by visiting our loans page on the website and filling out the online application form. Alternatively, you can visit any of our branches to speak with a loan officer who can assist you with the application process.

What should I do if my debit card is lost or stolen?

If your debit card is lost or stolen, report it immediately by calling our customer service hotline. You can also block your card through our mobile banking app or online banking portal to prevent unauthorized transactions.

Digital Trust

Quick Links

[Home](#)
[About Us](#)
[Services](#)

Social Media

[Facebook](#)
[Instagram](#)
[LinkedIn](#)
[Twitter](#)


Job Info

[Select](#)
[Service](#)
[Payment](#)

Contact Us

Islamabad, Pakistan
contact@bankName.com
+92 334 8748787

Manager Dashboard:



Emily Johnson
Branch Manager
branch001

Full Name	Emily Johnson
Email	ahmadrubab13@gmail.com
Phone	+92 3457863546
Mobile	98764876985
Address	123 Maple Street Springfield, IL 62701 USA
Date of Birth	12-12-2002

View All Customers

Search Customer

Delete Customer

Top Customers

Index	Account Number	Name	Email	Age	Account Balance
1	account1	Isabella Rose Martinez	ahmadrubab31@gmail.com	19	80000
2	account2	Emily Brown	Emily@gmail.com	19	10000
3	account3	Jane Smith	jane@gmail.com	19	20000
4	account4	Sophia Grace Williams	Sophia@gmail.com	19	20000
5	account5	Alex Johnson	alex.johnson@example.com	27	75000
6	account6	Rubab Ahmad	ahmadrubab31@gmail.com	19	79970

Log Out

View All Customers

Search Customer

Delete Customer

Top Customers

Search Customer:

Enter Customer Account Number

Search

Account Number	-
Full Name	-
Age	-
Email	-
Phone	-

View All Customers

Search Customer

Delete Customer

Top Customers

Index	Account Number	Name	Email	Age	Account Balance	
1	account1	Isabella Rose Martinez	ahmadrubab31@gmail.com	19	80000	Delete
2	account2	Emily Brown	Emily@gmail.com	19	10000	Delete
3	account3	Jane Smith	jane@gmail.com	19	20000	Delete
4	account4	Sophia Grace Williams	Sophia@gmail.com	19	20000	Delete
5	account5	Alex Johnson	alex.johnson@example.com	27	75000	Delete

View All Customers

Search Customer

Delete Customer

Top Customers

Index	Account Number	Name	Account Balance
1	account1	Isabella Rose Martinez	80000
2	account6	Rubab Ahmad	79970
3	account5	Alex Johnson	75000
4	account4	Sophia Grace Williams	20000
5	account3	Jane Smith	20000

Log Out

Customer Dashboard:

Emily Brown



Emily Brown
account2

Account Number	account2
Full Name	Emily Brown
Email	Emily@gmail.com
Phone Number	98763564532
Age	19
Current Balance	10000
Address	456 Elm Avenue, Somewhereville, USA

Transactions

Account Management

Cash Withdrawal

Cash Deposition

Index	Sender Account Number	Receiver Account Number	Amount	Date
1	account1	account2	5000	12-12-2023
2	account2	account3	6000	13-12-2023

Log Out

Transactions

Account Management

Cash Withdrawal

Cash Deposition

Enter new Email

Email

Enter new Phone

Phone Number

Enter new Address

Address

Update

Log Out

Transactions

Account Management

Cash Withdrawal

Cash Deposition

Your current balance is: 10000

Enter withdrawal amount:

Amount

Enter your password:

Password

Withdraw

Log Out

Transactions

Account Management

Cash Withdrawal

Cash Deposition

Your current balance is: 10000

Enter Deposition Amount:

Amount

Enter Your Password:

Password





Deposit



Log Out

Dynamic pages/sections

- Customer dashboard
- Admin dashboard
- Blog section
- Blog details page
- FAQs section
- Reviews section

Directory hierarchy:





Regex Implementation and Validation of User Inputs:

```
<script>

    function validate() {

        const firstName =
document.getElementById('first_name').value.trim();
        const lastName =
document.getElementById('last_name').value.trim();
        const email =
document.getElementById('email').value.trim();
        const phone =
document.getElementById('phone').value.trim();
        const address =
document.getElementById('address').value.trim();
        const password =
document.getElementById('password').value.trim();
        const confirm_password =
document.getElementById('confirm_password').value.trim();


        var phoneRegex = /^\(?(?([0-9]{3}))\)?[-. ]?([0-9]{3})[-. ]?([0-9]{4})$/;
        var emailRegex = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/;
```

```
var passwordRegex = /^(?=.*\d){8,}$/;

    if (firstName !== "" && lastName !== "" && email !== ""
&& phone !== "" && address !== "" && password !== "" &&
confirm_password !== "") {
        if (email.match(emailRegex) &&
phone.match(phoneRegex) && password.match(passwordRegex)) {

            if (password === confirm_password) {
                return true;
            }
            else {
                alert("Passwords do not match in both the
password.");

                return false;
            }
        }
        else {
            alert("Please fill out according to the
required pattern.");
            return false;
        }
    }

    else {
```

```
        alert("Please fill out all the fields.");  
        return false;  
    }  
  
}
```

</script>

Use of Fetch API:

```
async function searchCustomer() {
    const searchValue =
document.getElementById("search_customer").value;

    const response = await
fetch("/manager/search_customer", {
    method: 'POST',
    headers: {
        'Content-Type': 'application/x-www-form-
urlencoded'
    },
    body: `search_customer=${searchValue}`
});

    const data = await response.json();

    console.log(data)
    console.log(document.getElementById("acc-phone"));
    document.getElementById("acc-num").innerText =
data.account_number;
    document.getElementById("acc-email").innerText =
data.email;
    document.getElementById("acc-name").innerText =
data.name;
    document.getElementById("acc-age").innerText =
data.age;
```



```
        document.getElementById("acc-address").innerText =  
data.address;  
        document.getElementById("acc-phone").innerText =  
data.phone;  
        document.getElementById("acc-balance").innerText =  
data.current_balance;  
    }
```

Code Snippets:

main.py

```
from fastapi import FastAPI, HTTPException, status, Depends
from routes import customer_router, manager_router
from fastapi.responses import JSONResponse
import motor
from motor.motor_asyncio import AsyncIOMotorClient
from fastapi import FastAPI, Request, Form
from fastapi.responses import HTMLResponse, RedirectResponse
from fastapi.staticfiles import StaticFiles
from fastapi.templating import Jinja2Templates
from itsdangerous import URLSafeTimedSerializer, BadSignature
import hashlib
import bson
from bson import ObjectId
from datetime import datetime

SECRET_KEY = "rubab"
serializer = URLSafeTimedSerializer(SECRET_KEY)

app = FastAPI()

app.include_router(customer_router.router, prefix="/customer")
app.include_router(manager_router.router, prefix="/manager")

app.mount("/static", StaticFiles(directory="static"),
name="static")
```

```
templates = Jinja2Templates(directory="templates")

client = AsyncIOMotorClient("mongodb://localhost:27017")
db = client.bank

@app.get("/")
async def index(request: Request):
    reviews_cursor = db.reviews.aggregate([{"$sample": {"size": 3}}])
    reviews = await reviews_cursor.to_list(length=3)

    faqs_cursor = db.FAQs.aggregate([{"$sample": {"size": 4}}])
    faqs = await faqs_cursor.to_list(length=4)

    blogs_cursor = db.blogs.find().limit(4)
    blogs = await blogs_cursor.to_list(length=4)

    return templates.TemplateResponse("index.html", {"request": request, "reviews": reviews, "blogs": blogs, "faqs": faqs})

@app.get("/services")
async def index(request: Request):
    return templates.TemplateResponse("services.html", {"request": request})

@app.get("/blog_details{id}")
async def get_blog_details(request: Request, id):
    flag = await db.blogs.find_one({"title": id})
```

```

        return templates.TemplateResponse("blog_details.html",
{"request": request, "blog": flag})

@app.get("/blogs", response_class = HTMLResponse)
async def display_blogs(request: Request):

    async with db.blogs.find() as programs_cursor:
        programs = await programs_cursor.to_list(length=None)

    return templates.TemplateResponse("blog.html", {"request":
request, "programs": programs})

@app.get("/submit_faq")
async def f(request: Request):
    return {"S": "D"}

```

customer_router.py

```

from fastapi import APIRouter, Depends
from fastapi import FastAPI, HTTPException, status
from routes import customer_router, manager_router
from fastapi.responses import JSONResponse
import motor
from motor.motor_asyncio import AsyncIOMotorClient
from fastapi import FastAPI, Request, Form
from fastapi.responses import HTMLResponse, RedirectResponse
from fastapi.staticfiles import StaticFiles

```

```
from fastapi.templating import Jinja2Templates
from itsdangerous import URLSafeTimedSerializer, BadSignature
import hashlib
import bson
from bson import ObjectId
from datetime import datetime

router = APIRouter()

templates = Jinja2Templates(directory="templates")
client = AsyncIOMotorClient("mongodb://localhost:27017")
db = client.bank

SECRET_KEY = "rubab"
serializer = URLSafeTimedSerializer(SECRET_KEY)

@router.get("/customer-signin", response_class = HTMLResponse)
def customer_signin(request: Request):
    return templates.TemplateResponse("customer-signin.html",
{"request": request})

@router.post("/customer-signin", response_class=HTMLResponse)
async def customer_login_form_submit(request: Request, email: str =
Form(...), password: str = Form(...)):

    if not email.strip() or not password.strip():
        return RedirectResponse(url="/customer/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)
```

```
data = await db.customer_data.find_one({"email": email})

if data and data.get("password") == password:

    response = RedirectResponse(url="/customer/customer",
status_code=status.HTTP_303_SEE_OTHER)

    session_customer_email = {"email": str(data["email"])}
    session_customer_account_number = {"account_number":
str(data["account_number"])}

    session_cookie_customer_email =
serializer.dumps(session_customer_email)
    session_cookie_customer_account_number =
serializer.dumps(session_customer_account_number)

    response.set_cookie("session_customer_email",
session_cookie_customer_email)
    response.set_cookie("session_customer_account_number",
session_cookie_customer_account_number)

    return response

else:
    return HTMLResponse("""
        <script>
```

```

        alert("Invalid email or password. Please try
again.");

        window.location.href = "/customer-signin";
    </script>
    """)

@router.get("/customer", response_class = HTMLResponse)
async def customer(request: Request):

    session_cookie1 = request.cookies.get("session_customer_email")
    session_cookie2 =
request.cookies.get("session_customer_account_number")

    if not session_cookie1 or not session_cookie2:
        return RedirectResponse(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

    try:
        session_data1 = serializer.loads(session_cookie1)
        em = session_data1["email"]

        session_data2 = serializer.loads(session_cookie2)
        account = session_data2["account_number"]

    except:
        return RedirectResponse(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

```

```

customer_data = await db.customer_data.find_one({"email": em})

transaction_data = await db.transactions_data.find({"$or": [
    { "sender_account_number": account },
    { "receiver_account_number": account }
]}).to_list(length=None)

return templates.TemplateResponse("customer.html", {"request":
request, "customer_data": customer_data, "transaction_data":
transaction_data})

@router.get("/customer-signup", response_class = HTMLResponse)
def customer_sign_up(request: Request):
    return templates.TemplateResponse("customer-signup.html",
{"request": request})

@router.post("/update_customer_data")
async def update_customer_data(
    request: Request,
    email_from_update_customer: str = Form(""),
    phone_from_update_customer: str = Form(""),
    address_from_update_customer: str = Form("")
):
    session_cookie2 =
request.cookies.get("session_customer_account_number")

    if not session_cookie2:

```



```

        return HttpResponseRedirect(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

    try:
        session_data2 = serializer.loads(session_cookie2)
        account = session_data2["account_number"]
    except:
        return HttpResponseRedirect(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

    update_data = {}
    if email_from_update_customer:
        update_data["email"] = email_from_update_customer
    if phone_from_update_customer:
        update_data["phone"] = phone_from_update_customer
    if address_from_update_customer:
        update_data["address"] = address_from_update_customer

    if update_data:
        await db.customer_data.update_one(
            {"account_number": account},
            {"$set": update_data}
        )

    transaction_data = await db.transactions_data.find({"$or": [
        { "sender_account_number": account },
        { "receiver_account_number": account }
    ]})

```

```
    ]}).to_list(length=None)

    customer = await db.customer_data.find_one({"account_number":
account})

    return templates.TemplateResponse("customer.html", {"request":
request, "customer_data": customer, "transaction_data":
transaction_data})

@router.post("/customer-signup", response_class=HTMLResponse)
async def abc(
    request: Request,
    first_name: str = Form(...),
    last_name: str = Form(...),
    email: str = Form(...),
    phone: str = Form(...),
    address: str = Form(...),
    password: str = Form(...),
    confirm_password: str = Form(...),
    day: int = Form(...),
    month: int = Form(...),
    year: int = Form(...),
):

    dictionary = await db.customer_data.find().to_list(length =
None)

    numerical_parts = [
```

```

        int(customer['account_number'].replace('account', ''))
    for customer in dictionary if 'account_number' in customer
]

max_account_number = max(numerical_parts)
account_number_to_give = max_account_number + 1

format_length = len(str(max_account_number))

new_account_number =
f"account{account_number_to_give:0{format_length}d}"

birth_date = f"{year:04d}-{month:02d}-{day:02d}"

bd = datetime(year, month, day)
today = datetime.today()
age = today.year - bd.year - ((today.month, today.day) <
(bd.month, bd.day))

customer = {
    "account_number": new_account_number,
    "name": first_name + " " + last_name,
    "email": email,
    "phone": phone,
    "address": address,
    "password": password,
    "birth_date": birth_date,
    "age": str(age),

```

```

        "image": "user.png",
        "current_balance": "0",
    }

    result = await db.customer_data.insert_one(customer)

    customer_data = await
db.customer_data.find_one({"account_number": new_account_number})

    response = templates.TemplateResponse("customer.html",
{"request": request, "customer_data": customer_data})

    session_data = {"account_number": str(new_account_number)}
    session_cookie = serializer.dumps(session_data)
    response.set_cookie("session_customer_account_number",
session_cookie)

    return response

@router.post("/dep")
async def funnc(request: Request, deposition_amount: str =
Form(...), deposit_password: str = Form(...)):

    session_cookie1 =
request.cookies.get("session_customer_account_number")

    if not session_cookie1:

```

```

        return HttpResponseRedirect(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

    try:
        session_data1 = serializer.loads(session_cookie1)
        acc = session_data1["account_number"]

    except:
        return HttpResponseRedirect(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

    customers = await db.customer_data.find_one({"account_number":
acc})

    if customers["password"] == deposit_password:

        amount = int(deposition_amount)
        x = int(customers["current_balance"]) + amount

        await db.customer_data.update_one(
            {"account_number": acc},
            {"$set": {"current_balance": str(x)}}
        )

        transaction_data = await db.transactions_data.find({"$or":
[
            { "sender_account_number": acc },
            { "receiver_account_number": acc }

```

```

    ]}).to_list(length=None)

    return templates.TemplateResponse("customer.html",
{"request": request, "customer_data": customers,
"transaction_data": transaction_data})

    return HTMLResponse(f"""
        <script>
            alert(`You entered the wrong password. For safety
reasons, we are redirecting you to the sign in page.`);
            window.location.href = "/customer-signin";
        </script>
    """)

@router.post("/with")
async def funnc(request: Request, withdraw_amount: str = Form(...),
withdraw_password: str = Form(...)):

    session_cookie1 =
request.cookies.get("session_customer_account_number")

    if not session_cookie1:
        return RedirectResponse(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

    try:
        session_data1 = serializer.loads(session_cookie1)
        acc = session_data1["account_number"]

```

```

except:
    return HttpResponseRedirect(url="/customer-signin",
status_code=status.HTTP_303_SEE_OTHER)

customers = await db.customer_data.find_one({"account_number":
acc})

flag = False

if customers["password"] == withdraw_password:

    amount = int(withdraw_amount)
    x = int(customers["current_balance"]) - amount

    if x >= 0:
        await db.customer_data.update_one(
            {"account_number": acc},
            {"$set": {"current_balance": str(x)}}
        )
    else:
        flag = True

transaction_data = await db.transactions_data.find({"$or":
[
    { "sender_account_number": acc },
    { "receiver_account_number": acc }
]}).to_list(length = None)

```

```
        return templates.TemplateResponse("customer.html",
{"request": request, "customer_data": customers,
"transaction_data": transaction_data, "withdraw_flag": flag})

    return HTMLResponse(f"""
        <script>
            alert(`You entered the wrong password. For safety
reasons, we are redirecting you to the sign in page.`);
            window.location.href = "/customer-signin";
        </script>
    """)

@router.get("/customer-logout")
async def logout():
    response = RedirectResponse(url="/customer-signin")
    response.delete_cookie("session_customer_account_number")
    response.delete_cookie("session_customer_email")
    return response
```


manager_router.py

```
from fastapi import APIRouter, Depends
from fastapi import FastAPI, HTTPException, status
from routes import customer_router, manager_router
from fastapi.responses import JSONResponse
import motor
from motor.motor_asyncio import AsyncIOMotorClient
from fastapi import FastAPI, Request, Form
from fastapi.responses import HTMLResponse, RedirectResponse
from fastapi.staticfiles import StaticFiles
from fastapi.templating import Jinja2Templates
from itsdangerous import URLSafeTimedSerializer, BadSignature
import hashlib
import bson
from bson import ObjectId
from datetime import datetime

router = APIRouter()

templates = Jinja2Templates(directory="templates")
client = AsyncIOMotorClient("mongodb://localhost:27017")
db = client.bank

SECRET_KEY = "rubab"
serializer = URLSafeTimedSerializer(SECRET_KEY)

@router.get("/manager-signin", response_class=HTMLResponse)
```

```

async def manager_login_form(request: Request):
    return templates.TemplateResponse("manager-signin.html",
{"request": request})

@router.post("/manager-signin", response_class=HTMLResponse)
async def manager_login_submit(request: Request, email: str =
Form(...), password: str = Form(...)):

    flag = await db.manager.find_one({"email": email})
    if flag and flag.get("password") == password:
        response = RedirectResponse(url="/manager/manager",
status_code=status.HTTP_303_SEE_OTHER)

    else:
        return HTMLResponse("""
            <script>
                alert("Invalid email or password. Please try
again.");
                window.location.href = "/manager-signin";
            </script>
            """)

    session_data = {"email": str(flag["email"])}
    session_cookie = serializer.dumps(session_data)
    response.set_cookie("session", session_cookie)
    return response

@router.get("/manager", response_class = HTMLResponse)

```

```
async def manager(request: Request):

    session_cookie = request.cookies.get("session")
    if not session_cookie:
        return RedirectResponse(url="/login",
status_code=status.HTTP_303_SEE_OTHER)

    try:
        session_data = serializer.loads(session_cookie)
        em = session_data["email"]

    except:
        return RedirectResponse(url="/login",
status_code=status.HTTP_303_SEE_OTHER)

    manager_data = await db.manager_data.find_one({"email": em})
    customer_data = await
db.customer_data.find().to_list(length=None)
    top_customers = await
db.customer_data.find().sort("current_balance", -
1).limit(5).to_list(length=None)

    return templates.TemplateResponse("manager.html", {"request":
request, "data": manager_data, "customer_data": customer_data,
"top_customers": top_customers})

@router.get("/manager-logout")
```

```

async def logout():
    response = RedirectResponse(url="/manager/manager-signin")
    response.delete_cookie("session")
    return response

@router.post("/delete_user/{account_number}")
async def func(account_number: str):
    deleted_customer = await
db.customer_data.delete_one({"account_number": account_number})

    if deleted_customer.deleted_count == 1:
        return HTMLResponse("""
            <script>
                alert("Customer delted.");
                window.location.href = "/manager/manager";
            </script>
        """)
    else:
        return HTMLResponse("""
            <script>
                alert("Customer not found.");
                window.location.href = "/manager";
            </script>
        """)

@router.post("/search_customer", response_class=HTMLResponse)

```

```

async def search_customer(request: Request, search_customer: str =
Form(...)):
    customer_data = await
db.customer_data.find_one({"account_number": search_customer})

    if customer_data:
        customer_data['_id'] = str(customer_data['_id'])
        return JsonResponse(content=customer_data)
    else:
        return JsonResponse(content={"error": "Customer not
found"}, status_code=status.HTTP_404_NOT_FOUND)

```

index.html

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <title>Digital Trust</title>
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.4.1/dist/css/bootstr
ap.min.css"

```

```

        integrity="sha384-
Vkoo8x4CGs03+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css"
        integrity="sha512-
SnH5WK+bZxgPHs44uWIX+LLJAJ9/2PkPKZ5QiAj6Ta86w+fsb2TkcmfRyVX3pBnMFCV
7oQPJk19QevSCWr3W6A=="
        crossorigin="anonymous" referrerpolicy="no-referrer" />
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap
.bundle.min.js"></script>

    <link rel="stylesheet" href="{ { url_for('static',
path='/css/utils.css') }}">
    <link rel="stylesheet" href="{ { url_for('static',
path='/css/style.css') }}">
    <link rel="stylesheet" href="{ { url_for('static',
path='/css/blog.css') }}">
    <link
href='https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css'
rel='stylesheet'>

    <style>

        .heading {

```

```
    font-family: "Raleway", sans-serif;
}

.card1 {
    position: relative;
    width: 220px;
    height: 320px;
    /* background: mediumturquoise; */
    background: #0e273c;
    /* background: #000; */
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 25px;
    font-weight: bold;
    border-radius: 15px;
    cursor: pointer;
    box-shadow: 0 0 0.3rem rgba(0, 0, 0, 0.4);
}

.card1::before,
.card1::after {
    position: absolute;
    content: "";
    width: 20%;
    height: 20%;
    display: flex;
```

```
        align-items: center;
        justify-content: center;
        font-size: 25px;
        font-weight: bold;
        /* background-color: lightblue; */
        background-color: #fff;
        transition: all 0.5s;
    }

    .card1::before {
        top: 0;
        right: 0;
        border-radius: 0 15px 0 100%;
    }

    .card1::after {
        bottom: 0;
        left: 0;
        border-radius: 0 100% 0 15px;
    }

    .card1:hover::before,
    .card1:hover:after {
        width: 100%;
        height: 100%;
        border-radius: 15px;
        transition: all 0.5s;
    }
```



```
}

#manager-card:hover:after {
    content: "Manager";
}

#customer-card:hover:after {
    content: "Customer";
}
```

```
button {
    position: relative;
    display: inline-block;
    cursor: pointer;
    outline: none;
    border: 0;
    vertical-align: middle;
    text-decoration: none;
    background: transparent;
    padding: 0;
    font-size: inherit;
    font-family: inherit;
```

```
}

button.learn-more {
    width: 12rem;
    height: auto;
}

button.learn-more .circle {
    transition: all 0.45s cubic-bezier(0.65, 0, 0.076, 1);
    position: relative;
    display: block;
    margin: 0;
    width: 3rem;
    height: 3rem;
    /* background: #282936; */
    background: #fff;
    border-radius: 1.625rem;
}

button.learn-more .circle .icon {
    transition: all 0.45s cubic-bezier(0.65, 0, 0.076, 1);
    position: absolute;
    top: 0;
    bottom: 0;
    margin: auto;
    /* background: #fff; */
    background: #000;
```

```
        /* background: purple; */
    }

    button.learn-more .circle .icon.arrow {
        transition: all 0.45s cubic-bezier(0.65, 0, 0.076, 1);
        left: 0.625rem;
        width: 1.125rem;
        height: 0.125rem;
        background: none;
    }

    button.learn-more .circle .icon.arrow::before {
        position: absolute;
        content: "";
        top: -0.29rem;
        right: 0.0625rem;
        width: 0.625rem;
        height: 0.625rem;
        border-top: 0.125rem solid black;
        border-right: 0.125rem solid black;
        /* border-top: 0.125rem solid #fff;
        border-right: 0.125rem solid #fff; */
        transform: rotate(45deg);
    }

    button.learn-more .button-text {
        transition: all 0.45s cubic-bezier(0.65, 0, 0.076, 1);
```

```
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    padding: 0.75rem 0;
    margin: 0 0 0 1.85rem;
    /* color: #282936; */
    color: white;
    font-weight: 700;
    line-height: 1.6;
    text-align: center;
    text-transform: uppercase;
}

button:hover .circle {
    width: 100%;
}

button:hover .circle .icon.arrow {
    /* background: #fff; */
    background: black;
    transform: translate(1rem, 0);
}

button:hover .button-text {
    /* color: #fff; */
```

```
        color: black;
    }
</style>
</head>

<body>

    <!-- <div class="container col-xxl-8 px-4 py-5">

        <div class="row flex-lg-row-reverse align-items-center g-5
py-5">

            <div class="col-10 col-sm-8 col-lg-6 p-2 rounded"
style="box-shadow: 0 0 0.3rem rgba(0,0,0,0.3);">

            </div>

            <div class="col-lg-6">

                <h1 class="display-5 fw-bold lh-1 mb-3
heading">Welcome to Digital Trust</h1>

                <p class="lead mb-4 mt-4 pr-3">
```

Manage Your Money Anytime, Anywhere.
Join Us Today for Easy, Secure Online Banking.

Your gateway to seamless online banking. Explore our innovative features and experience banking like never before.

</p>

<div class="d-grid gap-2 d-md-flex justify-content-md-start">

<button class="learn-more" id="signupbutton">

Sign Up

</button>

</div>

</div>

</div>

</div> -->

<div class="pt-5 pb-5 d-flex justify-content-center position-relative"

style="background-image:

url('https://img.freepik.com/premium-photo/business-growth-

```
concept_173387-1062.jpg?');height: 100vh;background-repeat: no-repeat;background-position: center;background-size: cover;">
```

```
<div style="position: absolute;
top: 0;
left: 0;
right: 0;
bottom: 0;
background-color: rgba(0, 0, 0, 0.7);
display: flex;
justify-content: center;
align-items: center;
text-align: center;
color: white;">
```

```
<div class="col-lg-6 d-flex flex-column justify-content-center align-items-center">
```

```
<h1 class="display-5 fw-bold lh-1 mb-3 heading">Welcome to Digital Trust</h1>
```

```
<p class="lead mb-4 mt-4 pr-3 text-center">
    Manage Your Money Anytime, Anywhere. <br>Join
    Us Today for Easy, Secure Online Banking.
```

```
    Your gateway to seamless online banking.
    Explore our innovative features and experience banking
    like
    never before.
```

```
</p>
```

```

        <div class="d-grid gap-2 d-md-flex justify-content-
md-start">
            <button class="learn-more" id="signupbutton">
                <span class="circle" aria-hidden="true">
                    <span class="icon arrow"></span>
                </span>
                <span class="button-text">Sign Up</span>
            </button>
        </div>

    </div>

</div>

<!-- <div class="col-lg-6 d-flex flex-column justify-
content-center align-items-center">
    <h1 class="display-5 fw-bold lh-1 mb-3 heading">Welcome
to Digital Trust</h1>
    <p class="lead mb-4 mt-4 pr-3 text-center">
        Manage Your Money Anytime, Anywhere. <br>Join Us
Today for Easy, Secure Online Banking.
        Your gateway to seamless online banking. Explore
our innovative features and experience banking
        like
        never before.
    </p>

```



```
<div class="d-grid gap-2 d-md-flex justify-content-md-
start">
    <button class="learn-more" id="signupbutton">
        <span class="circle" aria-hidden="true">
            <span class="icon arrow"></span>
        </span>
        <span class="button-text">Sign Up</span>
    </button>
</div>
</div> -->
```

```
<!-- <div class="container col-xxl-8 px-4 py-5 bg-danger">

    <div class="row flex-lg-row-reverse align-items-center
g-5 py-5">

        <div class="col-10 col-sm-8 col-lg-6 p-2 rounded"
style="box-shadow: 0 0 0.3rem rgba(0,0,0,0.3);">

            </div>

        <div class="col-lg-6">
```

```
        <h1 class="display-5 fw-bold lh-1 mb-3
heading">Welcome to Digital Trust</h1>
        <p class="lead mb-4 mt-4 pr-3">
            Manage Your Money Anytime, Anywhere.
<br>Join Us Today for Easy, Secure Online Banking.
            Your gateway to seamless online banking.
Explore our innovative features and experience banking
            like
            never before.
        </p>
        <div class="d-grid gap-2 d-md-flex justify-
content-md-start">
            <button type="button" class="btn btn2 btn-
lg px-4 me-md-2 mr-3" style="width: 250px;">Sign Up</button>
            <a href="/customer-signup" class="btn btn2
btn-lg px-4 me-md-2 mr-3">Sign Up</a>
            <button class="learn-more"
id="signupbutton">
                <span class="circle" aria-
hidden="true">
                    <span class="icon arrow"></span>
                </span>
                <span class="button-text">Sign
Up</span>
            </button>
```

```

        <button type="button" class="btn btn-
outline-secondary btn-lg px-4">Default</button>
    </div>
</div>
</div>
</div> -->
</div>

<section class="testimonial pt-5 pb-5">
    <div class="container pt-5 pb-5">

        <div class="row text-center justify-content-center">

            <div class="card1 ml-3 mr-3 d-flex flex-column"
id="manager-card">
                <i class="fa-solid fa-user-tie d-flex align-
items-center justify-content-center"
                    style="width:150px;height:150px;font-size:
120px; color: #fff;"></i>
                <div class="testimonial-content mt-3">
                    <h4 class="mb-1" style="color: white;"
id="get_name1">Manager</h4>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="card1 ml-3 mr-3 d-flex flex-column"
id="customer-card">
            <!-- <i class="fa-solid fa-users"
style="width:120px;font-size: 120px;"></i> -->
            <i class='bx bxs-user' style="width:150px;font-
size: 150px;color: #fff;"></i>
            <div class="testimonial-content mt-3">
                <h4 class="mb-1" id="get_name1"
style="color: white;">Customer</h4>
            </div>
        </div>

        <!-- <div class="col-md-6 col-lg-4">
            <div class="testimonial-item p-4 py-lg-5 mt-4"
style="box-shadow: 0 0 0.3rem rgba(0,0,0,0.4);">
                <i class="fa-solid fa-user-tie"
style="width:120px;font-size: 120px;"></i>
                <div class="testimonial-content mt-3">
                    <h4 class="mb-1"
id="get_name1">Manager</h4>
                    <a href="/manager-signin" class="btn
btn1 mt-md-4"
style="box-shadow: 0 0 0.2rem
rgba(0,0,255,0.3);">Enter<a></a>
                </div>
            </div>

```

```

        </div> -->

        <!-- <div class="col-md-6 col-lg-4">
            <div class="testimonial-item p-4 py-lg-5 mt-4"
style="box-shadow: 0 0 0.3rem rgba(0,0,0,0.4);">

                <i class="fa-solid fa-user"
style="width:120px;font-size: 120px;"></i>

                <div class="testimonial-content mt-3">
                    <h4 class="mb-1"
id="get_name1">Employee</h4>
                    <a href="/employee-signin" class="btn1
btn mt-md-4">Enter<a></a>

                </div>
            </div>
        </div> -->

        <!-- <div class="col-md-6 col-lg-4">
            <div class="testimonial-item p-4 py-lg-5 mt-4"
style="box-shadow: 0 0 0.3rem rgba(0,0,0,0.4);">

                <div class="row" style="padding-left:
90px;">

                    <i class="fa-solid fa-users"
style="width:120px;font-size: 120px;"></i>

                </div>

                <div class="testimonial-content mt-3">

```



```

                <i class="fa-solid fa-money-bill-
transfer" style="color: #0e273c;"></i>
            </div>
            <div class="ms-3 mt-2">
                <h5 class="mb-1 fs-4">Seamless
Transactions</h5>
                <p class="mb-0">Effortless Banking
Experience</p>
            </div>
        </div>
    </div>
    <div class="col-12 col-sm-6 col-lg-4 mt-4">
        <div class="d-flex justify-content-center
align-items-center">
            <div class="incentives-icon">
                <i class="fas fa-headphones-alt"
style="color: #0e273c;"></i>
            </div>
            <div class="ms-3 mt-2">
                <h5 class="mb-1 fs-4">24/7 Support</h5>
                <p class="mb-0">No charge on 24/7
support</p>
            </div>
        </div>
    </div>
    <div class="col-12 col-sm-6 col-lg-4 mt-4">

```

```

        <div class="d-flex justify-content-center align-items-center">
            <div class="incentives-icon">
                <i class="fa-solid fa-shield" style="color: #0e273c;"></i>
            </div>
            <div class="ms-3 mt-2">
                <h5 class="mb-1 fs-4">Enhanced
Security</h5>
                <p class="mb-0">Full time financial
protection</p>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
</section>
<!-- incentives end -->

<!-- Blog Section -->
<section class="blog">
    <div class="container justify-content-center d-flex flex-column align-items-center">
        <div class="row justify-content-center">
            <div class="col-lg-12 text-center">
                <h2 class="blog-heading mb-3 mt-0 heading">Celebrate Financial Literacy</h2>

```



```
        <p class="blog-sub-heading px-lg-5 mb-4">
            Stay Informed: Explore Insights & Tips in
Our Blog
        </p>
    </div>
</div>

<div class="row align-items-center mt-5">
    {% if blogs %}

        <div class="col-12 mb-4">
            <article class="blog-featured-post">
                <div class="row align-items-center">
                    <div class="col-lg-7">

                        <!-- -
->

                    </div>
                    <div class="col-lg-5">
                        <div class="mt-4 mt-lg-0 ps-lg-4">
```

```
<h4 class="blog-title mb-2">
    {{ blogs[0].title }}
</h4>
<p class="blog-description mt-3
mb-4">

    {{ blogs[0].description }}
</p>
<div class="blog-author d-flex
align-items-center mb-2">

    <div>
        <p class="mb-0">By<b>
{{ blogs[0].writer }}</b></p>

        <p class="mb-0 small
opacity-75">{{ blogs[0].date }}</p>
    </div>

</div>

<div class="mt-3">
    <a
href="/blog_details{{ blogs[0].title }}" class="btn blog-btn-read-
more">Read

        More</a>
    </div>
</div>
</div>
</div>
```

```

        </article>
    </div>

    {% for blog in blogs[1:] %}
    <div class="col-12 col-md-6 col-lg-4">
        <article class="blog-post rounded overflow-
hidden mt-4 h-100">

            <!--  -->

            <div class="p-3 p-lg-4">
                <!-- <h4 class="blog-title fs-4 mb-
1">Not Your Regular Home Decoration?</h4> -->
                <h4 class="blog-title fs-4 mb-
1">{{ blog.title }}</h4>
                <p class="blog-author">
                    <span class="me-2 mr-4">By <span
class="text-primary">{{ blog.writer }} </span></span>

```

```

                <span class="ml-5"><i class="far
fa-clock me-1"></i> <span>{{ blog.date }}</span></span>
            </p>
            <p class="blog-description mt-3 mb-4">
                {{ blog.description }}
            </p>
            <a href="/blog_details{{ blog.title }}"
class="btn blog-btn-read-more">Read More</a>
        </div>
    </article>
</div>
{% endfor %}

<!-- <div class="col-12 col-md-6 col-lg-4 bg-
warning">
    <article class="blog-post rounded overflow-
hidden mt-4 h-100">
        
        <div class="p-3 p-lg-4">
            <h4 class="blog-title fs-4 mb-1">Not
Your Regular Home Decoration?</h4>
            <p class="blog-author">
                <span class="me-2">By <a href=""
class="text-decoration-none">Maisha Adiba</a></span>

```

```

                <span><i class="far fa-clock me-
1"></i> <span>21 Jun, 2022</span></span>

            </p>
            <p class="blog-description mt-3 mb-4">
                Urna molestie at eleme ntum eu
facilisis sed odio Male suada fames.
            </p>
            <a href="" class="btn blog-btn-read-
more">Read More</a>
        </div>
    </article>
</div>
<div class="col-12 col-md-6 col-lg-4">
    <article class="blog-post rounded overflow-
hidden mt-4 h-100">
        
        <div class="p-3 p-lg-4">
            <h4 class="blog-title fs-4 mb-1">How
I'm Styling Everyday Black Outfits</h4>
            <p class="blog-author">
                <span class="me-2">By <a href=""
class="text-decoration-none">Alex Hales</a></span>
                <span><i class="far fa-clock me-
1"></i> <span>21 Jun, 2022</span></span>

```

```

        </p>
        <p class="blog-description mt-3 mb-4">
            It's no secret that the digital
industry is booming. From exciting startups to global
            brands.
        </p>
        <a href="" class="btn blog-btn-read-
more">Read More</a>
    </div>
</article>
</div>
<div class="col-12 col-md-6 col-lg-4">
    <article class="blog-post rounded overflow-
hidden mt-4 h-100">
        
        <div class="p-3 p-lg-4">
            <h4 class="blog-title fs-4 mb-
1">Fashion Essentials All Men Should Know</h4>
            <p class="blog-author">
                <span class="me-2">By <a href=""
class="text-decoration-none">John Stokes</a></span>
                <span><i class="far fa-clock me-
1"></i> <span>11 Mar, 2022</span></span>
            </p>

```

```

        <p class="blog-description mt-3 mb-4">
            More off this less hello salamander
            lied porpoise much over tightly circa horse taped.
        </p>
        <a href="" class="btn ezy__blog4-btn-
read-more">Read More</a>
    </div>
</article>
</div> -->

    {% endif %}

</div>

<div class="row col-12 d-flex mt-5 justify-content-
center align-items-center">
    <a href="/blogs" class="btn btn2" style="padding:
12px 20px;font-size: 1.3rem;">All Posts</a>
</div>

</div>
</section>

<!-- Community Reviews and Testimonials Section -->
<section class="testimonial">
    <div class="container">
        <div class="row justify-content-center mb-4 mb-md-5">
            <div class="col-lg-6 col-xl-5 text-center">

```

```

        <h2 class="testimonial-heading mb-3
heading">Community Reviews</h2>
        <p class="testimonial-sub-heading mb-0">
            From there give dominion, lights doesn't
good all rule let open,
            appear our beast second bearing.
        </p>
    </div>
</div>
<div class="row text-center">

    {% for review in reviews %}

        <div class="col-md-6 col-lg-4">
            <div class="testimonial-item p-4 py-lg-5 mt-4"
style="box-shadow: 0 0 0.2rem rgba(0,0,0,0.4);">

                <div class="testimonial-content mt-3">
                    <h4 class="mb-1 heading"
id="get_name1">{{ review.name }}</h4>

```



```

        <p class="mb-4 testimonial-rating">
            <span class="fas fa-star
active"></span>

            <span class="fas fa-star
active"></span>

            <span class="fas fa-star
active"></span>

            <span class="fas fa-star"></span>
            <span class="fas fa-star-half-alt
active"></span>

        </p>
        <p class="opacity-50 mb-0"
id="get_review1">
            {{ review.review }}
        </p>
    </div>
</div>
</div>

{% endfor %}

<!-- <div class="col-md-6 col-lg-4">
    <div class="testimonial-item active p-4 py-lg-5
mt-4">

```

```

        <div class="testimonial-content mt-3">
            <h4 class="mb-1" id="get_name2">Raima
Ray</h4>

            <p class="mb-4 testimonial-rating">
                <span class="fas fa-star
active"></span>

                <span class="fas fa-star
active"></span>

                <span class="fas fa-star
active"></span>

                <span class="fas fa-star-half-alt
active"></span>

                <span class="fas fa-star"></span>
            </p>
            <p class="opacity-50 mb-0"
id="get_review2">

                Shall deep bearing divide seed
moved replenish us, good our

                open he seed day which .
            </p>
        </div>
    </div>
</div>

```

```
<div class="col-md-6 col-lg-4">
  <div class="ezy__testimonial5-item p-4 py-lg-5
mt-4">
    
    <div class="testimonial-content mt-3">
      <h4 class="mb-1" id="get_name3">Arjun
Kapur</h4>
      <p class="mb-4 testimonial-rating">
        <span class="fas fa-star
active"></span>
        <span class="fas fa-star
active"></span>
        <span class="fas fa-star
active"></span>
        <span class="fas fa-star-half-alt
active"></span>
        <span class="fas fa-star"></span>
      </p>
      <p class="opacity-50 mb-0"
id="get_review3">
        It's easier to reach your savings
goals when you have the
```

right savings account. Take a look
and find the right one for

you.

</p>

</div>

</div>

</div> -->

</div>

</div>

</section>

<!-- Community Reviews and Testimonials Section End -->

<!-- WORK ON THIS SECTION -->

<!-- Contact Us Section -->

<section class="contact">

<div class="container">

<div class="row py-4">

<div class="col-lg-7 order-lg-2 mb-3 mb-lg-0">

<div class="contact-bg-holder h-100"
style="background-image: url(../static/assets/contactUs.jpg)">

</div>

</div>

<div class="col-lg-5">

```
        <div class="card contact-form-card">
            <div class="card-body p-md-5">
                <h2 class="contact-heading mb-3
heading">Contact Us</h2>
                <p class="contact-sub-heading mb-5">We
list your menu online, help you process
                orders.</p>

                <form>
                    <div class="form-group mb-3 mt-2">
                        <input type="text" class="form-
control" placeholder="Enter Name"
                                style="box-shadow: 0 0
0.3rem rgba(0,0,0,0.3);" />
                    </div>
                    <div class="form-group mb-3 mt-2">
                        <input type="email"
class="form-control" placeholder="Enter Email"
                                style="box-shadow: 0 0
0.3rem rgba(0,0,0,0.3);" />
                    </div>
                    <div class="form-group mb-3">
                        <textarea name="message"
class="form-control" placeholder="Enter Message" rows="3"
                                style="box-shadow: 0 0
0.3rem rgba(0,0,0,0.3);"></textarea>
                    </div>
```

```
<div class="text-end">  
    <a href="/submit_faq"  
class="btn btn2">Submit</a>  
  
</div>  
</form>  
</div>  
</div>  
</div>  
</div>  
</div>  
</section>  
<!-- Contact Us Section End -->  
  
<!-- FAQs Section -->  
<section class="faq mb-5 mt-5 pt-5 pb-5" style="background-  
color: #eee;">  
    <div class="container">  
  
        <div class="row justify-content-center mb-md-4">  
            <div class="col-lg-8 col-xl-7 text-center">  
                <h2 class="contact-heading mb-3  
heading">Frequently Asked Questions</h2>  
                <p class="faq-sub-heading mb-0">  
                    Looking for more details?<br>Explore our  
Knowledge Base for comprehensive answers.  
                </p>  
            </div>
```



```

        {% for faq in faqs[2:] %}
        <div class="faq-item mt-4 glowing-box p-sm-4 p-
lg-1" style="background-color: white">
            <h5
                class="p-3 p-lg-4 mb-0 w-100 text-start
d-flex justify-content-between align-items-center faq-btn-collapse
font-weight-bold">
                <span>{{ faq.question }}</span>
            </h5>
            <div class="faq-content px-3 px-lg-4 pb-lg-
4">
                <p class="opacity-50 mb-0 text-
justify">
                    {{ faq.answer }}
                </p>
            </div>
        </div>
    </div>
</div>
</section>

<!-- Footer Section -->
<section class="footer">
    <div class="container">
        <div class="row text-center text-sm-start">

```



```
<div class="col-lg-3">
    <h2 class="fw-bold heading">Digital Trust</h2>
</div>
<div class="col-sm-6 col-lg-2 mt-4 mt-lg-0">
    <h5>Quick Links</h5>

    <!-- put links here -->
    <ul class="nav flex-column footer-quick-links">
        <li><a href="#">Home</a></li>
        <li><a href="#">About Us</a></li>
        <li><a href="#">Services</a></li>
    </ul>
</div>
<div class="col-sm-6 col-lg-2 mt-4 mt-lg-0">
    <h5>Social Media</h5>
    <ul class="nav flex-column footer-quick-links">
        <li><a href="#">Facebook</a></li>
        <li><a href="#">Instagram</a></li>
        <li><a href="#">LinkedIn</a></li>
        <li><a href="#">Twitter</a></li>
    </ul>
</div>
<div class="col-sm-6 col-lg-2 mt-4 mt-lg-0">
    <h5>Job Info</h5>
    <ul class="nav flex-column footer-quick-links">
        <li><a href="#">Select</a></li>
        <li><a href="#">Service</a></li>
    </ul>
</div>
```

```

        <li><a href="#">Payment</a></li>
    </ul>
</div>
<div class="col-sm-6 col-lg-3 mt-4 mt-lg-0">
    <h5>Contact Us</h5>
    <ul class="nav flex-column footer-quick-links">
        <li><a href="#">Islamabad,
Pakistan</a></li>
        <li><a
href="#">contact@bankName.com</a></li>
        <li><a href="#">+92 334 8748787</a></li>
    </ul>
</div>
</div>
<hr />
<div class="row d-flex justify-content-between align-
items-center text-center text-lg-start">
    <div class="col-lg-4">
        <p class="mb-0 mt-1">Copyright &copy;&nbsp;
Bank Name, All rights reserved</p>
    </div>

    <div class="col-lg-4 d-flex justify-content-center
justify-content-lg-end text-center text-lg-end mt-1">
        <ul class="footer-social nav">
            <li>

```

```
                <a href="" class="border d-flex
justify-content-center align-items-center rounded-circle"><i
                class="fab fa-facebook-
f"></i></a>

                </li>
                <li>
                    <a href="" class="border d-flex
justify-content-center align-items-center rounded-circle"><i
                    class="fab fa-twitter"></i></a>

                </li>
                <li>
                    <a href="" class="border d-flex
justify-content-center align-items-center rounded-circle"><i
                    class="fab fa-pinterest-
p"></i></a>

                </li>
                <li>
                    <a href="" class="border d-flex
justify-content-center align-items-center rounded-circle"><i
                    class="fab fa-linkedin-
in"></i></a>

                </li>
            </ul>
        </div>
    </div>
</div>
</section>
```

```

<!-- Footer Section End -->

<script>
    document.getElementById('manager-
card').addEventListener('click', function () {
        window.location.href = 'manager/manager-signin';
    });
    document.getElementById('customer-
card').addEventListener('click', function () {
        window.location.href = 'customer/customer-signin';
    });

document.getElementById('signupbutton').addEventListener('click',
function () {
    window.location.href = 'customer/customer-signup';
});
</script>

</body>

</html>

```

customer.html

```

<!DOCTYPE html>
<html lang="en">

```

```
<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no" />

  <meta http-equiv="x-ua-compatible" content="ie=edge" />

  <title>{{ customer_data.name }}</title>

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.4.1/dist/css/bootstr
ap.min.css"
      integrity="sha384-
Vkoo8x4CGs03+Hh xv8T/Q5PaXtkKtu6ug5T0eNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">

  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css"
      integrity="sha512-
SnH5WK+bZxgPHs44uWIX+LLJAJ9/2PkPKZ5QiAj6Ta86w+fsb2TkcmfRyVX3pBnMFCV
7oQPJk19QevSCWr3W6A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />

  <link rel="stylesheet" href="{{ url_for('static',
path='/css/utils.css') }}">

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap
.bundle.min.js"></script>
```

```
</head>
```

```
<body>
```

```
  <section style="background-color: #eee;">
```

```
    <div class="container py-5">
```

```
      <div class="row">
```

```
        <div class="col">
```

```
          <h1>{{ customer_data.name }}</h1>
```

```
        </div>
```

```
      </div>
```

```
      <div class="row mt-5">
```

```
        <div class="col-lg-4">
```

```
          <div class="card mb-4">
```

```
            <div class="card-body text-center">
```

```
              
```

```
              <h5 class="my-
```

```
3">{{ customer_data.name }}</h5>
```

```
              <p class="text-muted mb-
```

```
1">{{ customer_data.account_number }}</p>
```

```
          </div>
```



```
<hr>
<div class="row">
  <div class="col-sm-3">
    <p class="mb-0">Email</p>
  </div>
  <div class="col-sm-9">
    <p class="text-muted mb-
0">{{ customer_data.email }}</p>
  </div>
</div>
<hr>
<div class="row">
  <div class="col-sm-3">
    <p class="mb-0">Phone
Number</p>
  </div>
  <div class="col-sm-9">
    <p class="text-muted mb-
0">{{ customer_data.phone }}</p>
  </div>
</div>
<hr>
<div class="row">
  <div class="col-sm-3">
    <p class="mb-0">Age</p>
  </div>
  <div class="col-sm-9">
```



```

                <p class="text-muted mb-
0">{{ customer_data.age }}</p>
            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">
                <p class="mb-0">Current
Balance</p>
            </div>
            <div class="col-sm-9">
                <p class="text-muted mb-
0">{{ customer_data.current_balance }}</p>
            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">
                <p class="mb-0">Address</p>
            </div>
            <div class="col-sm-9">
                <p class="text-muted mb-
0">{{ customer_data.address }}</p>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>

</div>
</div>

<div class="row mt-5">
    <div class="col-lg-12">
        <div class="card mb-4">
            <div class="card-body text-center">

                <ul class="nav nav-pills mb-3"
id="pills-tab" role="tablist">

                    <li class="nav-item mr-4"
role="presentation">

                        <button class="nav-link active
btn" id="pills-home-tab" data-bs-toggle="pill"
                        data-bs-target="#pills-
home" type="button" role="tab" aria-controls="pills-home"
                        aria-
selected="true">Transactions</button>
                    </li>

                    <!-- <li class="nav-item mr-4"
role="presentation">

```

```
                <button class="nav-link btn"
id="pills-profile-tab" data-bs-toggle="pill"
                data-bs-target="#pills-
profile" type="button" role="tab"
                aria-controls="pills-
profile" aria-selected="false">Bill Payment</button>
            </li> -->

            <li class="nav-item mr-4"
role="presentation">
                <button class="nav-link btn"
id="pills-third-tab" data-bs-toggle="pill"
                data-bs-target="#pills-
third" type="button" role="tab"
                aria-controls="pills-third"
aria-selected="false">Account Management</button>
            </li>

            <li class="nav-item mr-4"
role="presentation">
                <button class="nav-link btn"
id="pills-fourth-tab" data-bs-toggle="pill"
                data-bs-target="#pills-
fourth" type="button" role="tab"
                aria-controls="pills-
fourth" aria-selected="false">Cash Withdrawal</button>
            </li>
```

```

        <li class="nav-item mr-4"
role="presentation">
            <button class="nav-link btn"
id="pills-fifth-tab" data-bs-toggle="pill"
            data-bs-target="#pills-
fifth" type="button" role="tab"
            aria-controls="pills-fifth"
aria-selected="false">Cash Deposition</button>
        </li>

    </ul>

    <div class="tab-content" id="pills-
tabContent">

        <div class="tab-pane fade show
active" id="pills-home" role="tabpanel"
            aria-labelledby="pills-home-
tab">

            {% if transaction_data %}
            <div class="row mt-4">
                <div class="col-md-8
offset-md-2">

                    <table class="table
table-hover">

```

```

<thead>
    <tr>
        <th
scope="col">Index</th>
        <th
scope="col">Sender Account Number</th>
        <th
scope="col">Receiver Account Number</th>
        <th
scope="col">Amount</th>
        <th
scope="col">Date</th>
    </tr>
</thead>
<tbody>
    {% for user in
transaction_data %}
        <tr>
            <th
scope="row">{{ loop.index }}</th>
            <td>{{ user.sender_account_number }}</td>
            <td>{{ user.receiver_account_number }}</td>
            <td>{{ user.amount }}</td>

```

```
<td>{{ user.date }}</td>
```

```
</tr>
```

```
{% endfor %}
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
{% else %}
```

```
<p class="mt-5 mb-5">No
```

```
transactions.</p>
```

```
{% endif %}
```

```
</div>
```

```
<!-- <div class="tab-pane fade"
id="pills-profile" role="tabpanel"
aria-labelledby="pills-profile-
tab">
```

```
second Lorem ipsum dolor sit
amet consectetur adipisicing elit. Ipsa quae qui
repellendus
nemo iste magni officia
blanditiis? Fugiat fugit, saepe culpa explicabo ipsa, quas
```

```

consequuntur optio vel sit,
laudantium alias?

</div> -->

<div class="tab-pane fade"
id="pills-third" role="tabpanel"
aria-labelledby="pills-third-
tab">

<div class="row mt-5 mb-5">

<form class="col-md-12"
method="post" action="/customer/update_customer_data"
onsubmit="return
validate_customer_data()">

<div class="form-group
row">

<label
for="email_from_update_customer"
class="col-sm-2
col-form-label">Enter new Email</label>

<div class="col-sm-
10">

<input
type="email" class="form-control"
id="email_from_update_customer" placeholder="Email"

```

```

name="email_from_update_customer">
    </div>
</div>
<div class="form-group
row">
    <label
for="phone_from_update_customer"
class="col-sm-2
col-form-label">Enter new Phone</label>
    <div class="col-sm-
10">
        <input
type="tel" class="form-control"
id="phone_from_update_customer" placeholder="Phone Number"
name="phone_from_update_customer">
    </div>
</div>
<div class="form-group
row">
    <label
for="address_from_update_customer"
class="col-sm-2
col-form-label">Enter new Address</label>

```



```

<div class="col-sm-10">
    <input
type="text" class="form-control"
id="address_from_update_customer" placeholder="Address"
name="address_from_update_customer">
    </div>
</div>
<div class="row col-12 mt-5 ml-3">
    <button
type="submit" class="btn btn-outline-primary">Update</button>
    </div>
</form>
</div>
</div>
<div class="tab-pane fade"
id="pills-fourth" role="tabpanel"
aria-labelledby="pills-fourth-tab">

```

```
<p class="mt-5 mb-5"><span  
class="rounded p-2 text-light bg-dark">Your current  
balance is:  
{{ customer_data.current_balance }}</span></p>  
  
{% if withdraw_flag %}  
<script>  
    alert("Insufficient  
Balance.");  
</script>  
{% endif %}  
  
<div class="row col-12">  
  
    <form class="col-12"  
id="withdraw-form" method="post" action="/customer/with"  
onsubmit="return  
validate_withdraw_money()">  
  
        <div class="form-group  
row">  
  
            <label  
for="withdraw_amount" class="col-sm-3 col-form-label">Enter  
withdrawal  
amount: </label>  
  
            <div class="col-sm-9">
```

```

<input
type="number" class="form-control" id="withdrawal_amount"
name="withdraw_amount" placeholder="Amount" min="500">
</div>
</div>

<div class="form-group
row">

<label
for="withdraw_password" class="col-sm-3 col-form-label">Enter
your password:
</label>

<div class="col-sm-
9">

<input
type="password" class="form-control" id="withdrawal_password"
name="withdraw_password" placeholder="Password">
</div>
</div>

<div class="form-group
row mt-5">

<div class="col-sm-
10 d-flex justify-content-start pl-4">

```

```

</button>
type="submit" class="btn btn-primary">Withdraw</button>
</div>
</div>

</form>
</div>

</div>

<div class="tab-pane fade"
id="pills-fifth" role="tabpanel"
aria-labelledby="pills-fifth-
tab">

<p class="mt-5 mb-5"><span
class="rounded p-2 text-light bg-dark">Your current
balance is:
{{ customer_data.current_balance }}</span></p>

<div class="row col-12">

<form class="col-12"
method="post" action="/customer/dep"
onsubmit="return
validate_deposit_money()">

```

```

<div class="form-group
row">
    <label
for="deposition_amount" class="col-sm-3 col-form-label">Enter
    Deposition
Amount: </label>
    <div class="col-sm-
9">
        <input
type="number" class="form-control" id="deposition_amount"
name="deposition_amount" placeholder="Amount" required>
    </div>
</div>

<div class="form-group
row">
    <label
for="deposit_password" class="col-sm-3 col-form-label">Enter Your
    Password:
</label>
    <div class="col-sm-
9">
        <input
type="password" class="form-control" id="deposit_password"

```

```

name="deposit_password" placeholder="Password" required>
        </div>
    </div>

    <div class="form-group
row mt-5">

        <div class="col-sm-
10 d-flex justify-content-start">

            <button
type="submit" class="btn btn-primary">Deposit</button>
        </div>
    </div>
</form>
</div>

</div>

</div>

</div>

</div>

```

```
<div class="row">

    <div class="col-12 d-flex justify-content-end">
        <a href="/customer-logout" class="btn btn-
primary">Log Out</a>
    </div>

</div>

</div>

</section>

<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.2/dist/umd/pop
per.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstra
p.min.js"></script>

<script>
```

```
function validate_withdraw_money() {

    var amount =
document.getElementById("withdrawal_amount").value;
    var password =
document.getElementById("withdrawal_password").value;

    amount = amount.trim();
    password = password.trim()

    if (amount !== "" && password !== "") {
        if (parseInt(amount) <= 20000) {
            return true;
        }
        else {
            alert("The withdrawal amount limit is
20,000.");
            return false;
        }
    }
    alert("The fields should be filled.");
    return false;
}

function validate_deposit_money() {

    var amount =
document.getElementById("deposition_amount").value;
```



```

        var password =
document.getElementById("deposit_password").value;

        amount = amount.trim();
        password = password.trim()

        if (amount !== "" && password !== "") {
            return true;
        }
        alert("The fields should be filled.");
        return false;
    }

    function validate_customer_data() {
        var email =
document.getElementById("email_from_update_customer").value.trim();
        var phone =
document.getElementById("phone_from_update_customer").value.trim();
        var address =
document.getElementById("address_from_update_customer").value.trim(
);

        var phoneRegex = /^\(?(?([0-9]{3})\)?[-. ]?([0-9]{3})[-. ]?([0-9]{4})$/;
        var emailRegex = /^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/;

        var isEmailValid = true;

```

```
var isPhoneValid = true;

if (email === "" && phone === "" && address === "") {
    alert("Please fill out at least one field.");
    return false;
}

if (phone !== "" && !phoneRegex.test(phone)) {
    alert("Please enter a valid phone number.");
    isPhoneValid = false;
}

if (email !== "" && !emailRegex.test(email)) {
    alert("Please enter a valid email address.");
    isEmailValid = false;
}

if (isEmailValid && isPhoneValid) {
    return true;
}

return false;
}
```

```
</script>
```

```
</body>
```

```
</html>
```

manager.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8" />
```

```
  <meta name="viewport" content="width=device-width, initial-  
scale=1, shrink-to-fit=no" />
```

```
  <meta http-equiv="x-ua-compatible" content="ie=edge" />
```

```
  <title>{{ data.name }}</title>
```

```
  <link rel="stylesheet"
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@4.4.1/dist/css/bootstr  
ap.min.css"
```

```
    integrity="sha384-
```

```
Vkoo8x4CGs03+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
```

```
crossorigin="anonymous">
```

```
  <link rel="stylesheet"
```

```
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.5.2/css/all.min.css"
```

```
        integrity="sha512-
SnH5WK+bZxgPHs44uWIX+LLJAJ9/2PkPKZ5QiAj6Ta86w+fsb2TkcmfRyVX3pBnMfcV
7oQPJk19QevSCWr3W6A=="

        crossorigin="anonymous" referrerpolicy="no-referrer" />

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap
.bundle.min.js"></script>

    <!-- MDB icon -->
    <!-- <link rel="icon" href="img/mdb-favicon.ico" type="image/x-
icon" /> -->
    <!-- Font Awesome -->
    <!-- <link rel="stylesheet"
href="https://use.fontawesome.com/releases/v5.15.2/css/all.css" />
-->
    <!-- Google Fonts Roboto -->
    <!-- <link rel="stylesheet"
href="https://fonts.googleapis.com/css2?family=Roboto:wght@300;400;
500;700;900&display=swap" /> -->
    <!-- MDB -->
    <!-- <link rel="stylesheet" href="css/bootstrap-
profiles.min.css" /> -->
</head>

<body>
```

```

<section style="background-color: #eee;">
  <div class="container py-5">
    <div class="row">
      <!-- <div class="col bg-danger">
        <nav aria-label="breadcrumb" class="bg-light
rounded-3 p-3 mb-4">
          <ol class="breadcrumb mb-0">
            <li class="breadcrumb-item"><a
href="#">Home</a></li>
            <li class="breadcrumb-item"><a
href="#">User</a></li>
            <li class="breadcrumb-item active"
aria-current="page">User Profile</li>
          </ol>
        </nav>
      </div> -->
    </div>

    <div class="row ">
      <div class="col-lg-4">
        <div class="card mb-4">
          <div class="card-body text-center">
            <!--  -->

```

```

        <h5 class="my-3">{{ data.name }}</h5>
        <p class="text-muted mb-1">Branh
Manager</p>

        <p class="text-muted mb-
4">{{ data.branch_code }}</p>
        <!-- <div class="d-flex justify-
content-center mb-2">

                <button type="button" class="btn
btn-primary">Follow</button>

                <button type="button" class="btn
btn-outline-primary ms-1">Message</button>
        </div> -->
    </div>
</div>
<!-- <div class="card mb-4 mb-lg-0">
    <div class="card-body p-0">
        <ul class="list-group list-group-flush
rounded-3">

                <li class="list-group-item d-flex
justify-content-between align-items-center p-3">

```

```
                <i class="fas fa-globe fa-lg
text-warning"></i>
                <p class="mb-
0">https://mdbootstrap.com</p>
            </li>
            <li class="list-group-item d-flex
justify-content-between align-items-center p-3">
                <i class="fab fa-github fa-lg"
style="color: #333333;"></i>
                <p class="mb-0">mdbootstrap</p>
            </li>
            <li class="list-group-item d-flex
justify-content-between align-items-center p-3">
                <i class="fab fa-twitter fa-lg"
style="color: #55acee;"></i>
                <p class="mb-
0">@mdbootstrap</p>
            </li>
            <li class="list-group-item d-flex
justify-content-between align-items-center p-3">
                <i class="fab fa-instagram fa-
lg" style="color: #ac2bac;"></i>
                <p class="mb-0">mdbootstrap</p>
            </li>
            <li class="list-group-item d-flex
justify-content-between align-items-center p-3">
```

```

                <i class="fab fa-facebook-f fa-
lg" style="color: #3b5998;"></i>

                <p class="mb-0">mdbootstrap</p>
            </li>
        </ul>
    </div>
</div> -->
</div>
<div class="col-lg-8">

    <div class="card mb-4">
        <div class="card-body">
            <div class="row">
                <div class="col-sm-3">
                    <p class="mb-0">Full Name</p>
                </div>
                <div class="col-sm-9">
                    <p class="text-muted mb-
0">{{ data.name }}</p>
                </div>
            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">
                <p class="mb-0">Email</p>
            </div>
            <div class="col-sm-9">

```



```

                <p class="text-muted mb-
0">{{ data.email }}</p>

            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">
                <p class="mb-0">Phone</p>
            </div>
            <div class="col-sm-9">
                <p class="text-muted mb-
0">{{ data.phone }}</p>

            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">
                <p class="mb-0">Mobile</p>
            </div>
            <div class="col-sm-9">
                <p class="text-muted mb-
0">{{ data.mobile }}</p>

            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">

```

```
                <p class="mb-0">Address</p>
            </div>
            <div class="col-sm-9">
                <p class="text-muted mb-
0">{{ data.address }}</p>
            </div>
        </div>
        <hr>
        <div class="row">
            <div class="col-sm-3">
                <p class="mb-0">Date of
Birth</p>
            </div>
            <div class="col-sm-9">
                <p class="text-muted mb-
0">{{ data.date_of_birth }}</p>
            </div>
        </div>
    </div>
</div>
</div>
```

```
<div class="row mt-5">
  <div class="col-lg-12">
    <div class="card mb-4">
      <div class="card-body text-center">

        <ul class="nav nav-pills mb-3"
id="pills-tab" role="tablist">

          <li class="nav-item mr-4"
role="presentation">

            <button class="nav-link active
btn" id="pills-home-tab" data-bs-toggle="pill"
              data-bs-target="#pills-
home" type="button" role="tab" aria-controls="pills-home"
              aria-selected="true">View
All Customers</button>

          </li>

          <li class="nav-item mr-4"
role="presentation">

            <button class="nav-link btn"
id="pills-profile-tab" data-bs-toggle="pill"
              data-bs-target="#pills-
profile" type="button" role="tab"
              aria-controls="pills-
profile" aria-selected="false">Search Customer</button>
```

```

        </li>

        <li class="nav-item mr-4"
role="presentation">
            <button class="nav-link btn"
id="pills-contact-tab" data-bs-toggle="pill"
            data-bs-target="#pills-
contact" type="button" role="tab"
            aria-controls="pills-
contact" aria-selected="false">Delete Customer</button>
        </li>

        <li class="nav-item mr-4"
role="presentation">
            <button class="nav-link btn"
id="pills-fourth-tab" data-bs-toggle="pill"
            data-bs-target="#pills-
fourth" type="button" role="tab"
            aria-controls="pills-
fourth" aria-selected="false">Top Customers</button>
        </li>

    </ul>

    <div class="tab-content" id="pills-
tabContent">

```

```

<div class="tab-pane fade show
active" id="pills-home" role="tabpanel"
aria-labelledby="pills-home-
tab">

{% if customer_data %}
<div class="row mt-4">
    <div class="col-md-8
offset-md-2">

        <table class="table
table-hover table-responsive">

            <thead>
                <tr>
                    <th
scope="col">Index</th>

                    <th
scope="col">Account Number</th>

                    <th
scope="col">Name</th>

                    <th
scope="col">Email</th>

                    <th
scope="col">Age</th>

                    <th
scope="col">Account Balance</th>

                </tr>
            </thead>

```

```

<tbody>
    {% for user in
customer_data %}

        <tr>

            <th
scope="row">{{ loop.index }}</th>

            <td>{{ user.account_number }}</td>

            <td>{{ user.name }}</td>

            <td>{{ user.email }}</td>

            <td>{{ user.age }}</td>

            <td>{{ user.current_balance }}</td>

            <!-- <td>

                <a
href="/users/update/{{ user._id }}"

class="btn btn-sm btn-primary">Update</a>

            <form
action="/users/delete/{{ user._id }}" method="post"

style="display: inline;">

```

```

<button type="submit"

class="btn btn-sm btn-danger">Delete</button>

</form>

</td> -->
</tr>
{% endfor %}
</tbody>
</table>
</div>
</div>
{% endif %}

</div>

<!-- <div class="tab-pane fade mt-5
mb-5" id="pills-profile" role="tabpanel"
aria-labelledby="pills-profile-
tab">

<div class="row col-12">

<form class="col-12"
method="post" action="/search_customer"
onsubmit="validate()">

```

```
                                <div class="form-group
row">
                                <label
for="search_customer" class="col-sm-3 col-form-label">Search
                                Customer:
</label>
                                <div class="col-sm-
9">
                                <input
type="text" class="form-control" id="search_customer"
name="search_customer"
placeholder="Enter Customer Account Number">
                                </div>
                                </div>
                                <div class="form-group
row mt-3 ml-4">
                                <div class="col-sm-
10 d-flex justify-content-start pl-4">
                                <button
type="submit" class="btn btn-primary">Search</button>
                                </div>
                                </div>
```



```

        </form>
    </div>

    <div class="row col-12 d-flex
justify-content-center">

        </div>

    </div> -->

    <div class="tab-pane fade mt-5 mb-
5" id="pills-profile" role="tabpanel"
        aria-labelledby="pills-profile-
tab">

        <div class="row col-12">

            <form class="col-12"
id="searchForm" onsubmit="searchCustomer(); return false;">
                <div class="form-group
row">

                    <label
for="search_customer" class="col-sm-3 col-form-label">Search

Customer:</label>

                    <div class="col-sm-
9">

```

```

<input
type="text" class="form-control" id="search_customer"

name="search_customer"

placeholder="Enter Customer Account Number">

</div>
</div>
<div class="form-group
row mt-3 ml-4">

<div class="col-sm-
10 d-flex justify-content-start pl-4">

<button
type="submit" class="btn btn-outline-primary">Search</button>
</div>
</div>
</form>
</div>

<div class="row col-12 ml-2 d-
flex justify-content-center mt-5 mb-5">
<div class="col-lg-8">
<div class="card mb-4">
<div class="card-
body">

```

```
<div>

class="row">

    <div>

class="col-sm-3">

    <p>

class="mb-0">Account Number</p>

    </div>

    <div>

class="col-sm-9">

    <p>

class="text-muted mb-0" id="acc-num">-</p>

    </div>

</div>

<hr>

<div>

class="row">

    <div>

class="col-sm-3">

    <p>

class="mb-0">Full Name</p>

    </div>

    <div>

class="col-sm-9">

    <p>

class="text-muted mb-0" id="acc-name">-</p>
```

```

        </div>
    </div>

    <hr>

    <div
class="row">
        <div
class="col-sm-3">
            <p
class="mb-0">Age</p>
        </div>
        <div
class="col-sm-9">
            <p
class="text-muted mb-0" id="acc-age">-</p>
        </div>
    </div>

    <hr>

    <div
class="row">
        <div
class="col-sm-3">
            <p
class="mb-0">Email</p>

```

```

</div>
<div
class="col-sm-9">
<p
class="text-muted mb-0" id="acc-email">-</p>
</div>
</div>
<hr>
<div
class="row">
<div
class="col-sm-3">
<p
class="mb-0">Phone</p>
</div>
<div
class="col-sm-9">
<p
class="text-muted mb-0" id="acc-phone">-</p>
</div>
</div>
<hr>
```

```
<div>
class="row">
    <div>
class="col-sm-3">
    <p>
class="mb-0">Address</p>
    </div>
    <div>
class="col-sm-9">
    <p>
class="text-muted mb-0" id="acc-address">-</p>
    </div>
</div>
<hr>
<div>
class="row">
    <div>
class="col-sm-3">
    <p>
class="mb-0">Current Balance</p>
    </div>
    <div>
class="col-sm-9">
    <p>
class="text-muted mb-0" id="acc-balance">-</p>
```

```

        </div>
    </div>
</div>
</div>

</div>
</div>

</div>

<div class="tab-pane fade mt-5 mb-
5" id="pills-contact" role="tabpanel"
    aria-labelledby="pills-contact-
tab">

    {% if customer_data %}
    <div class="row mt-4">
        <div class="col-md-8
offset-md-2">

            <table class="table
table-hover table-responsive">

                <thead>
                    <tr>
                        <th
scope="col">Index</th>

                        <th
scope="col">Account Number</th>

```

```

scope="col">Name</th>
scope="col">Email</th>
scope="col">Age</th>
scope="col">Account Balance</th>
</tr>
</thead>
<tbody>
    {% for user in
customer_data %}

        <tr>
            <th>
scope="row">{{ loop.index }}</th>
<td>{{ user.account_number }}</td>
<td>{{ user.name }}</td>
<td>{{ user.email }}</td>
<td>{{ user.age }}</td>
<td>{{ user.current_balance }}</td>
            <td>

```



```

<!-- <a
href="/users/update/{{ user._id }}"

class="btn btn-sm btn-primary">Update</a> -->

<form
action="/manager/delete_user/{{ user.account_number }}"

method="post" style="display: inline;">

<button type="submit"

class="btn btn-sm btn-outline-danger">Delete</button>

</form>

</td>
</tr>
{% endfor %}
</tbody>
</table>
</div>
</div>
{% endif %}
</div>

```

```

<div class="tab-pane fade mt-5 mb-
5" id="pills-fourth" role="tabpanel"
aria-labelledby="pills-fourth-
tab">

{% if top_customers %}
<div class="row mt-4">
<div class="col-md-8
offset-md-3 d-flex justify-content-center">
<table class="table
table-hover table-responsive">
<thead>
<tr>
<th
scope="col">Index</th>
<th
scope="col">Account Number</th>
<th
scope="col">Name</th>
<th
scope="col">Account Balance</th>
</tr>
</thead>
<tbody>
{% for user in
top_customers %}
<tr>

```

```
<th
scope="row">{{ loop.index }}</th>

<td>{{ user.account_number }}</td>

<td>{{ user.name }}</td>

<td>{{ user.current_balance }}</td>

</tr>
{% endfor %}
</tbody>
</table>
</div>
</div>
{% endif %}
</div>
</div>
</div>
</div>
```

```

        </div>

        <div class="row">

            <div class="col-12 d-flex justify-content-end">
                <a href="/manager/manager-logout" class="btn
btn-primary">Log Out</a>
            </div>

        </div>

    </div>

</section>

<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.9.2/dist/umd/pop
per.min.js"></script>
<script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstra
p.min.js"></script>

<script>

    function validate() {

```

```
    var account =
document.getElementById("search_customer").value;

    if (account.trim() === '') {
        alert("Please fill out the form.");
        return false;
    }
    return true;
}

async function searchCustomer() {
    const searchValue =
document.getElementById("search_customer").value;

    const response = await
fetch("/manager/search_customer", {
        method: 'POST',
        headers: {
            'Content-Type': 'application/x-www-form-
urlencoded'
        },
        body: `search_customer=${searchValue}`
    });

    const data = await response.json();

    console.log(data)
```

```
        console.log(document.getElementById("acc-phone"));
        document.getElementById("acc-num").innerText =
data.account_number;
        document.getElementById("acc-email").innerText =
data.email;
        document.getElementById("acc-name").innerText =
data.name;
        document.getElementById("acc-age").innerText =
data.age;
        document.getElementById("acc-address").innerText =
data.address;
        document.getElementById("acc-phone").innerText =
data.phone;
        document.getElementById("acc-balance").innerText =
data.current_balance;
    }

</script>
</body>

</html>
```

blog.html

```
<!DOCTYPE html>
<html lang="en">
```

```
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Digital World - Blogs</title>
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.4.1/dist/css/bootstr
ap.min.css"
      integrity="sha384-
Vkoo8x4CGs03+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css"
      integrity="sha512-
SnH5WK+bZxgPHs44uWIX+LLJAJ9/2PkPKZ5QiAj6Ta86w+fsb2TkcmfRyVX3pBnMFCV
7oQPJk19QevSCWr3W6A=="
      crossorigin="anonymous" referrerpolicy="no-referrer" />
  <!-- <link rel="stylesheet" href="../static/css/styles.css"> --
>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap
.bundle.min.js"></script>

  <!-- <link href="../static/css/bootstrap.min.css"
rel="stylesheet">
```

```

<link href="../../static/css/mdb.min.css" rel="stylesheet"> -->

<style>
  * {
    padding: 0;
    margin: 0;
  }
</style>
</head>

<body>

  <main class="mt-5 pt-5">
    <div class="container">

      <section class="card wow fadeIn"
        style="background-image:
url(https://mdbootstrap.com/img/Photos/Others/gradient1.jpg);">

        <div class="card-body text-white text-center py-5
px-5 my-5">

          <h1 class="mb-4">
            <strong>Digital Trust</strong>
          </h1>
          <p>
            <strong>Banking: money management, loans,
savings, investments, security, transactions,

```



```
        services.
    </strong>
</p>
<p class="mb-4">
    <strong>Banking involves managing money
through services like savings accounts, loans,
        investments, and transactions. It
ensures financial security and facilitates economic growth
        by providing essential financial
services to individuals and businesses.</strong>
    </p>

</div>
</section>

<hr class="my-5">

<section class="text-center">

    <div class="row mb-4 wow fadeIn">

        {% for program in programs %}
        <div class="col-lg-4 col-md-12 mb-5 mt-3">

            <div class="card">
```

```

        <div class="view overlay">
            
        </div>

        <div class="card-body">
            <h4 class="card-
title">{{ program.title }}</h4>
            <p class="card-
text">{{ program.description }}</p>
            <a href="" class="btn btn-primary
btn-md">Read More
                <i class="fas fa-play ml-
2"></i>
            </a>
        </div>

    </div>

</div>

{% endfor %}

</div>

</section>

</div>

```

```
</main>
```

```
</body>
```

```
</html>
```

blog_details.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-  
scale=1.0">
```

```
  <title>{{ blog.title }}</title>
```

```
  <link rel="stylesheet"
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@4.4.1/dist/css/bootstr  
ap.min.css"
```

```
    integrity="sha384-
```

```
Vkoo8x4CGs03+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
```

```
crossorigin="anonymous">
```

```
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.2/css/all.min.css"
integrity="sha512-
SnH5WK+bZxgPHs44uWIX+LLJAJ9/2PkPKZ5QiAj6Ta86w+fsb2TkcmfRyVX3pBnMFCV
7oQPJk19QevSCWr3W6A=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.3/dist/js/bootstrap
.bundle.min.js"></script>
<link rel="stylesheet" href="{ { url_for('static',
path='/css/utils.css') } }">
<link rel="stylesheet" href="{ { url_for('static',
path='/css/blog_details.css') } }">

</head>

<body>
<section class="ezy__blogdetails3" id="ezy__blogdetails3">
<div class="container">
<div class="row">
<div class="col-12 col-md-10">
<h2 class="ezy__blogdetails3-heading mb-
4">{{ blog.title }}</h2>
<p class="ezy__blogdetails3-sub-heading">
{{ blog.description }}
</p>
```

```

        </div>

        <div class="col-12">
            <div class="ezy__blogdetails3-banner my-4 my-
md-5 w-100">
                
            </div>
        </div>
    </div>

    <div class="row justify-content-center">
        <div class="col-12 col-md-9">
            <div class="ezy__blogdetails3-contents">

                <div class="d-flex align-items-center mb-
4">

                    <div class="mr-5">
                        <p class="mb-0">By<b>
{{ blog.writer }}</b></p>
                    </div>

                    <p class="mb-0 opacity-75"><i
class="fas fa-calendar-alt ms-4 me-2 mr-3"></i>{{ blog.date }}
                    </p>
                </div>
            </div>
        </div>
    </div>

```

```
</div>
```

```
<h3 class="mb-4">
```

```
  {{ blog.headline }}
```

```
</h3>
```

```
<p class="opacity-75 text-justify">
```

```
  {{ blog.blog }}
```

```
</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
</body>
```

```
</html>
```