# Personal Blog on IBM Cloud Static Web Apps

1. Create a Static Web App:

 - In the IBM Cloud console, navigate to the "Resource List" or "Create Resource" section and search for "Static Web App."

 - Create a new Static Web App and follow the prompts to set it up. You'll be asked to provide information about your app, such as its name, description, and region.

Creation of bucket:

2. Set Up the Repository:

 - Choose your preferred repository hosting service (e.g., GitHub, GitLab, Bitbucket) and connect

it to your IBM Cloud account.

 - Select the repository where you'll store your blog's source code (HTML, CSS, and other assets).

3. Set Up the Build Pipeline:

 - Configure the build pipeline settings. You can use a static site generator like Jekyll or Hugo to make managing your blog content easier. You'll need to convert your HTML content into template files.

 - Create the necessary build scripts and specify the build configuration. This may involve configuring build commands and specifying output directories.

4. Deployment Options:

 - Choose your deployment options. IBM Cloud will provide various deployment options, including deploying to a specific environment, custom domains, and security settings.

5. Deploy Your Website:

 - After configuring all the settings, initiate the deployment process. IBM Cloud will build and deploy your static website based on the repository and build pipeline settings you've configured.

6. Test and Monitor:

 - Once your blog is deployed, test it to ensure everything is working as expected.

 - Monitor your website for any issues, and make any necessary updates to your repository to reflect changes on your blog

7. Content Management:

- Use your chosen static site generator (e.g., Jekyll or Hugo) to manage and update your blok content. This involves creating or modifying templates, writing new blog posts, and making other changes to your content.

8. HTML CODE :

about - Notepad

```html
<!DOCTYPE html>
<html lang="en">
<head>
<title>Journey | About</title>
<meta charset="utf-8">
<link rel="icon" href="images/favicon.ico">
<link rel="shortcut icon" href="images/favicon.ico">
<link rel="stylesheet" href="css/style.css">
<script src="js/jquery.js"></script>
<script src="js/jquery-migrate-1.1.1.js"></script>
<script src="js/superfish.js"></script>
<script src="js/jquery.equalheights.js"></script>
<script src="js/jquery.easing.1.3.js"></script>
<script src="js/jquery.ui.totop.js"></script>
<script>
$(window).load(function () {
    $().UItoTop({
        easingType: 'easeOutQuart'
    });
});
</script>
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<link rel="stylesheet" media="screen" href="css/ie.css">
<![endif]-->
</head>
<body>
<header>
  <div class="container_12">
    <div class="grid_12">
      <h1><a href="index.html"><img src="images/logo.png" alt=""></a></h1>
      <div class="clear"></div>
    </div>
    <div class="menu_block">
      <nav>
        <ul class="sf-menu">
          <li><a href="index.html">Home</a></li>
          <li class="current"><a href="about.html">About</a>
          </li>
          <li><a href="gallery.html">Gallery</a></li>
          <li><a href="blog.html">Blog</a></li>
          <li><a href="contacts.html">Contacts</a></li>
        </ul>
      </nav>
      <div class="clear"></div>
    </div>
    <div class="clear"></div>
  </div>
</header>
<div class="main">
  <div class="content">
    <div class="container_12">
      <div class="grid_9">
        <div class="clear"></div>
        <div class="clear"></div>
        <p> A Journey refers to the act of traveling from one place to another, typically with a specific destination in mind. Journeys can take many forms, including physical travels by road, air, or sea, as well as metaphorical journeys such as personal growth, exploration of new experiences, or progress toward a goal. Journeys often involve a beginning, a process of movement or change, and an endpoint. They can be literal trips or figurative
        </div>
        <div class="grid_3">
          </li>
          </ul>
        </div>
        <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <div class="grid_12">
        <div class="clear"></div>
      </div>
      <div class="clear"></div>
      <div class="grid_9">
        <h3 class="head">What We Offer</h3>
        <p class="text1 td">Exploring the Hidden Gems of Southeast Asia <p>
        <p>Our journey through southeast asia promises a diverse reange of experiences from adventure of relaxation,history to nature.We hope our blog inspires you to embark on your own southeast asian adventure and uncover the hidden gems waiting to be explored.
        <ul class="list">
          <li><a href="#">Ladakh is a region located in the northernmost part of the Indian subcontinent, in the union territory of India. It is known for its stunning high-altitude landscapes, including the Himalayan and Karakoram mountain ranges. Here's a brief overview: </a></li>
          <li><a href="#">Kashmir is a region in South Asia known for its breathtaking natural beauty, but it has also been a source of conflict and political tension for many years. </a></li>
          <li><a href="#">The Mysore Palace, also known as the Amba Vilas Palace, is a royal palace located in Mysore, Karnataka, India. It is a stunning example of Indo-Saracenic architecture and serves as the official residence of the Wadiyar dynasty, the former royal family of Mysore. The palace is renowned for its grandeur, intricate design, and vibrant lighting during special occasions and festivals, making it a popular tourist attraction. </a></li>
          <li><a href="#">The Taj Mahal is a world-famous white marble mausoleum located in Agra, India, built by Mughal Emperor Shah Jahan in memory of his wife Mumtaz Mahal. It is renowned for its stunning architecture and intricate decorative details and is considered one of the most iconic symbols of love and beauty in the world. </a></li>
        </ul>
        <div class="clear"></div>
      </div>
      <div class="grid_3">
      </div>
      <div class="clear"></div>
    </div>
  </div>
</div>
```

---

gallery - Notepad

```html
<!DOCTYPE html>
<html lang="en">
<head>
<title>Journey | Gallery</title>
<meta charset="utf-8">
<link rel="icon" href="images/favicon.ico">
<link rel="shortcut icon" href="images/favicon.ico">
<link rel="stylesheet" href="css/style.css">
<link rel="stylesheet" href="css/touchTouch.css">
<script src="js/jquery.js"></script>
<script src="js/jquery-migrate-1.1.1.js"></script>
<script src="js/superfish.js"></script>
<script src="js/jquery.equalheights.js"></script>
<script src="js/jquery.easing.1.3.js"></script>
<script src="js/jquery.ui.totop.js"></script>
<script src="js/touchTouch.jquery.js"></script>
<script>
$(window).load(function () {
    $().UItoTop({
        easingType: 'easeOutQuart'
    });
});
$(function () {
    $('.gallery a.gal').touchTouch();
});
</script>
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<link rel="stylesheet" media="screen" href="css/ie.css">
<![endif]-->
</head>
<body>
<header>
  <div class="container_12">
    <div class="grid_12">
      <h1><a href="index.html"><img src="images/logo.png" alt=""></a></h1>
      <div class="clear"></div>
    </div>
    <div class="menu_block">
      <nav>
        <ul class="sf-menu">
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a>
          </li>
          <li class="current"><a href="gallery.html">Gallery</a></li>
          <li><a href="blog.html">Blog</a></li>
          <li><a href="contacts.html">Contacts</a></li>
        </ul>
      </nav>
      <div class="clear"></div>
    </div>
    <div class="clear"></div>
  </div>
</header>
<div class="main">
  <div class="content">
    <div class="container_12">
      <div class="grid_12">
        <h3>Our Gallery</h3>
      </div>
      <div class="clear"></div>
      <div class="gallery">
        <div class="grid_4"> <a href="images/big1.jpg" class="gal img_inner"><img src="images/page3_img1.jpg" alt=""></a> </div>
        <div class="grid_4"> <a href="images/big2.jpg" class="gal img_inner"><img src="images/page3_img2.jpg" alt=""></a> </div>
        <div class="grid_4"> <a href="images/big3.jpg" class="gal img_inner"><img src="images/page3_img3.jpg" alt=""></a> </div>
        <div class="clear"></div>
        <div class="grid_4"> <a href="images/big4.jpg" class="gal img_inner"><img src="images/page3_img4.jpg" alt=""></a> </div>
        <div class="grid_4"> <a href="images/big5.jpg" class="gal img_inner"><img src="images/page3_img5.jpg" alt=""></a> </div>
        <div class="grid_4"> <a href="images/big6.jpg" class="gal img_inner"><img src="images/page3_img6.jpg" alt=""></a> </div>
        <div class="clear"></div>
        <div class="grid_4"> <a href="images/big7.jpg" class="gal img_inner"><img src="images/page3_img7.jpg" alt=""></a> </div>
        <div class="grid_4"> <a href="images/big8.jpg" class="gal img_inner"><img src="images/page3_img8.jpg" alt=""></a> </div>
        <div class="grid_4"> <a href="images/big9.jpg" class="gal img_inner"><img src="images/page3_img9.jpg" alt=""></a> </div>
      </div>
      <div class="clear"></div>
    </div>
  </div>
</div>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Journey | Blog</title>
<meta charset="utf-8">
<link rel="icon" href="images/favicon.ico">
<link rel="shortcut icon" href="images/favicon.ico">
<link rel="stylesheet" href="css/style.css">
<script src="js/jquery.js"></script>
<script src="js/jquery-migrate-1.1.1.js"></script>
<script src="js/superfish.js"></script>
<script src="js/jquery.equalheights.js"></script>
<script src="js/jquery.easing-1.3.js"></script>
<script src="js/jquery.ui.totop.js"></script>
<script>
$(window).load(function () {
    $().UItoTop({
        easingType: 'easeOutQuart'
    });
});
</script>
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<link rel="stylesheet" media="screen" href="css/ie.css">
<![endif]-->
</head>
<body>
<header>
  <div class="container_12">
    <div class="grid_12">
      <h1><a href="index.html"><img src="images/logo.png" alt=""></a></h1>
      <div class="clear"></div>
    </div>
    <div class="menu_block">
      <nav>
        <ul class="sf-menu">
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a>
          </li>
          <li><a href="gallery.html">Gallery</a></li>
          <li class="current"><a href="blog.html">Blog</a></li>
          <li><a href="contacts.html">Contacts</a></li>
        </ul>
      </nav>
      <div class="clear"></div>
    </div>
    <div class="clear"></div>
  </div>
</header>
<div class="main">
  <div class="content">
    <div class="container_12">
      <div class="grid_9">
        <h3>Recent Posts</h3>
        <div class="blog">
          <time datetime="2015-01-01">21</time>
          <APR</time>
          <div class="extra_wrapper">
            <div class="text1">Indian Himalayas </div>
            <div class="links">Posted by <a href="#">Praveen and Ruban</a></div>
          </div>
          <div class="clear"></div>
          <img src="images/page1.img1.jpg" alt="" class="img_inner fleft">
          <div class="extra_wrapper">
            <div class="text1">Kashmir. </p>
            <p>Kashmir is a region in South Asia known for its breathtaking natural beauty, but it has also been a source of conflict and political tension for many years. Here's an overview of Kashmir:</p>

<p>**Geography:**
- Kashmir is located in the northern part of the Indian subcontinent. It is bordered by several countries: India to the south, Pakistan to the west, and China to the northeast.
- The region is divided into three main parts: Jammu, the Kashmir Valley, and Ladakh. The Kashmir Valley is the most well-known part, often referred to simply as 'Kashmir'.</p>

<p>**History:**
- The history of Kashmir is complex and has been marked by various dynasties, empires, and rulers. It has been influenced by Hindu, Buddhist, and Islamic cultures.
- In 1947, when India gained independence from British colonial rule, the princely state of Jammu and Kashmir, which was predominantly Muslim but ruled by a Hindu Maharaja, became a major point of contention. The Maharaja decided to accede to India, leading to a conflict with Pakistan, which also laid claim to the region. This conflict led to the first Indo-Pakistani war in 1947-48.</p>
          </div>
        </div>
        <div class="blog">
          <time datetime="2015-01-01">23</time>
          <APR</time>
          <div class="extra_wrapper">
            <div class="text1">The Land of Highpasses</div>
            <div class="links">Posted by <a href="#">Praveen and Sanjeevan</a></div>
          </div>
          <div class="clear"></div>
          <img src="images/page1.img2.jpg" alt="" class="img_inner fleft">
          <div class="extra_wrapper">
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Journey | Contacts</title>
<meta charset="utf-8">
<link rel="icon" href="images/favicon.ico">
<link rel="shortcut icon" href="images/favicon.ico">
<link rel="stylesheet" href="css/style.css">
<link rel="stylesheet" href="css/form.css">
<script src="js/jquery.js"></script>
<script src="js/forms.js"></script>
<script src="js/jquery-migrate-1.1.1.js"></script>
<script src="js/superfish.js"></script>
<script src="js/jquery.equalheights.js"></script>
<script src="js/jquery.easing-1.3.js"></script>
<script src="js/jquery.ui.totop.js"></script>
<script>
$(window).load(function () {
    $().UItoTop({
        easingType: 'easeOutQuart'
    });
});
</script>
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<link rel="stylesheet" media="screen" href="css/ie.css">
<![endif]-->
</head>
<body>
<header>
  <div class="container_12">
    <div class="grid_12">
      <h1><a href="index.html"><img src="images/logo.png" alt=""></a></h1>
      <div class="clear"></div>
    </div>
    <div class="menu_block">
      <nav>
        <ul class="sf-menu">
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a>
          </li>
          <li><a href="gallery.html">Gallery</a></li>
          <li><a href="blog.html">Blog</a></li>
          <li class="current"><a href="contacts.html">Contacts</a></li>
        </ul>
      </nav>
      <div class="clear"></div>
    </div>
    <div class="clear"></div>
  </div>
</header>
<div class="main">
  <div class="content">
    <div class="container_12">
      <div class="grid_9">
        <h3>Stay in Touch</h3>
        <div class="map">
          <figure class="img_inner fleft">
            <iframe src="http://maps.google.com/maps?f=q&amp;source=s_q&amp;hl=en&amp;geocode=&amp;q=Brooklyn,+New+York,+NY,+United+States&amp;aq=0&amp;sll=37.0625,-95.677068&amp;sspn=51.507311,141.513672&amp;ie=UTF8&amp;hq=&amp;hnear=Brooklyn,+Kings,+New+York&amp;ll=40.649974,-73.950048&amp;spn=0.05328,0.075586&amp;z=14&amp;iwloc=A&amp;output=embed"></iframe>
          </figure>
          <address>
            <dl>
              <dt> India ,Tamilnadu.<br>
                   Kumbakonam. </dt>
              <dd><span>Person1:</India>+91 800 559 6500</dd>
              <dd><span>Person2:</India>+91 7359017437</dd>
              <dd>E-mail: <a href="#" class="link-1">praneshnemargonel@gmail.com</a></dd>
            </dl>
          </address>
        </div>
      </div>
      <div class="grid_3">
        <h3>Contact Us</h3>
        <form id="form" action="#">
          <div class="success_wrapper">
            <div class="success">Contact form submitted<br>
              <strong>We will be in touch soon.</strong> </div>
          </div>
          <fieldset>
            <label class="name">
              <input type="text" value="Name">
              <br class="clear">
              <span class="error error-empty">*This is not a valid name.</span><span class="empty error-empty">*This field is required.</span> </label>
            <label class="email">
              <input type="text" value="Email">
              <br class="clear">
```

RECENT POSTS