

Banner Admin setup for PG/Oracle

The source code for Banner Admin Oracle/PG version is located at these repositories below.

Source code for both Oracle and PG

branch **dev** for Oracle


branch **dev_saas** for PG

```
git clone https://git.ellucian.com/scm/banadmpg/base.git -b [which_branch]
git clone https://git.ellucian.com/scm/banadmpg/build.git -b [which_branch]
git clone https://git.ellucian.com/scm/banadmpg/common.git -b [which_branch]
git clone https://git.ellucian.com/scm/banadmpg/reports.git -b [which_branch]
git clone https://git.ellucian.com/scm/banadmpg/workspace.git -b [which_branch]
git clone https://git.ellucian.com/scm/banadmpg/general.git -b [which_branch]
```

and your product repos...


Setup steps for both Oracle and PG databases

- [Eclipse IDE 2020-06](#) is required
- Install [JDK 11.0.7](#) and make sure you have that selected in the Installed JREs (Preferences>Java>Installed JRE)



- Use the settings.xml attached  settings.xml and copy it into your user, .m2 folder
- Make sure, you have the correct version of settings.xml in .m2 folder.
- Import the projects as maven projects.
- Import only the pom files of the projects that you need.

✓ Choose the project files that you need from the ones grayed out here (do not choose the aggregator files):



☒	/student/workspace-forms/cd-psis-student/pom.xml	net.hedtech.banner.student.cd.psis.student:1.0.0:jar
☒	/student/workspace-forms/bsc-stufimp-student/pom.xml	net.hedtech.banner.student.bsc.stufimp.student:1.0.0:jar
☐	/student/workspace-forms/course/pom.xml	net.hedtech.banner.student.course:2.0.0:jar
☒	/student/workspace-forms/bsc-stupsel-student/pom.xml	net.hedtech.banner.student.bsc.stupsel.student:1.0.0:jar
☒	/student/workspace-forms/bsc-stufavl-student/pom.xml	net.hedtech.banner.student.bsc.stufavl.student:1.0.0:jar
☒	/student/workspace-forms/eu-cau-student/pom.xml	net.hedtech.banner.student.eu.cau.student:1.0.0:jar
☐	/student/workspace-forms/student/pom.xml	net.hedtech.banner.student:2.0.0:jar
☒	/student/workspace-forms/bsc-stubibl-student/pom.xml	net.hedtech.banner.student.bsc.stubibl.student:1.0.0:jar
☒	/student/workspace-forms/las-bwspbr-student/pom.xml	net.hedtech.banner.student.las.bwspbr.student:1.0.0:jar
☒	/student/workspace-forms/bsc-stuossr-student/pom.xml	net.hedtech.banner.student.bsc.stuossr.student:1.0.0:jar
☒	/student/workspace-forms/las-studemre-student/pom.xml	net.hedtech.banner.student.las.studemre.student:1.0.0:jar
☒	/student/workspace-forms/eu-student-common/pom.xml	net.hedtech.banner.student.eu.student.common:1.0.0:jar
☒	/student/workspace-forms/eu-vocap-student/pom.xml	net.hedtech.banner.student.eu.vocap.student:1.0.0:jar
☒	/student/workspace-forms/in-cpa-student/pom.xml	net.hedtech.banner.student.in.cpa.student:1.0.0:jar
☒	/student/workspace-forms/las-bwstes-student/pom.xml	net.hedtech.banner.student.las.bwstes.student:1.0.0:jar
☒	/student/workspace-forms/cd-swf-student/pom.xml	net.hedtech.banner.student.cd.swf.student:1.0.0:jar
☒	/student/workspace-forms/tcc-student/pom.xml	net.hedtech.banner.student.tcc.student:1.0.0:jar
☐	/student/workspace-forms/learner/pom.xml	net.hedtech.banner.student.learner:2.0.0:jar
☐	/student/workspace-forms/degree/pom.xml	net.hedtech.banner.student.degree:2.0.0:jar
☒	/student/workspace-forms/in-stuh-student/pom.xml	net.hedtech.banner.student.in.stuh.student:1.0.0:jar
☐	/student/workspace-forms/admissions/pom.xml	net.hedtech.banner.student.admissions:2.0.0:jar
☒	/student/workspace-forms/eu-ects-student/pom.xml	net.hedtech.banner.student.eu.ects.student:1.0.0:jar
☒	/student/workspace-forms/bsc-stumec-student/pom.xml	net.hedtech.banner.student.bsc.stumec.student:1.0.0:jar
☒	/student/workspace-forms/eu-progcat-student/pom.xml	net.hedtech.banner.student.eu.progcat.student:1.0.0:jar
☒	/student/workspace-forms/eu-grds-student/pom.xml	net.hedtech.banner.student.eu.grds.student:1.0.0:jar
☒	/student/workspace-forms/las-sturut-student/pom.xml	net.hedtech.banner.student.las.sturut.student:1.0.0:jar
☒	/student/workspace-forms/in-stuproj-student/pom.xml	net.hedtech.banner.student.in.stuproj.student:1.0.0:jar
☒	/student/workspace-forms/eu-attr-student/pom.xml	net.hedtech.banner.student.eu.attr.student:1.0.0:jar
☒	/student/workspace-forms/mesc-meola-student/pom.xml	net.hedtech.banner.student.mesc.meola.student:1.0.0:jar
☒	/student/workspace-forms/las-stuseat-student/pom.xml	net.hedtech.banner.student.las.stuseat.student:1.0.0:jar
☐	/student/workspace-forms/validation/pom.xml	net.hedtech.banner.student.validation:2.0.0:jar
☒	/student/workspace-forms/bsc-stuabsc-student/pom.xml	net.hedtech.banner.student.bsc.stuabsc.student:1.0.0:jar
☒	/student/workspace-forms/aus-ascgen-student/pom.xml	net.hedtech.banner.student.aus.ascgen.student:1.0.0:jar
☒	/student/workspace-forms/cd-ocas-student/pom.xml	net.hedtech.banner.student.cd.ocas.student:1.0.0:jar
☒	/student/net.hedtech.banner.student/pom.xml	net.hedtech.banner.student:aggregator:2.0.0:pom
☐	/finalid/workspace-forms/finaid/pom.xml	net.hedtech.banner.finaid.finaid:2.0.0:jar
☒	/finalid/workspace-forms/ca-calbfa-finaid/pom.xml	net.hedtech.banner.finaid.ca.calbfa.finaid:1.0.0:jar
☒	/finalid/workspace-forms/tcc-finaid/pom.xml	net.hedtech.banner.finaid.tcc.finaid:1.0.0:jar
☒	/finalid/workspace-forms/eu-bacs-finaid/pom.xml	net.hedtech.banner.finaid.eu.bacs.finaid:1.0.0:jar
☒	/finalid/workspace-forms/eu-slc-finaid/pom.xml	net.hedtech.banner.finaid.eu.slc.finaid:1.0.0:jar
☒	/finalid/net.hedtech.banner.finaid/pom.xml	net.hedtech.banner.finaid:aggregator:2.0.0:pom
☐	/common/student-common/pom.xml	net.hedtech.banner.common:student-common:2.0.0:jar
☐	/common/document-management/pom.xml	net.hedtech.banner.common:document-management:2.0.0:jar
☐	/common/mesc-common/pom.xml	net.hedtech.banner.common:mesc:2.0.0:jar
☐	/common/common-libraries/pom.xml	net.hedtech.banner.common:common-libraries:2.0.0:jar
☒	▼/common/net.hedtech.banner.common/pom.xml	net.hedtech.banner.common:aggregator:2.0.0:pom
☐	../general-common/pom.xml	net.hedtech.banner.common:general-common:2.0.0:jar
☐	/build/webapp-services/pom.xml	net.hedtech.banner.hr:webapp.services:2.0.0:war
☒	/build/ear/pom.xml	net.hedtech.banner.hr:Banner:2.0:ear
☒	/build/net.hedtech.banner.hr/pom.xml	net.hedtech.banner.hr:aggregator:2.0.0:pom
☐	/base/net.hedtech.banner/pom.xml	net.hedtech.banner:net.hedtech.banner:2.0.0:pom
☐	/reports/pom.xml	net.hedtech.banner.reports:reports:2.0.0:jar

- Your workspace would look like this depending on the projects selected:



For Oracle deployment

- set the following in config.properties
 - for oracle,

- env.nls_canonical_lang = AMERICAN
- Oracle Credentials for vagrant database.

```
connection.user = BAN_ADMIN_USER
connection.password = u_pick_it
connection.host = localhost:1521
connection.database = BAN83
```

- Depending on the database environment, uncomment the lines below within appdatalayer.config.xml


```
<property name="defaultDataBaseFactoryId" value="oracleDataBaseFactory"/>
<!-- <property name="defaultDataBaseFactoryId" value="postgresqlDataBaseFactory"/> →
```

For PostgreSQL deployment

- Modify config.properties
 - env.nls_canonical_lang = en_US.UTF-8
 - specify connect info as follows

```
#NEW CONFIGURATION prod mod pg POSTGRESQL
connection.user = ellmaster
connection.password = Manager1
connection.host = localhost:5432
connection.database = ban2020
```

- Modify appdatalayer.config.xml Depending on the database environment, uncomment the lines below if it is not already uncommented


```
<!-- <property name="defaultDataBaseFactoryId" value="oracleDataBaseFactory"/> →
      <property name="defaultDataBaseFactoryId" value="postgresqlDataBaseFactory"/>
```
- Copy your postgres driver jar file into the tomcat/lib folder
- In Eclipse, create Database Connection

```
database: ban2020
URL: jdbc:postgresql://localhost:5432/ban2020
User Name: ellmaster
Password: Manager1
```

- To connect to Aurora DB you will need to do the following additional step:
 - Open a new terminal or bash - create an active tunnel with this format of the command:

```
1 ssh -N -L <LOCAL-PORT-FORWARD>:<AURORA-DB-HOST-NAME>:<REMOTE-PORT> <USERNAME>@<IP-ADDRESS-OF-APP-SERVER> -i
  <PATH-TO-banner-db196-dev.pem_OR_ppk_file>
```

You can use any of the AWS servers found on [Argo Environments](#) in place of <IP-ADDRESS-OF-APP-SERVER>. Also, confirm the host and DB name as it keeps on changing.

For Prod Stage PG:

```
1 ssh -N -L 5432:prodcore-stage-instance-1.cuc7kkgb4djy.eu-central-1.rds.amazonaws.com:5432
  centos@3.120.118.15 -i /Users/amurkute/R\&D\GENERAL\ARGO\pem-file\banner-db196-dev.pem
```

OR

For Prod Mod PG:

```
1 ssh -N -L 5432:prodcore-stage.cluster-cuc7kkgb4dgy.eu-central-1.rds.amazonaws.com:5432 centos@3.125.99.151 -i /Users/amurkute/R\&D\GENERAL\ARGO\pem-file\banner-db196-dev.pem
```

When you run the command it will not show any output - that's expected, keep it active - do not terminate the command (I don't know yet if we can use some attribute to terminate the command and still keep the connection active)

Note: Be sure to use a pem key; using a ppk key will prompt for passphrase

- Also modify config.properties

For Prod Mod PG:

```
1 #Prod Mod PG - local tunnel postgresql
2 connection.user = ellmaster
3 connection.password = Manager1
4 connection.host = localhost:5432
5 connection.database = prod-march
```

Then use this setting in config.properties:


For Prod Stage PG:

```
1 #Prod Stage PG - local tunnel postgresql
2 connection.user = ellmaster
3 connection.password = Manager1
4 connection.host = localhost:5432
5 connection.database = prodcore-stage
```

Setup steps for both Oracle and PG databases

- Check the pom.xml under reports root folder and the one under net* folder has the projects that you want.
- Install [Tomcat 9.0.36](#). The Tomcat configuration should look like this:

make sure **Serve modules without publishing** is checked and Timeouts are updated to a higher value.



- Under run configurations, arguments, vm arguments, add

```
1 -Dlog4j.configuration=config.properties
```

- Cleanup
 - remove all files under .m2/repositories
 - Eclipse project clean
 - Goto build/net*/ folder and do (mvn clean install -U and mvn package) Note: Do not do this for a PG implementation because the target directories will end up with files and jars that should not be there

- Do Maven update on all the projects.
- Tomcat clean/clean work directory
OR
- If the above sequence doesn't work. If the pages still don't show up, then clear .m2/repositories folder and do maven force update from eclipse for all the projects.
- Clean, maven update and launch server.
- If you are getting this issue when you start tomcat:

✓ If you are getting this issue when you start tomcat

Jun 25, 2020 11:12:20 AM org.apache.tomcat.util.digester.SetPropertiesRule begin

WARNING: Match [Server/Service/Engine/Host/Context] failed to set property [allowLinking] to [true]

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Server version name: Apache Tomcat/9.0.35

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Server built: May 5 2020 20:36:20 UTC

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Server version number: 9.0.35.0

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: OS Name: Mac OS X

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: OS Version: 10.13.6

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Architecture: x86_64

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Java Home: /Library/Java/JavaVirtualMachines/jdk-11.0.7.jdk/Contents/Home

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: JVM Version: 11.0.7+8-LTS

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: JVM Vendor: Oracle Corporation

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: CATALINA_BASE:

/Users/amurkute/BANDB_SEC_W_PG_workspace/.metadata/.plugins/org.eclipse.wst.server.core/tmp0

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: CATALINA_HOME: /Users/amurkute/apache-tomcat-9.0.35/apache-tomcat-9.0.35

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: -

agentlib:jdwp=transport=dt_socket,suspend=y,address=localhost:52651

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: [-javaagent:/Users/amurkute/eclipse/jee-2020-06/Eclipse.app/Contents/Eclipse/configuration/org.eclipse.osgi/404/0/.cp/lib/javaagent-shaded.jar](#)

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: -

Dcatalina.base=/Users/amurkute/BANDB_SEC_W_PG_workspace/.metadata/.plugins/org.eclipse.wst.server.core/tmp0

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: -Dcatalina.home=/Users/amurkute/apache-tomcat-9.0.35/apache-tomcat-9.0.35

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: -

Dwtp.deploy=/Users/amurkute/BANDB_SEC_W_PG_workspace

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: -Dlog4j.configuration=config.properties

Jun 25, 2020 11:12:20 AM org.apache.catalina.startup.VersionLoggerListener log

INFO: Command line argument: -Dfile.encoding=UTF-8

Jun 25, 2020 11:12:20 AM org.apache.catalina.core.AprLifecycleListener lifecycleEvent

INFO: The Apache Tomcat Native library which allows using OpenSSL was not found on the java.library.path:

[/Users/amurkute/Library/Java/[Extensions:/Library/Java/Extensions:/Network/Library/Java/Extensions:/System/Library/Java/Extensions:/usr/lib/java](#) [?:.]]

Jun 25, 2020 11:12:21 AM org.apache.coyote.AbstractProtocol init

INFO: Initializing ProtocolHandler ["http-nio-8889"]

Jun 25, 2020 11:12:21 AM org.apache.catalina.startup.Catalina load

INFO: Server initialization in [1,703] milliseconds

Jun 25, 2020 11:12:21 AM org.apache.catalina.core.StandardService startInternal

INFO: Starting service [Catalina]

Jun 25, 2020 11:12:21 AM org.apache.catalina.core.StandardEngine startInternal

INFO: Starting Servlet engine: [Apache Tomcat/9.0.35]

Jun 25, 2020 11:12:22 AM org.apache.jasper.servlet.TldScanner scanJars

INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.

Jun 25, 2020 11:12:22 AM org.apache.jasper.servlet.TldScanner scanJars

INFO: At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.

Jun 25, 2020 11:12:22 AM org.apache.catalina.core.ContainerBase startInternal

SEVERE: A child container failed during start

[java.util.concurrent.ExecutionException](#): [org.apache.catalina.LifecycleException](#): Failed to initialize component [org.apache.catalina.webresources.DirResourceSet@1f9f381d]

at java.base/java.util.concurrent.FutureTask.report([FutureTask.java:122](#))

at java.base/java.util.concurrent.FutureTask.get([FutureTask.java:191](#))

at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:916](#))

at org.apache.catalina.core.StandardHost.startInternal([StandardHost.java:841](#))

at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))

at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1384](#))

at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1374](#))
at java.base/java.util.concurrent.FutureTask.run([FutureTask.java:264](#))
at
org.apache.tomcat.util.threads.InlineExecutorService.execute([InlineExecutorService.java:75](#))
at
java.base/java.util.concurrent.AbstractExecutorService.submit([AbstractExecutorService.java:140](#))
at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:909](#))
at org.apache.catalina.core.StandardEngine.startInternal([StandardEngine.java:262](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))
at org.apache.catalina.core.StandardService.startInternal([StandardService.java:421](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))
at org.apache.catalina.core.StandardServer.startInternal([StandardServer.java:930](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))
at org.apache.catalina.startup.Catalina.start([Catalina.java:633](#))
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0([Native Method](#))
at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke([NativeMethodAccessorImpl.java:62](#))
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke([DelegatingMethodAccessorImpl.java:43](#))
at java.base/java.lang.reflect.Method.invoke([Method.java:566](#))
at org.apache.catalina.startup.Bootstrap.start([Bootstrap.java:343](#))
at org.apache.catalina.startup.Bootstrap.main([Bootstrap.java:474](#))
Caused by: [org.apache.catalina.LifecycleException](#): Failed to initialize component
[org.apache.catalina.webresources.DirResourceSet@1f9f381d]
at
org.apache.catalina.util.LifecycleBase.handleSubClassException([LifecycleBase.java:440](#))

at org.apache.catalina.util.LifecycleBase.init(LifecycleBase.java:139)
at org.apache.catalina.webresources.StandardRoot.initInternal(StandardRoot.java:691)
at org.apache.catalina.util.LifecycleBase.init(LifecycleBase.java:136)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:173)
at org.apache.catalina.core.StandardContext.resourcesStart(StandardContext.java:4800)
at org.apache.catalina.core.StandardContext.startInternal(StandardContext.java:4936)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1384)
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1374)
at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
at
org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75)
at
java.base/java.util.concurrent.AbstractExecutorService.submit(AbstractExecutorService.java:140)
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:909)
... 21 more

Caused by: [java.lang.IllegalArgumentException](#): The directory specified by base and internal path [/Users/amurkute/BANDB_SEC_W_PG/build/webapp-services/src/main/config/WEB-INF/web.xml]/[] does not exist.

at org.apache.catalina.webresources.DirResourceSet.checkType(DirResourceSet.java:257)
at
org.apache.catalina.webresources.AbstractFileResourceSet.initInternal(AbstractFileResourceSet.java:206)
at org.apache.catalina.webresources.DirResourceSet.initInternal(DirResourceSet.java:265)
at org.apache.catalina.util.LifecycleBase.init(LifecycleBase.java:136)
... 33 more

Jun 25, 2020 11:12:22 AM org.apache.catalina.core.ContainerBase startInternal

SEVERE: A child container failed during start

java.util.concurrent.ExecutionException: org.apache.catalina.LifecycleException: A child container failed during start

at java.base/java.util.concurrent.FutureTask.report(FutureTask.java:122)

at java.base/java.util.concurrent.FutureTask.get(FutureTask.java:191)

at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:916)

at org.apache.catalina.core.StandardEngine.startInternal(StandardEngine.java:262)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.StandardService.startInternal(StandardService.java:421)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.StandardServer.startInternal(StandardServer.java:930)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.startup.Catalina.start(Catalina.java:633)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:343)

at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:474)

Caused by: org.apache.catalina.LifecycleException: A child container failed during start

at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:928)

at org.apache.catalina.core.StandardHost.startInternal(StandardHost.java:841)

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)

at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1384)

at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1374](#))
at java.base/java.util.concurrent.FutureTask.run([FutureTask.java:264](#))
at
org.apache.tomcat.util.threads.InlineExecutorService.execute([InlineExecutorService.java:75](#))
at
java.base/java.util.concurrent.AbstractExecutorService.submit([AbstractExecutorService.java:140](#))
at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:909](#))
... 13 more
Caused
by: [java.util.concurrent.ExecutionException](#): [org.apache.catalina.LifecycleException](#): Failed to initialize component [org.apache.catalina.webresources.DirResourceSet@1f9f381d]
at java.base/java.util.concurrent.FutureTask.report([FutureTask.java:122](#))
at java.base/java.util.concurrent.FutureTask.get([FutureTask.java:191](#))
at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:916](#))
... 21 more
Caused by: [org.apache.catalina.LifecycleException](#): Failed to initialize component [org.apache.catalina.webresources.DirResourceSet@1f9f381d]
at
org.apache.catalina.util.LifecycleBase.handleSubClassException([LifecycleBase.java:440](#))
at org.apache.catalina.util.LifecycleBase.init([LifecycleBase.java:139](#))
at org.apache.catalina.webresources.StandardRoot.initInternal([StandardRoot.java:691](#))
at org.apache.catalina.util.LifecycleBase.init([LifecycleBase.java:136](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:173](#))
at org.apache.catalina.core.StandardContext.resourcesStart([StandardContext.java:4800](#))
at org.apache.catalina.core.StandardContext.startInternal([StandardContext.java:4936](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))
at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1384](#))
at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1374](#))

at java.base/java.util.concurrent.FutureTask.run([FutureTask.java:264](#))
at
org.apache.tomcat.util.threads.InlineExecutorService.execute([InlineExecutorService.java:75](#))
at
java.base/java.util.concurrent.AbstractExecutorService.submit([AbstractExecutorService.java:140](#))
at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:909](#))
... 21 more

Caused by: [java.lang.IllegalArgumentException](#): The directory specified by base and internal path [/Users/amurkute/BANDB_SEC_W_PG/build/webapp-services/src/main/config/WEB-INF/web.xml]/[] does not exist.

at org.apache.catalina.webresources.DirResourceSet.checkType([DirResourceSet.java:257](#))
at
org.apache.catalina.webresources.AbstractFileResourceSet.initInternal([AbstractFileResourceSet.java:206](#))
at org.apache.catalina.webresources.DirResourceSet.initInternal([DirResourceSet.java:265](#))
at org.apache.catalina.util.LifecycleBase.init([LifecycleBase.java:136](#))
... 33 more

Jun 25, 2020 11:12:22 AM org.apache.catalina.startup.Catalina start

SEVERE: The required Server component failed to start so Tomcat is unable to start.

[org.apache.catalina.LifecycleException](#): A child container failed during start

at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:928](#))
at org.apache.catalina.core.StandardEngine.startInternal([StandardEngine.java:262](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))
at org.apache.catalina.core.StandardService.startInternal([StandardService.java:421](#))
at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))
at org.apache.catalina.core.StandardServer.startInternal([StandardServer.java:930](#))

at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)
at org.apache.catalina.startup.Catalina.start(Catalina.java:633)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:343)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:474)

Caused

by: java.util.concurrent.ExecutionException: org.apache.catalina.LifecycleException: A child container failed during start

at java.base/java.util.concurrent.FutureTask.report(FutureTask.java:122)
at java.base/java.util.concurrent.FutureTask.get(FutureTask.java:191)
at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:916)
... 13 more

Caused by: org.apache.catalina.LifecycleException: A child container failed during start

at org.apache.catalina.core.ContainerBase.startInternal(ContainerBase.java:928)
at org.apache.catalina.core.StandardHost.startInternal(StandardHost.java:841)
at org.apache.catalina.util.LifecycleBase.start(LifecycleBase.java:183)
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1384)
at org.apache.catalina.core.ContainerBase\$StartChild.call(ContainerBase.java:1374)
at java.base/java.util.concurrent.FutureTask.run(FutureTask.java:264)
at
org.apache.tomcat.util.threads.InlineExecutorService.execute(InlineExecutorService.java:75)

at

java.base/java.util.concurrent.AbstractExecutorService.submit([AbstractExecutorService.java:140](#))

at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:909](#))

... 13 more

Caused

by: [java.util.concurrent.ExecutionException: org.apache.catalina.LifecycleException](#): Failed to initialize component [org.apache.catalina.webresources.DirResourceSet@1f9f381d]

at java.base/java.util.concurrent.FutureTask.report([FutureTask.java:122](#))

at java.base/java.util.concurrent.FutureTask.get([FutureTask.java:191](#))

at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:916](#))

... 21 more

Caused by: [org.apache.catalina.LifecycleException](#): Failed to initialize component [org.apache.catalina.webresources.DirResourceSet@1f9f381d]

at

org.apache.catalina.util.LifecycleBase.handleSubClassException([LifecycleBase.java:440](#))

at org.apache.catalina.util.LifecycleBase.init([LifecycleBase.java:139](#))

at org.apache.catalina.webresources.StandardRoot.initInternal([StandardRoot.java:691](#))

at org.apache.catalina.util.LifecycleBase.init([LifecycleBase.java:136](#))

at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:173](#))

at org.apache.catalina.core.StandardContext.resourcesStart([StandardContext.java:4800](#))

at org.apache.catalina.core.StandardContext.startInternal([StandardContext.java:4936](#))

at org.apache.catalina.util.LifecycleBase.start([LifecycleBase.java:183](#))

at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1384](#))

at org.apache.catalina.core.ContainerBase\$StartChild.call([ContainerBase.java:1374](#))

at java.base/java.util.concurrent.FutureTask.run([FutureTask.java:264](#))

at

org.apache.tomcat.util.threads.InlineExecutorService.execute([InlineExecutorService.java:75](#))

at

java.base/java.util.concurrent.AbstractExecutorService.submit([AbstractExecutorService.java:140](#))

at org.apache.catalina.core.ContainerBase.startInternal([ContainerBase.java:909](#))

... 21 more

Caused by: [java.lang.IllegalArgumentException](#): The directory specified by base and internal path [/Users/amurkute/BANDB_SEC_W_PG/build/webapp-services/src/main/config/WEB-INF/web.xml]/[] does not exist.

at org.apache.catalina.webresources.DirResourceSet.checkType([DirResourceSet.java:257](#))

at

org.apache.catalina.webresources.AbstractFileResourceSet.initInternal([AbstractFileResourceSet.java:206](#))

at org.apache.catalina.webresources.DirResourceSet.initInternal([DirResourceSet.java:265](#))

at org.apache.catalina.util.LifecycleBase.init([LifecycleBase.java:136](#))

... 33 more

Jun 25, 2020 11:12:22 AM org.apache.coyote.AbstractProtocol pause

INFO: Pausing ProtocolHandler ["http-nio-8889"]

Jun 25, 2020 11:12:22 AM org.apache.catalina.core.StandardService stopInternal

INFO: Stopping service [Catalina]

Jun 25, 2020 11:12:22 AM org.apache.coyote.AbstractProtocol destroy

INFO: Destroying ProtocolHandler ["http-nio-8889"]

WARNING: An illegal reflective access operation has occurred

WARNING: Illegal reflective access by

org.apache.catalina.loader.WebappClassLoaderBase (<file:/Users/amurkute/apache-tomcat-9.0.35/apache-tomcat-9.0.35/lib/catalina.jar> [↗](#)) to field [java.io](#) [↗](#).ObjectStreamClass\$Caches.localDescs

WARNING: Please consider reporting this to the maintainers of
org.apache.catalina.loader.WebappClassLoaderBase

WARNING: Use --illegal-access=warn to enable warnings of further illegal reflective access operations

WARNING: All illegal access operations will be denied in a future release

Jun 25, 2020 11:12:22 AM org.apache.catalina.core.StandardContext resourcesStop

SEVERE: Error stopping static Resources

[org.apache.catalina.LifecycleException](#): An invalid Lifecycle transition was attempted ([before_stop]) for component [org.apache.catalina.webresources.DirResourceSet@489091bd] in state [INITIALIZED]
at org.apache.catalina.util.LifecycleBase.invalidTransition([LifecycleBase.java:430](#))
at org.apache.catalina.util.LifecycleBase.stop([LifecycleBase.java:244](#))
at org.apache.catalina.webresources.StandardRoot.stopInternal([StandardRoot.java:763](#))
at org.apache.catalina.util.LifecycleBase.stop([LifecycleBase.java:257](#))
at org.apache.catalina.core.StandardContext.resourcesStop([StandardContext.java:4827](#))
at org.apache.catalina.core.StandardContext.stopInternal([StandardContext.java:5440](#))
at org.apache.catalina.util.LifecycleBase.stop([LifecycleBase.java:257](#))
at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:293](#))
at org.apache.catalina.core.ContainerBase.removeChild([ContainerBase.java:817](#))
at org.apache.catalina.core.ContainerBase.destroyInternal([ContainerBase.java:1023](#))
at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:321](#))
at org.apache.catalina.core.ContainerBase.removeChild([ContainerBase.java:817](#))
at org.apache.catalina.core.ContainerBase.destroyInternal([ContainerBase.java:1023](#))
at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:321](#))
at org.apache.catalina.core.StandardService.destroyInternal([StandardService.java:556](#))
at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:321](#))
at org.apache.catalina.core.StandardServer.destroyInternal([StandardServer.java:1065](#))
at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:321](#))
at org.apache.catalina.startup.Catalina.start([Catalina.java:637](#))
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0([Native Method](#))

at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke([NativeMethodAccessorImpl.java:62](#))
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke([DelegatingMethodAccessorImpl.java:43](#))
at java.base/java.lang.reflect.Method.invoke([Method.java:566](#))
at org.apache.catalina.startup.Bootstrap.start([Bootstrap.java:343](#))
at org.apache.catalina.startup.Bootstrap.main([Bootstrap.java:474](#))

Jun 25, 2020 11:12:22 AM org.apache.catalina.util.LifecycleBase destroy

SEVERE: Called stop() on failed component

[org.apache.catalina.webresources.StandardRoot@34780cd9] to trigger clean-up but it failed too

[org.apache.catalina.LifecycleException](#): An invalid Lifecycle transition was attempted ([before_stop]) for component

[org.apache.catalina.webresources.DirResourceSet@489091bd] in state [INITIALIZED]

at org.apache.catalina.util.LifecycleBase.invalidTransition([LifecycleBase.java:430](#))

at org.apache.catalina.util.LifecycleBase.stop([LifecycleBase.java:244](#))

at org.apache.catalina.webresources.StandardRoot.stopInternal([StandardRoot.java:763](#))

at org.apache.catalina.util.LifecycleBase.stop([LifecycleBase.java:257](#))

at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:293](#))

at org.apache.catalina.core.StandardContext.destroyInternal([StandardContext.java:5515](#))

at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:321](#))

at org.apache.catalina.core.ContainerBase.removeChild([ContainerBase.java:817](#))

at org.apache.catalina.core.ContainerBase.destroyInternal([ContainerBase.java:1023](#))

at org.apache.catalina.util.LifecycleBase.destroy([LifecycleBase.java:321](#))

at org.apache.catalina.core.ContainerBase.removeChild([ContainerBase.java:817](#))

at org.apache.catalina.core.ContainerBase.destroyInternal([ContainerBase.java:1023](#))

```
at org.apache.catalina.util.LifecycleBase.destroy(LifecycleBase.java:321)
at org.apache.catalina.core.StandardService.destroyInternal(StandardService.java:556)
at org.apache.catalina.util.LifecycleBase.destroy(LifecycleBase.java:321)
at org.apache.catalina.core.StandardServer.destroyInternal(StandardServer.java:1065)
at org.apache.catalina.util.LifecycleBase.destroy(LifecycleBase.java:321)
at org.apache.catalina.startup.Catalina.start(Catalina.java:637)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:566)
at org.apache.catalina.startup.Bootstrap.start(Bootstrap.java:343)
at org.apache.catalina.startup.Bootstrap.main(Bootstrap.java:474)
```

check the deployment assembly by right clicking on the web.services project - try to find if there is `src/main/config` entry. If it is present, **remove** that entry.



- For postgres, implementation, if tomcat is slow to start remove these two jar files from the tomcat/lib directory

```
tomcat-websocket.jar
```

```
websocket-api.jar
```

- If you need an Oracle user, create a user BANUSER using the attached script `% create_bans_user.sql` for oracle. The default pin is 111111.
- If you need PG users, create ADMNUSR and TESTUSR using the attached script `% createAdminUsersInPG.sql` for postgres. The default pin is 019355.
- If you are testing job submission, start the gurjobs on the docker using this command, `su - oracle, gurjobs [BANUSER]/JSUB`

