

```
MINGW64/c/Users/Ruben Sotelo/Desktop/ActividadCompilador
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador
$ git init
Initialized empty Git repository in C:/Users/Ruben Sotelo/Desktop/ActividadCompilador/.git/
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (master)
$ echo "Tarea 1 Investigacion"> README.md
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (master)
$ git add .
warning: in the working copy of 'README.md', LF will be replaced by CRLF the next time Git touches it
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (master)
$ git commit -m "Tarea 1 github"
Author identity unknown

*** Please tell me who you are.

Run

  git config --global user.email "you@example.com"
  git config --global user.name "Your Name"

to set your account's default identity.
Omit --global to set the identity only in this repository.

fatal: unable to auto-detect email address (got 'Ruben Sotelo@DESKTOP-83MGSCJ.(none)')
```

```
MINGW64/c/Users/Ruben Sotelo/Desktop/ActividadCompilador
$ git config --global user.email "you@example.com"
$ git config --global user.name "Your Name"
to set your account's default identity.
Omit --global to set the identity only in this repository.
fatal: unable to auto-detect email address (got 'Ruben Sotelo@DESKTOP-83MGSCJ.(none)')
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (main)
$ git config --global user.email "ruben.sotelo51@unach.mx"
$ git config --global user.name "RubenUnash"
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (main)
$ git commit -m "Tarea 1 github"
[main (root-commit) 8938641] Tarea 1 github
4 files changed, 196 insertions(+)
create mode 100644 100015911_Actividad1.pdf
create mode 100644 README.md
create mode 100644 ejemplo4.jff
create mode 100644 ejemplo5.jff
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (main)
$ git branch -M main
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (main)
$ git remote add origin https://github.com/RubenUnash/100015911_Tarea_1_Compiladores.git
error: remote origin already exists.
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (main)
$ git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 4 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 723.82 KiB | 8.51 MiB/s, done.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/RubenUnash/100015911_Tarea_1_Compiladores.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
Ruben Sotelo@DESKTOP-83MGSCJ MINGW64 ~/Desktop/ActividadCompilador (main)
$
```