

## Code Database


```
CREATE TABLE `ds` (
  `NIDN` int(10) NOT NULL,
  `NAMA` varchar(50) DEFAULT NULL,
 `JK` varchar(50) DEFAULT NULL,
 `GELAR` varchar(10) DEFAULT NULL,
 PRIMARY KEY (`NIDN`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
/*Data for the table `ds` */
insert into `ds`(`NIDN`,`NAMA`,`JK`,`GELAR`) values (2345,'suryawan
adi', 'P', 's3');
/*Table structure for table `mhs` */
CREATE TABLE `mhs` (
  `NIM` int(8) NOT NULL,
 `NAMA` varchar(50) DEFAULT NULL,
 `JURUSAN` varchar(50) DEFAULT NULL,
 `TGL LAHIR` varchar(20) DEFAULT NULL,
 `JK` varchar(20) DEFAULT NULL,
 PRIMARY KEY (`NIM`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
/*Data for the table `mhs` */
/*Table structure for table `mk` */
CREATE TABLE `mk` (
 `KODE` int(10) NOT NULL,
 `NAMA` varchar(50) DEFAULT NULL,
 `JURUSAN` varchar(50) DEFAULT NULL,
 PRIMARY KEY (`KODE`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
/*Data for the table `mk` */
insert into `mk`(`KODE`,`NAMA`,`JURUSAN`) values (5345,'gfgg hh ss','KAB');
```


## Table DOSEN





## Table Mahasiswa





## Table Matakuliah

