

Cucumber Report

29-Feb-2024, 6:31:11 pm

Start : Feb 29, 6:29:15.596 pm

End : Feb 29, 6:31:09.160 pm

Duration : 1 m 53.564 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 6
SKIPPED - 0


PASSED - 2
FAILED - 7
SKIPPED - 0

PASSED - 26
FAILED - 7
SKIPPED - 14




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>OpenMRS login file</u>	29.253 s	1	1	0	0	5	5	0	0
<u>Login functionality test</u>	7.968 s	1	1	0	0	5	5	0	0
<u>OpenMRS Manage</u>	25.737 s	2	0	2	0	10	6	2	2
<u>OpenMRS Login file</u>	9.292 s	1	0	1	0	5	2	1	2
<u>openmrs healthcare</u>	8.379 s	1	0	1	0	6	2	1	3
<u>Registration</u>	10.490 s	1	0	1	0	5	2	1	2
<u>find patient records of the page</u>	11.902 s	1	0	1	0	6	2	1	3
<u>OpenMrs1 login1</u>	10.268 s	1	0	1	0	5	2	1	2

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	9	2	7	0	8	2	6	0
@tag1	6	1	5	0	6	1	5	0





#	Feature Name	T	P	F	S	Duration
1	<u>OpenMRS login file</u>	1	1	0	0	29.253 s
2	<u>Login functionality test</u>	1	1	0	0	7.968 s
3	<u>OpenMRS Manage</u>	2	0	2	0	25.737 s
4	<u>OpenMRS Login file</u>	1	0	1	0	9.292 s
5	<u>openmrs healthcare</u>	1	0	1	0	8.379 s
6	<u>Registration</u>	1	0	1	0	10.490 s
7	<u>find patient records of the page</u>	1	0	1	0	11.902 s
8	<u>OpenMrs1 login1</u>	1	0	1	0	10.268 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>OpenMRS login file</u>	<u>Managing Appointment Blocks</u>	5	5	0	0	29.246 s
2	<u>Login functionality test</u>	<u>User logs in with valid credentials</u>	5	5	0	0	7.968 s
3	<u>OpenMRS Manage</u>	<u>Manage OpenMRS</u>	5	4	1	0	19.550 s
4	<u>OpenMRS Manage</u>	<u>Manage OpenMRS website</u>	5	2	1	2	6.144 s
5	<u>OpenMRS Login file</u>	<u>Hospital Management project</u>	5	2	1	2	9.292 s
6	<u>openmrs healthcare</u>	<u>Testing the openmrs</u>	6	2	1	3	8.379 s
7	<u>Registration</u>	<u>Open registration page</u>	5	2	1	2	10.490 s
8	<u>find patient records of the page</u>	<u>Find patient records</u>	6	2	1	3	11.902 s
9	<u>OpenMrs1 login1</u>	<u>Login1 openMrs1</u>	5	2	1	2	10.268 s

OpenMRS login file



PASSED	DURATION - 29.253 s	Scenarios		Steps	
/ 6:29:15.596 pm // 6:29:44.849 pm /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Managing Appointment Blocks



<div>PASSED</div> <div>DURATION - 29.246 s</div>			Steps	
/ 6:29:15.603 pm // 6:29:44.849 pm /			Total - 5	
OpenMRS login file			Pass - 5	
@tag @tag1			Fail - 0	
		Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given iam on the application login page	PASSED	5.760 s
2	And Browser2 is on the login page	PASSED	3.926 s
3	When i enter user and password	PASSED	1.274 s
4	When i click on the inpatient ward to access the loaction	PASSED	3.891 s
5	Then i navigated to the Home page	PASSED	11.775 s

Login functionality test



PASSED	DURATION - 7.968 s	Scenarios		Steps	
/ 6:29:44.921 pm // 6:29:52.889 pm /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

User logs in with valid credentials



<div><div>PASSED</div><div>DURATION - 7.968 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 6:29:44.921 pm // 6:29:52.889 pm /				
Login functionality test				
@tag				

#	Step / Hook Details	Status	Duration
1	Given User is on the login page	PASSED	5.309 s
2	When User enters username "admin" and password "Admin123"	PASSED	0.256 s
3	And User selects location as "Inpatient Ward"	PASSED	0.131 s
4	And User clicks on the login button	PASSED	1.897 s
5	Then User should be logged in successfully	PASSED	0.001 s

OpenMRS Manage

<div>FAILED</div>	<div>DURATION - 25.737 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 2</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 10</div> <div>Pass - 6</div> <div>Fail - 2</div> <div>Skip - 2</div>	<div></div>
<div>/ 6:29:52.928 pm // 6:30:18.665 pm /</div>					

Manage OpenMRS

FAILED	DURATION - 19.550 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 6:29:52.928 pm // 6:30:12.478 pm /				
OpenMRS Manage				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given OpenMRS url is open	PASSED	2.176 s
2	And user is on the login page	PASSED	0.997 s
3	When admin enter username and password	PASSED	3.830 s
4	When admin click on impatient ward to access location	PASSED	3.334 s
5	Then admin navigate to homepage	FAILED	6.466 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="patient-search-results-table"]/tbody"} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: <https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception> Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6860821e11c458f0fda256e1e797f3c1, findElement {using=xpath, value=//*[@id="patient-search-results-table"]/tbody}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57657}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57657/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6860821e11c458f0fda256e1e797f3c1

at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)
at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
at jdk.proxy2/jdk.proxy2.\$Proxy60.click(Unknown Source)
at pages.Manage.SearchResult(Manage.java:64)
at stepdefinitions.ManageStepdefinition.admin_navigate_to_homepage(ManageStepdefinition.java:98)
at ?.admin navigate to homepage(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Manage.feature:11)

* Not displayable characters are replaced by '?'.



Manage OpenMRS website

<div>FAILED</div> <div>DURATION - 6.144 s</div>		<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>2.187</td></tr><tr><td>2</td><td>0.919</td></tr><tr><td>3</td><td>0.116</td></tr></tbody></table></div>	Step	Duration (s)	1	2.187	2	0.919	3	0.116	<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div><div>5</div></div>
Step	Duration (s)											
1	2.187											
2	0.919											
3	0.116											
/ 6:30:12.521 pm // 6:30:18.665 pm /												
OpenMRS Manage												
@tag												



#	Step / Hook Details	Status	Duration
1	Given website is opened	PASSED	2.187 s
2	And naviagate to login page	PASSED	0.919 s
3	When user enter username and password	FAILED	0.116 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="username"]} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [510a16a6b52f85dc854fb726d4c567a0, findElement {using=xpath, value=//*[@id="username"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57696}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57696/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 510a16a6b52f85dc854fb726d4c567a0</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.sendKeys(Unknown Source) at pages.Manage.enterUsername(Manage.java:39) at stepdefinitions.ManageStepdefinition.user_enter_username_and_password(ManageStepdefinition.java:173) at ?.user enter username and password(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Manage.feature:16) * Not displayable characters are replaced by '?'. </pre>		
4	When user click on impatient ward to access location	SKIPPED	0.000 s
5	Then user navigate to homepage	SKIPPED	0.002 s

OpenMRS Login file

FAILED	DURATION - 9.292 s	Scenarios		Steps	
/ 6:30:18.705 pm // 6:30:27.997 pm /		Total - 1	1	Total - 5	5
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



Hospital Management project

FAILED	DURATION - 9.292 s		Steps	
/ 6:30:18.705 pm // 6:30:27.997 pm /				
OpenMRS Login file				
@tag @tag1				



#	Step / Hook Details	Status	Duration
1	Given login to the openMRS project file Browser is open	PASSED	2.346 s
2	And Browser is on the login page	PASSED	0.988 s
3	When I enter username and password	FAILED	0.066 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"///*[@id="username"]} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9f9a61d9fe0b7a445573b6e88a1a0fa9, findElement {using=xpath, value=//*[@id="username"]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Local\Temp\WebDriver-Chrome\122.0.6261.94\chrome\chrome.exe}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57724}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57724/devtools, se.cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 9f9a61d9fe0b7a445573b6e88a1a0fa9</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.sendKeys(Unknown Source) at pages.PatientSearchRecord1.enterUsername(PatientSearchRecord1.java:45) at stepdefinitions.SearchPatientRecord.i_enter_username_and_password(SearchPatientRecord.java:59) at ?.I enter username and password(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/OpenMrs.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
4	When I click on the impatient ward to access location	SKIPPED	0.001 s
5	Then I navigated to the Home page	SKIPPED	0.001 s

openmrs healthcare

FAILED	DURATION - 8.379 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 6:30:28.045 pm // 6:30:36.424 pm /					



Testing the openmrs

<div><div>FAILED</div><div>DURATION - 8.379 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 6:30:28.045 pm // 6:30:36.424 pm /				
openmrs healthcare				
@tag @tag1				



#	Step / Hook Details	Status	Duration
1	Given I want to open the browser7	PASSED	2.784 s
2	And I want to open the openmrs page	PASSED	2.078 s
3	When I give login credentials org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#username"} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [98a9b967650e3914fe1bfb5d611d8e14, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57763}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57763/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 98a9b967650e3914fe1bfb5d611d8e14 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	0.039 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at stepdefinitions.CaptureVitals.i_give_login_credentials(CaptureVitals.java:64) at ?.I give login credentials(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/ OpenmrsLogin.feature:9) * Not displayable characters are replaced by '?'. </pre>		
4	And I click on inpatient ward to access the location	SKIPPED	0.000 s
5	When I click on login	SKIPPED	0.001 s
6	Then It displays the home page and access capture vitals	SKIPPED	0.001 s

Registration



FAILED DURATION - 10.490 s / 6:30:36.447 pm // 6:30:46.937 pm /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
--	--	--	--	--

Open registration page



FAILED DURATION - 10.490 s / 6:30:36.447 pm // 6:30:46.937 pm /		Steps Total - 5 Pass - 2 Fail - 1 Skip - 2	
Registration			
@tag @tag1			

#	Step / Hook Details	Status	Duration
1	Given I want to open the browser	PASSED	2.108 s
2	And open OpenMRS page	PASSED	1.403 s
3	When I enter valid credentials <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#username"} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7707ac51aefb82ec682bab873fb68bcf, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57791}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57791/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7707ac51aefb82ec682bab873fb68bcf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at stepdefinitions.Register.i_enter_valid_credentials(Register.java:40) at ?.I enter valid credentials(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Register.feature:9) * Not displayable characters are replaced by '?'. </p>	FAILED	2.468 s
4	And click on inpatient ward	SKIPPED	0.013 s
5	Then I open the home page	SKIPPED	0.001 s

find patient records of the page

FAILED	DURATION - 11.902 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 6:30:46.963 pm // 6:30:58.865 pm /					



Find patient records

FAILED	DURATION - 11.902 s		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 6:30:46.963 pm // 6:30:58.865 pm /				
find patient records of the page				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given I want to write open the web browser	PASSED	2.615 s
2	And open the login page of open mrs	PASSED	1.225 s
3	When I had to give the proper credentials org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#username"} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [675c85b9f436cbb2b18755b3cb62df71, findElement {using=id, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57831}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57831/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 675c85b9f436cbb2b18755b3cb62df71 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)	FAILED	1.836 s

OpenMrs1 login1

Login1 openMrs1

FAILED		DURATION - 10.268 s	
/ 6:30:58.892 pm // 6:31:09.160 pm /			
OpenMrs1 login1			
@tag			
		<div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div>	
			

#	Step / Hook Details	Status	Duration
1	Given Browser is open	PASSED	2.969 s
2	And admin is on the login page	PASSED	3.322 s
3	When i enter username and password	FAILED	0.076 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="username"]} (Session info: chrome=122.0.6261.94) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [383768a02912be7876312caf17cb3ee1, findElement {using=xpath, value=//*[@id="username"]}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57874}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57874/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 383768a02912be7876312caf17cb3ee1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy60.sendKeys(Unknown Source) at pages.ServiceTypes.enterUsername(ServiceTypes.java:39) at stepdefinitions.ServicetypesM.i_enter_username_and_password(ServicetypesM.java:52) at ?.i enter username and password(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/servicetypes.feature:8)</p> <p>* Not displayable characters are replaced by '?'. </p>		
4	When i click on inpatient ward to access location	SKIPPED	0.000 s
5	Then i navigate to the home page	SKIPPED	0.002 s