Cucumber Report

| Start : Feb 29, 3:26:06.567 pm	End : Feb 29, 3:27:34.648 pm	Duration : 1 m 28.081 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 5 SKIPPED - 0	PASSED - 1 FAILED - 6 SKIPPED - 0	PASSED - 10 FAILED - 6 SKIPPED - 19
6	7	35
16 %	14 %	28 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
OpenMRS login file	36.517 s	1	1	0	0	5	5	0	0
Login functionality test	12.936 s	1	0	1	0	5	0	1	4
OpenMRS Manage	15.332 s	2	0	2	0	10	2	2	6
OpenMRS Login file	7.385 s	1	0	1	0	5	1	1	3
Registration	8.299 s	1	0	1	0	5	1	1	3
OpenMrs1 login1	7.242 s	1	0	1	0	5	1	1	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	7	1	6	0	6	1	5	0
@tag1	4	1	3	0	4	1	3	0

#	Feature Name	T	P	F	S	Duration
1	OpenMRS login file	1	1	0	0	36.517 s
2	Login functionality test	1	0	1	0	12.936 s
3	OpenMRS Manage	2	0	2	0	15.332 s
4	OpenMRS Login file	1	0	1	0	7.385 s
5	Registration	1	0	1	0	8.299 s
6	OpenMrs1 login1	1	0	1	0	7.242 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	OpenMRS login file	Managing Appointment Blocks	5	5	0	0	36.504 s
2	Login functionality test	User logs in with valid credentials	5	0	1	4	12.936 s
3	OpenMRS Manage	Manage OpenMRS	5	1	1	3	9.094 s
4	OpenMRS Manage	Manage OpenMRS website	5	1	1	3	6.189 s
5	OpenMRS Login file	Hospital Management project	5	1	1	3	7.385 s
6	Registration	Open registration page	5	1	1	3	8.299 s
7	OpenMrs1 login1	Login1 openMrs1	5	1	1	3	7.242 s

OpenMRS login file

PASSED	DURATION - 36.517 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:26:06.567 pm // 3:26:43.084 pm /					

Managing Appointment Blocks

PASSED	DURATION - 36.504 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 3:26:06.580 pm // 3:26:43.084 pm /				
OpenMRS login file				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given iam on the application login page	PASSED	8.587 s
2	And Browser2 is on the login page	PASSED	3.812 s
3	When i enter user and password	PASSED	1.444 s
4	When i click on the inpatient ward to access the loaction	PASSED	3.643 s
5	Then i navigated to the Home page	PASSED	14.202 s

Login functionality test

FAILED	DURATION - 12.936 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 3:26:43.218 pm // 3:26:56.154 pm /					

User logs in with valid credentials

FAILED	*DURATION - 12.936 s*	
/ 3:26:43.218 pm // 3:26:56.154 pm /		
Login functionality test		
@tag		

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	Given User is on the login page	FAILED	12.055 s

	org.openqa.selenium.WebDriverException: disconnected: received Inspector.detached event (failed to check if window was closed: disconnected: Unable to receive message from renderer) (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [414e69ff80eb97ebb108a16367153233, get {url=https://demo.openmrs.org/openmrs/login.htm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53765}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53765/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 414e69ff80eb97ebb108a16367153233
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)
	   at stepdefinitions.Login_Page_stepdefs.userIsOnTheLoginPage(Login_Page_stepdefs.java:22)
	   at ?.User is on the login page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Login_01.feature:4)
	* Not displayable characters are replaced by '?'.		

2	When User enters username "admin" and password "Admin123"	SKIPPED	0.001 s
3	And User selects location as "Inpatient Ward"	SKIPPED	0.004 s

#	Step / Hook Details	Status	Duration
4	And User clicks on the login button	SKIPPED	0.001 s
5	Then User should be logged in successfully	SKIPPED	0.001 s

OpenMRS Manage

FAILED	DURATION - 15.332 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 2 Fail - 2 Skip - 6	
/ 3:26:56.284 pm // 3:27:11.616 pm /			2		10

Manage OpenMRS

FAILED	DURATION - 9.094 s		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 3:26:56.284 pm // 3:27:05.378 pm /				5
OpenMRS Manage				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given OpenMRS url is open	PASSED	4.571 s
2	And user is on the login page	FAILED	0.950 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [45ace604f4a7528cac43019134843d17, get {url=https://demo. openmrs.org/openmrs/login.htm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53783}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53783/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 45ace604f4a7528cac43019134843d17 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at pages.Manage.navigateToUrl(Manage.java:36) at stepdefinitions.ManageStepdefinition.user_is_on_the_login_page(ManageStepdefinition.java:57) at ?.user is on the login page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Manage.feature:8) * Not displayable characters are replaced by '?'.		
3	When admin enter username and password	SKIPPED	0.000 s
4	When admin click on impatient ward to access location	SKIPPED	0.010 s
5	Then admin navigate to homepage	SKIPPED	0.000 s

Manage OpenMRS website

FAILED	DURATION - 6.189 s	
/ 3:27:05.427 pm // 3:27:11.616 pm /		
OpenMRS Manage		
@tag		

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	Given website is opened	PASSED	2.837 s
2	And naviagate to login page	FAILED	0.689 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [909e5d4be2aa987ab5dd75740fd031f9, get {url=https://demo.openmrs.org/openmrs/login.htm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome:		

#	Step / Hook Details	Status	Duration

	{chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53808}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53808/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 909e5d4be2aa987ab5dd75740fd031f9
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)
	    at pages.Manage.navigateToUrl(Manage.java:36)
	    at stepdefinitions.ManageStepdefinition.naviagate_to_login_page(ManageStepdefinition.java:166)
	    at ?.naviagate to login page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Manage.feature:15)
	* Not displayable characters are replaced by '?'.		

3	When user enter username and password	SKIPPED	0.000 s
4	When user click on impatient ward to access location	SKIPPED	0.000 s
5	Then user navigate to homepage	SKIPPED	0.000 s

OpenMRS Login file

FAILED	DURATION - 7.385 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	5
/ 3:27:11.665 pm // 3:27:19.050 pm /					

Hospital Management project

FAILED	DURATION - 7.385 s
/ 3:27:11.665 pm // 3:27:19.050 pm /	
OpenMRS Login file	
@tag @tag1	

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

5

#	Step / Hook Details	Status	Duration
1	Given login to the openMRS project file Browser is open	PASSED	2.684 s
2	And Browser is on the login page	FAILED	0.875 s

	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5a840cc7e13af08f689223a582fca3ff, get {url=https://demo.openmrs.org/openmrs/login.htm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53833}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53833/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5a840cc7e13af08f689223a582fca3ff
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)
	    at pages.PatientSearchRecord1.navigateToUrl(PatientSearchRecord1.java:42)
	    at stepdefinitions.SearchPatientRecord.browser_is_on_the_login_page(SearchPatientRecord.java:51)
	    at ?.Browser is on the login page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/OpenMrs.feature:8)
	* Not displayable characters are replaced by '?'.		

3	When I enter username and password	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When I click on the impatient ward to access location	SKIPPED	0.000 s
5	Then I navigated to the Home page	SKIPPED	0.003 s

Registration

FAILED	DURATION - 8.299 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 3:27:19.075 pm // 3:27:27.374 pm /					

Open registration page

FAILED	DURATION - 8.299 s		Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	
/ 3:27:19.075 pm // 3:27:27.374 pm /				
Registration				
@tag @tag1				

#	Step / Hook Details	Status	Duration
1	Given I want to open the browser	PASSED	2.263 s
2	And open OpenMRS page	FAILED	0.778 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62faabe6357d0e069b7cfc13ab578b2c, get {url=https://demo.openmrs.org/openmrs/login.htm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53860}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53860/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 62faabe6357d0e069b7cfc13ab578b2c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300) at stepdefinitions.Register.open_open_mrs_page(Register.java:28) at ?.open OpenMRS page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Register.feature:8) * Not displayable characters are replaced by '?'.		
3	When I enter valid credentials	SKIPPED	0.000 s
4	And click on inpatient ward	SKIPPED	0.000 s
5	Then I open the home page	SKIPPED	0.000 s

OpenMrs1 login1

FAILED	DURATION - 7.242 s		Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	(1)	Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	(5)
	/ 3:27:27.406 pm // 3:27:34.648 pm /					

Login1 openMrs1

FAILED	DURATION - 7.242 s			Steps Total - 5 Pass - 1 Fail - 1 Skip - 3	(5)
/ 3:27:27.406 pm // 3:27:34.648 pm /					
OpenMrs1 login1					
@tag					

#	Step / Hook Details	Status	Duration
1	Given Browser is open	PASSED	3.560 s
2	And admin is on the login page	FAILED	0.752 s

	org.openqa.selenium.WebDriverException: unknown error: net::ERR_INTERNET_DISCONNECTED (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6f67c27ff33532d45ff27a32ecdb53bb, get {url=https://demo. openmrs.org/openmrs/login.htm}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53889}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53889/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6f67c27ff33532d45ff27a32ecdb53bb
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:300)
	    at pages.ServiceTypes.navigateToUrl(ServiceTypes.java:36)
	    at stepdefinitions.ServicetypesM.admin_is_on_the_login_page(ServicetypesM.java:38)
	    at ?.admin is on the login page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/ servicetypes.feature:7)
	* Not displayable characters are replaced by '?'.		

3	When i enter username and password	SKIPPED	0.000 s
4	When i click on inpatient ward to access location	SKIPPED	0.000 s
5	Then i navigate to the home page	SKIPPED	0.000 s