Cucumber Report

| **Start : Feb 29, 11:39:12.840 pm**	**End : Feb 29, 11:40:03.271 pm**	**Duration : 50.431 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 8 FAILED - 3 SKIPPED - 4

Features: 1

Scenarios: 3

Steps: 15

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 53 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
OpenMRS login file	*50.431 s*	*3*	*0*	*3*	*0*	*15*	*8*	*3*	*4*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	3	0	3	0	1	0	1	0
@tag1	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	OpenMRS login file	3	0	3	0	50.431 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	OpenMRS login file	Managing Appointment Blocks	5	4	1	0	22.675 s
2	OpenMRS login file	Managing Appointment Blocks	5	0	1	4	5.430 s
3	OpenMRS login file	Managing Appointment Blocks	5	4	1	0	22.227 s

OpenMRS login file

FAILED	DURATION - 50.431 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	Steps Total - 15 Pass - 8 Fail - 3 Skip - 4
/ 11:39:12.840 pm // 11:40:03.271 pm /			

Managing Appointment Blocks

FAILED	DURATION - 22.675 s	Steps Total - 5 Pass - 4 Fail - 1 Skip - 0
/ 11:39:12.849 pm // 11:39:35.524 pm /		
OpenMRS login file		
@tag @tag1		

#	Step / Hook Details	Status	Duration
1	Given iam on the application login page	PASSED	4.512 s
2	And Browser2 is on the login page	PASSED	3.642 s
3	When i enter user and password	PASSED	1.332 s
4	When i click on the inpatient ward to access the loaction	PASSED	3.418 s
5	Then i navigated to the Home page	FAILED	6.796 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6e6a993fb981bea2c61688a56e734c08, clickElement {id=f.8614D0CE2262838393620CC52D03E635.d.E7830B657458D8CA1DEF3F9A38BAA30D.e.70}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61554}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61554/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (6e6a993fb981bea2c61688a56e734c08)] -> xpath: //*[@id="calendar"]/div/div/table/tbody/tr[1]/td[5]/div/div[2]/div] Session ID: 6e6a993fb981bea2c61688a56e734c08 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy60.click(Unknown Source) at pages.AppointmentManagingBlocks1.navigateTocalender(AppointmentManagingBlocks1.java:97) at stepdefinitions.ManageAppointmentBlocks.i_navigated_to_the_home_page(ManageAppointmentBlocks.java:104) at ?.i navigated to the Home page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Login1.feature:11) * Not displayable characters are replaced by '?'.		

Managing Appointment Blocks

FAILED	DURATION - 5.430 s
/ 11:39:35.575 pm // 11:39:41.005 pm /	
OpenMRS login file	
@tag @tag1	

Steps
Total - 5
Pass - 0
Fail - 1
Skip - 4

5

#	Step / Hook Details	Status	Duration
1	Given iam on the application login page	FAILED	2.083 s
	org.openqa.selenium.WebDriverException: no such execution context (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0',		

#	Step / Hook Details	Status	Duration

	revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [ed684786c09fbedf1c65881c695f1bd0, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61597}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61597/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: ed684786c09fbedf1c65881c695f1bd0
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:591)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:595)
	   at org.openqa.selenium.remote.RemoteWebDriver$RemoteWebDriverOptions$RemoteWindow.maximize(RemoteWebDriver.java:978)
	   at stepdefinitions.ManageAppointmentBlocks.iam_on_the_application_login_page(ManageAppointmentBlocks.java:49)
	   at ?.iam on the application login page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Login1.feature:7)
	* Not displayable characters are replaced by '?'.		

2	And Browser2 is on the login page	SKIPPED	0.000 s
3	When i enter user and password	SKIPPED	0.000 s
4	When i click on the inpatient ward to access the loaction	SKIPPED	0.010 s
5	Then i navigated to the Home page	SKIPPED	0.000 s

Managing Appointment Blocks

FAILED	*DURATION - 22.227 s*	
/ 11:39:41.044 pm // 11:40:03.271 pm /		
OpenMRS login file		
@tag @tag1		

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

5

#	Step / Hook Details	Status	Duration
1	Given iam on the application login page	PASSED	2.652 s
2	And Browser2 is on the login page	PASSED	3.662 s
3	When i enter user and password	PASSED	1.431 s
4	When i click on the inpatient ward to access the loaction	PASSED	4.094 s
5	Then i navigated to the Home page	FAILED	6.960 s

org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size   (Session info: chrome=122.0.6261.94) Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.9' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4dd1d64b1d5465c13cb06d4d24c3dafb, clickElement {id=f.62D3ADE87654DF45475DE13AA7DFE022.d.5373C8E3A293D55FA10FC8FB1780ADD6.e.70}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 122.0.6261.94, chrome: {chromedriverVersion: 122.0.6261.94 (880dbf29479c..., userDataDir: C:\Users\rubin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61625}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61625/devtoo..., se:cdpVersion: 122.0.6261.94, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on windows (4dd1d64b1d5465c13cb06d4d24c3dafb)] -> xpath: //*[@id="calendar"]/div/div/table/tbody/ tr[1]/td[5]/div/div[2]/div] Session ID: 4dd1d64b1d5465c13cb06d4d24c3dafb
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.$Proxy60.click(Unknown Source)		
	at pages.AppointmentManagingBlocks1.navigateTocalender(AppointmentManagingBlocks1.java:97)		
	at stepdefinitions.ManageAppointmentBlocks.i_navigated_to_the_home_page(ManageAppointmentBlocks.java:104)		
	at ?.i navigated to the Home page(file:///C:/Users/rubin/eclipse-workspace/New%20folder%20(2)/RLL_Group6/src/test/resources/Features/Login1.feature:11)		
	* Not displayable characters are replaced by '?'.		