# 12cdb7c8-6dd6-48af-9598-f1d5068730e0

## <prev_user>

### <request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'nextcloud/documentation' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/actions-runner/_work/documentation/documentation (not in /tmp/inputs).
Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-17T14:59:54.461Z</current_datetime>

Consider the following problem statement:

<problem_statement>

---
*This section includes details on the pull request with code changes you have already submitted to fix the problem above.*

<pr_title>
fix: replace .deb-based LaTeX cache with installed-files cache to eliminate dpkg timeout
</pr_title>

<pr_description>
- [x] Revert `sphinxbuild.yml` to master's `.deb` cache + `dpkg -i` approach
- [x] Remove workflow-level `env.LATEX_PACKAGES` var (not in master)
- [x] In `setup-latex-cache` job:
  - Restored original `Configure apt cache`, `.deb` download, and save steps
  - Bumped apt cache key to v3 (excludes `texlive-fonts-extra`

from download list)
  - Added new steps to check/install/save `texlive-fonts-extra` installed files into `~/.cache/texlive-fonts-extra/` using `dpkg -L` to get exact file list
- [x] In `build` job:
  - Restored original `Configure apt cache`, `Restore LaTeX apt cache`, `Install LaTeX from cache` steps (key updated to v3, no `texlive-fonts-extra` in debs)
  - Removed `timeout-minutes: 5` (dpkg -i is now fast without the large fonts package)
  - Added `Restore texlive-fonts-extra installed files` cache restore before dpkg -i
  - Added `Install texlive-fonts-extra from cache` step using `sudo cp -r` (placed before dpkg -i so mktexlsr in postinst picks up all fonts)
- [x] Validated YAML syntax

</pr_description>

## Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_new>
<comment_id>4269103362</comment_id>
<author>@skjnldsv</author>
@copilot, maybe we don't need to cache the other latex deps after all, since only the texlive-fonts-extra is the most problematic one. I think we can just install them normally on the build step. But we keep the manual install/restore of `texlive-fonts-extra` ?
</comment_new>

</pr_comments>

</comments>

---
The last **1** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

## <prev_assistant>

Here's a summary of what changed:

**`setup-latex-cache` job** — stripped down to 3 steps (was 7):
1. Check `texlive-fonts-extra` installed-files cache
2. On miss: `apt-get install texlive-fonts-extra` → copy all files via `dpkg -L` to `~/.cache/texlive-fonts-extra/`
3. Save cache

**`build` job** — removed 4 steps, replaced 1:
- **Removed**: `Configure apt cache`, `Restore LaTeX apt cache`, `Install LaTeX from cache`, the apt deb-download machinery entirely
- **Kept**: `Restore texlive-fonts-extra installed files` + `Install texlive-fonts-extra from cache` (the `sudo cp -r` step)
- **Added**: `Install LaTeX packages` — a plain `apt-get install` with retry for all remaining packages (`texlive-fonts-recommended`, `latexmk`, `texlive-latex-extra`, `texlive-latex-recommended`, `texlive-xetex`, `texlive-fonts-extra-links`, `xindy`, `tex-gyre`)

## <current>

### <request>

You are working on a task in the 'nextcloud/documentation' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/documentation/documentation (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-22T06:37:26.823+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
DOn't fallback to apt on failure, I want cache miss to fail hard on buil dsteps please.
Also, I see that it's always stating `texlive-fonts-extra cache not found, installing from apt...`, is there something wrong ?
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

**If the task requires code changes:**

**If the task is a question or only requires creating a plan or analysis:** respond directly without making code changes.