8774b67c-3beb-4eda-917e-d70b214192b4

<current>

<request>

You are working on a task in the 'github/gh-aw' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/gh-aw/gh-aw (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-14T18:31:17.856Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section details on the original issue you should resolve

<issue_title>GHES: Add Copilot pre-flight diagnostic step before agent execution</issue_title>
<issue_description>## Problem

When running agentic workflows with `engine: copilot` on GitHub Enterprise Server (GHES), failures are opaque and difficult to diagnose. The Copilot CLI fails with `Error loading models: 400 Bad Request` when the actual root cause is a 403 from the token exchange endpoint — typically because Copilot is not licensed for the enterprise/org.

Users currently have no way to distinguish between:
- Copilot not licensed on the GHES instance
- API proxy routing issues (gh-aw-firewall)
- Firewall blocking required domains
- Invalid or wrong token type

Proposal

```
When `engine: copilot` is detected, automatically inject a pre-
flight diagnostic step **before** the Copilot CLI execution
that:

1. **Token exchange test**: `curl` to `${GITHUB_API_URL}/
copilot_internal/v2/token` with `COPILOT_GITHUB_TOKEN`
   - 200 → proceed normally
   - 403 "not licensed to use Copilot" → fail fast with:
_"Copilot is not licensed for this user/org. Ask your GHES admin
to enable Copilot at the enterprise level and assign a seat."_
   - 403 "not accessible by personal access token" → suggest
correct token type/permissions
   - 401 → token invalid or expired
   - 404 → GHES version may not support Copilot

2. **GHES detection**: If `GITHUB_SERVER_URL` ≠ `https://
github.com`, run GHES-specific checks:
   - Verify `engine.api-target` is set and matches
`GITHUB_API_URL`
   - Verify GHES API domain is in firewall allowed domains
   - Check if Copilot endpoints exist on the instance

3. **Direct CLI smoke test** (optional, behind a flag): Run
`copilot` directly on the host (no awf/proxy) to distinguish
proxy issues from licensing issues

## Evidence

We manually added these diagnostic steps to our workflow on
`contoso-aw.ghe.com` and they immediately identified:
- Token exchange returning `403 "unauthorized: not licensed to
use Copilot"` — but this was surfaced to users as `Error loading
models: 400 Bad Request`
- The Copilot CLI on the host (no proxy) showed `Error: Access
denied by policy settings` — confirming enterprise licensing,
not a proxy issue
- The GHES `/meta` endpoint showed Copilot infrastructure
present, but `/orgs/<org>/copilot` returned 404 (Copilot not
configured at org level)

Without these diagnostics, we spent multiple hours debugging
what turned out to be a straightforward licensing issue.

## Related

- github/gh-aw#20875 — Wizard PR creation fails on GHES
- github/gh-aw-firewall#1300 — API proxy routes Copilot requests
```

```
to wrong server on GHES</issue_description>

<agent_instructions>Create a PR that addresses this issue</
agent_instructions>

## Comments on the Issue (you are @claude[agent] in this
section)

<comments>
</comments>
</problem_statement>
```

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.