04b52ead-bf95-4e35-8e19-050544aa4351

<current>

<request>
You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'WordPress/grunt-patch-wordpress' repository.

<repository_context>
I've cloned the repository in the directory /tmp/workspace/WordPress/grunt-patch-wordpress (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-28T03:20:49.434+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Some Dependabot Improvements
</pr_title>

<pr_description>
This makes several improvements to `dependabot.yml`.

- Increase the number of concurrent pull requests allowed.
- Add a default cooldown value of `7`.
- Configure grouping for GitHub Actions updates.
- Configure `npm` dependency updates.
</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
Pull request overview

This PR updates the repository’s Dependabot configuration to increase throughput and expand automated update coverage (GitHub Actions + npm), while attempting to add cooldown and grouping behavior.

Changes:
- Raises `open-pull-requests-limit` from 10 to 20.
- Adds a `cooldown` default of 7 days.
- Adds grouping configuration and introduces a new `npm` update configuration.

💡 <a>Add Copilot custom instructions for smarter, more guided reviews. Learn how to get started.
</comment_old>

</pr_comments>

<pr_reviews>

<comment_thread>
<file>.github/dependabot.yml:12-17</file>
<original_commit>5fecf7b</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
Dependabot group definition is missing the required selector (e.g., `patterns` and/or `dependency-type`). Without it, Dependabot will likely reject the config or not apply grouping. Add an explicit pattern (such as matching all action updates) or

set the dependency type per Dependabot grouping schema.
</comment_old>

<comment_new>
<comment_id>3312621379</comment_id>
<author>@desrosj</author>
I don't think this is accurate. Patterns are not required, and this is a valid dependabot file. Please research and verify @copilot.
</comment_new>

</comment_thread>

<comment_thread>
<file>.github/dependabot.yml:28-29</file>
<original_commit>5fecf7b</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
The npm update config defines a group named `github-actions`, which is misleading and looks like a copy/paste from the GitHub Actions section. Rename the group to something npm-specific (and define the appropriate matching rules) so the grouping intent is clear and correct.

</comment_old>

</comment_thread>

<comment_thread>
<file>.github/dependabot.yml:27-32</file>
<original_commit>5fecf7b</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
Dependabot group definition here is also missing the required selector (e.g., `patterns` and/or `dependency-type`). Add explicit matching rules for the npm dependencies you want grouped; otherwise Dependabot may ignore the group or fail validation.
</comment_old>

</comment_thread>

</pr_reviews>

</comments>

```
----
The last **4** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. Treat <comment_old> comments
as context only and do not make changes solely to satisfy them.
* Only act on <comment_new> comments that explicitly mention you
(@copilot). To understand the context of comments that explicitly
mention you, you may use other comments that do not explicitly
mention you. Do not act on comments that don't explicitly mention
you or reply to them, even if they are marked as <comment_new>.
* If the PR author has pushed back on or rejected a suggestion in a
thread, do not act on that thread.
* For each comment you decide to act on, determine:
    - If it is a request for changes, a question on the code, or a
suggestion.
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>




<system_reminder>

</system_reminder>
```