0a0cda83-1062-4c5e-bc69-5751fb13df0e

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'we-promise/sure' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/sure/sure (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-11T21:32:06.669Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add preferences toggle to enable/disable auto-rule creation prompts
</pr_title>

<pr_description>
Previously, the only way to re-enable auto-rule prompts after dismissing them was to wait 24 hours or edit the DB directly. This adds a toggle on the Preferences page so users can manage this setting at any time.

Changes

- **`UsersController`** — Permitted `rule_prompts_disabled` through `user_params` so the standard update action handles it

- **Preferences view** — Added an "Automation" `settings_section` with an auto-submitting `DS::Toggle` bound directly to `rule_prompts_disabled` (with inverted `checked_value`/`unchecked_value` so the toggle is visually ON when prompts are enabled)
- **Locales (`en.yml`)** — Added `automation_title`, `automation_subtitle`, `rule_prompts_label`, `rule_prompts_hint` keys under `settings.preferences.show`

<issue_title>Add user-friendly toggle for auto-rule creation prompts</issue_title>
><issue_description>## Problem
>
> Currently, users can only disable the auto-rule creation prompt by clicking "Don't show this again" when the prompt appears. To re-enable it, they have to either:
> - Wait 24 hours for the prompt to reappear
> - Edit the database directly
>
> There is no user-friendly way to toggle this setting from the UI.
>
> ## Solution
>
> Add a toggle to the Preferences settings page that allows users to enable/disable auto-suggestion of rules when categorizing transactions.
>
> ## Changes needed
>
> ### 1. app/models/user.rb
> Add virtual attribute for the toggle:
>
> ```ruby
> # Virtual attribute for UI: inverts rule_prompts_disabled for a more intuitive toggle
> def rule_prompts_enabled
>   !rule_prompts_disabled
> end
>
> def rule_prompts_enabled=(value)
>   self.rule_prompts_disabled = !value
> end
> ```
>
> ### 2. app/views/settings/preferences/show.html.erb
> Add new Automation section with toggle:

>
> ```erb
> <%= settings_section title: t(".automation_title"),
subtitle: t(".automation_subtitle") do %>
>
> <% end %>
> ```
>
> ### 3. config/locales/views/settings/en.yml
> Add locale strings:
>
> ```yaml
> automation_title: Automation
> automation_subtitle: Control automatic behavior
> rule_prompts_label: Auto-suggest rules when categorizing
> rule_prompts_hint: Show a prompt to create a rule when you
assign a category to a transaction
> ```
>
> ## Acceptance Criteria
>
> - [ ] Users can toggle auto-rule prompts on/off from
Settings → Preferences
> - [ ] Toggle label clearly indicates what it does
> - [ ] Changes save automatically (auto-submit)
> - [ ] Works for both enabling and disabling the feature
> </issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@jjmata</author>
@coderabbitai review
</comment_old>

<comment_old>
<author>@jjmata</author>

> User model — Added rule_prompts_enabled virtual attribute (inverts rule_prompts_disabled) to expose an intuitive boolean for the UI without changing the DB column semantics

@copilot: this is silly, given it's always the negative of the other field.
</comment_old>

<comment_old>
<author>@copilot</author>

> > User model — Added rule_prompts_enabled virtual attribute (inverts rule_prompts_disabled) to expose an intuitive boolean for the UI without changing the DB column semantics
>
> @copilot: this is si...

Agreed — removed the virtual attribute entirely. The `DS::Toggle` is now rendered directly with `checked: !@user.rule_prompts_disabled`, `checked_value: "0"`, and `unchecked_value: "1"`, so it binds straight to the DB column without any indirection. Added a short comment in the template to explain the inverted values. Commit: 11cf084
</comment_old>

```
<comment_new>
<comment_id>4230213748</comment_id>
<author>@jjmata</author>
@copilot: move the settings "Automation" section to the top of the `/rules` page instead.
</comment_new>
```

</pr_comments>

</comments>

The last **4** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.

```
    - Is it addressed to you or someone else, e.g. "Hey
  @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
  * If there are no comments you need to address or reply to, you
  can stop now without exploring or explaining yourself.
  * If the user's ask is not clear, you can reply to the comment
  and ask for clarification.
  * If an action or explanation is needed, follow the steps below.
  </rules_for_making_changes>
```

<prev_assistant>

The Automation section has been moved from the Preferences page to the top of the `/rules` page. Here's a summary of the changes:

- **`app/views/rules/index.html.erb`** — Added the Automation `settings_section` at the top (above the self-hosted warning and rules list), with the auto-submitting `DS::Toggle` bound to `rule_prompts_disabled` and a `redirect_to: "rules"` hidden field
- **`app/views/settings/preferences/show.html.erb`** — Removed the Automation section entirely
- **`app/controllers/rules_controller.rb`** — Added `@user = Current.user` in the `index` action so the toggle form has a model instance
- **`app/controllers/users_controller.rb`** — Added `when "rules" → redirect_to rules_path` case in `handle_redirect`
- **`config/locales/views/rules/en.yml`** — Added `index:` section with the automation locale keys
- **`config/locales/views/settings/en.yml`** — Removed the automation locale keys

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'we-promise/sure' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/sure/sure (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-13T21:22:35.344Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add toggle to enable/disable auto-rule creation prompts on the Rules page
</pr_title>

<pr_description>
Previously, the only way to re-enable auto-rule prompts after dismissing them was to wait 24 hours or edit the DB directly. This adds an "Automation" toggle at the top of the Rules page so users can manage this setting at any time.

Changes

- **`UsersController`** — Permitted `rule_prompts_disabled` through `user_params` and added a `"rules"` redirect case in `handle_redirect` so saving from the Rules page returns the user there
- **`RulesController`** — Set `@user = Current.user` in the `index` action to expose the user model for the toggle form
- **Rules index view** — Added an "Automation" `settings_section` at the top of the page with an auto-submitting `DS::Toggle` bound directly to `rule_prompts_disabled` (with inverted `checked_value`/`unchecked_value` so the toggle is visually ON when prompts are enabled)
- **Locales (`rules/en.yml`)** — Added `automation_title`, `automation_subtitle`, `rule_prompts_label`, `rule_prompts_hint` keys under `rules.index`

<issue_title>Add user-friendly toggle for auto-rule creation prompts</issue_title>
><issue_description>## Problem

```
&gt;
&gt; Currently, users can only disable the auto-rule creation
prompt by clicking "Don't show this again" when the prompt
appears. To re-enable it, they have to either:
&gt; - Wait 24 hours for the prompt to reappear
&gt; - Edit the database directly
&gt;
&gt; There is no user-friendly way to toggle this setting from
the UI.
&gt;
&gt; ## Solution
&gt;
&gt; Add a toggle to the Preferences settings page that allows
users to enable/disable auto-suggestion of rules when
categorizing transactions.
&gt;
&gt; ## Changes needed
&gt;
&gt; ### 1. app/models/user.rb
&gt; Add virtual attribute for the toggle:
&gt;
&gt; ```ruby
&gt; # Virtual attribute for UI: inverts rule_prompts_disabled
for a more intuitive toggle
&gt; def rule_prompts_enabled
&gt;   !rule_prompts_disabled
&gt; end
&gt;
&gt; def rule_prompts_enabled=(value)
&gt;   self.rule_prompts_disabled = !value
&gt; end
&gt; ```
&gt;
&gt; ### 2. app/views/settings/preferences/show.html.erb
&gt; Add new Automation section with toggle:
&gt;
&gt; ```erb
&gt; &amp;lt;%= settings_section title: t(".automation_title"),
subtitle: t(".automation_subtitle") do %&gt;
&gt;
&gt; &amp;lt;% end %&gt;
&gt; ```
&gt;
&gt; ### 3. config/locales/views/settings/en.yml
&gt; Add locale strings:
&gt;
&gt; ```yaml
```

> automation_title: Automation
> automation_subtitle: Control automatic behavior
> rule_prompts_label: Auto-suggest rules when categorizing
> rule_prompts_hint: Show a prompt to create a rule when you assign a category to a transaction
> ```
>
> ## Acceptance Criteria
>
> - [ ] Users can toggle auto-rule prompts on/off from Settings → Preferences
> - [ ] Toggle label clearly indicates what it does
> - [ ] Changes save automatically (auto-submit)
> - [ ] Works for both enabling and disabling the feature
> </issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@jjmata</author>
@coderabbitai review
</comment_old>

<comment_old>
<author>@jjmata</author>
> User model — Added rule_prompts_enabled virtual attribute (inverts rule_prompts_disabled) to expose an intuitive boolean for the UI without changing the DB column semantics

@copilot: this is silly, given it's always the negative of the other field.
</comment_old>

<comment_old>
<author>@copilot</author>

> > User model — Added rule_prompts_enabled virtual

attribute (inverts rule_prompts_disabled) to expose an intuitive boolean for the UI without changing the DB column semantics
>
> @copilot: this is si...

Agreed — removed the virtual attribute entirely. The `DS::Toggle` is now rendered directly with `checked: !@user.rule_prompts_disabled`, `checked_value: "0"`, and `unchecked_value: "1"`, so it binds straight to the DB column without any indirection. Added a short comment in the template to explain the inverted values. Commit: 11cf084
</comment_old>

<comment_old>
<author>@jjmata</author>
@copilot: move the settings "Automation" section to the top of the `/rules` page instead.
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot: move the settings "Automation" section to the top of the `/rules` page instead.

Done — the Automation section is now at the top of the `/rules` page (above the rules list). The toggle still auto-submits and binds directly to `rule_prompts_disabled`. After saving it redirects back to the rules page. The locale keys were moved from `settings.preferences.show` to `rules.index`. Commit: 2c5bbc4
</comment_old>

<comment_new>
<comment_id>4239722505</comment_id>
<author>@jjmata</author>
@copilot: toggling the switch back on after disabling via rule pop-up is not working
</comment_new>

</pr_comments>

</comments>

The last **5** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>

```
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address
them. Ignore comments that are not actionable or directed at
you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you
can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment
and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```