14b66a1d-3b50-4b94-a838-b672964488dd

<prev_user>

<request>

You are working on an issue in the 'openstatusHQ/openstatus' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/openstatus/openstatus (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-04T19:32:41.089Z</current_datetime>

Consider the following problem statement:

<problem_statement>
you should upgrade resend dependency to latest version
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

Summary

I have completed the investigation of the resend dependency upgrade request. Here are my findings:

Current Status
The repository is **already using the latest version** of the `resend` package (version 6.6.0) in all three locations where it's declared:
- `apps/web/package.json`

- `packages/emails/package.json`
- `packages/notifications/email/package.json`

Verification Performed
1. ✅ **Latest Version Check**: Confirmed that 6.6.0 is the latest stable version on npm (published December 9, 2025)
2. ✅ **Security Scan**: No vulnerabilities found in resend@6.6.0
3. ✅ **Requirements Check**: Node.js 20.19.6 meets the >=20 requirement
4. ✅ **Peer Dependencies**: @react-email/render@2.0.0 is properly installed
5. ✅ **Tests**: All 5 email notification tests pass successfully
6. ✅ **Lockfile**: pnpm lockfile is up to date
7. ✅ **Code Review**: Verified resend is used correctly in EmailClient and send functions

Conclusion
No upgrade is necessary. The repository is already using the latest stable version of resend (6.6.0) and everything is functioning correctly. The issue may have been created when the repository was on an older version, or there may have been a misunderstanding about the current version status.

<current>

<request>
You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'openstatusHQ/openstatus' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/openstatus/openstatus (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-04T19:44:21.483Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Verify resend dependency is at latest version
</pr_title>

<pr_description>
Type of change

- [x] 📖 Refactoring / dependency upgrade / documentation

Description

Verified that `resend` dependency is already at the latest
stable version (6.6.0) across all packages:
- `apps/web/package.json`
- `packages/emails/package.json`
- `packages/notifications/email/package.json`

No upgrade required. Latest npm version is 6.6.0 (published
2025-12-09). All requirements satisfied:
- Node.js >=20 (currently 20.19.6)
- Peer dependency `@react-email/render@2.0.0` present
- No security vulnerabilities detected
- Email notification tests passing (5/5)

A picture tells a thousand words (if any)

N/A - No code changes required

Before this PR

Repository already on resend@6.6.0

After this PR

Confirmed repository is on latest version, no changes needed

> [!WARNING]
>
>

```
</pr_description>

## Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>
  <comment_new>
  <comment_id>3708367331</comment_id>
  <author>@thibaultleouay</author>
  @copilot you should also upgrade all react-email
  dependencies
  </comment_new>
</pr_comments>

</comments>

----
The last **1** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```