16ec5ebc-de02-43bd-8841-c668d7e17d29

<prev_user>

<request>

You are working on an issue in the 'alicevision/Meshroom' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Meshroom/Meshroom (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-02-23T19:10:06.491Z</current_datetime>

Consider the following problem statement:

<problem_statement>
If there is a selection of nodes, create the backdrop around them
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

The change has been implemented and pushed. Here's a summary:

Summary

Problem: When the "Add Backdrop" button is clicked and nodes are selected, the backdrop should be created around them.

Change made: In `GraphEditor.qml`, the "Add Backdrop" button's `onClicked` handler now:

1. **When nodes are selected:** Calculates the bounding box of all selected nodes:
   - Uses `node.x`/`node.y` for positions
   - Uses `node.nodeWidth`/`node.nodeHeight` with fallback to `uigraph.layout.nodeWidth`/`nodeHeight` for regular nodes (which return 0)
   - Adds `uigraph.layout.gridSpacing` (= 40px) as padding on all sides
   - Creates the backdrop at the top-left of the padded bounding box
   - Resizes it to cover the full padded area via `uigraph.resizeNode()`

2. **When no nodes are selected:** Keeps the existing behavior — creates the backdrop at the viewport center with default size.

<current>

<request>

You are working on an issue in the 'alicevision/Meshroom' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Meshroom/Meshroom (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-02-23T19:21:15.542Z</current_datetime>

Consider the following problem statement:

<problem_statement>
When creating the backdrop to fit the selected nodes, I want to get only one entry in the undo stack.
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.