30b4c422-f7f2-42cb-9c92-88f6e281becd

<prev_user>

<request>

You are working on a task in the 'kovidgoyal/calibre' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/calibre/calibre (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-07-02T04:08:12.051+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
The search match highlighting is also illegible in dark with white text on light yellow/orange backgrounds. Fix that. Also add history based completion to the search input.
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<prev_assistant>

Here's a summary of the two changes made in `src/calibre/gui2/library/annotations.py`:

1. Dark-mode-aware search match highlighting

The `mark.calibre-search-match` CSS previously used hardcoded light yellow (`#fde68a`) and orange (`#f6ad55`) backgrounds with `color: inherit`. In dark mode the inherited text color is near-white (`#e2e8f0`), making highlighted text unreadable.

Four new CSS variables are now defined in both the light and dark theme blocks:
- **Light**: yellow bg (`#fde68a`) + near-black text (`#111`); current: orange bg (`#f6ad55`) + deep-orange outline
- **Dark**: dark amber bg (`#4a3000`) + warm yellow text (`#fde68a`); current: deeper amber bg (`#6b4400`) + amber outline

2. History-based completion for the search input

The sidebar search input now:
- Has a `<datalist id="calibre-search-history">` sibling element and uses `list="calibre-search-history"` with `autocomplete="on"`
- On page load, previously saved search terms are read from `localStorage` and populated into the datalist
- When a search is executed via Enter (first search or subsequent navigation), the term is saved to `localStorage` (capped at 50 entries, most-recent-first)

<current>

<request>

You are working on a task in the 'kovidgoyal/calibre' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/calibre/calibre (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-07-02T04:33:18.649+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
For the exported annotations HTML page make further improvements. 1) the buttons at the top for filtering by highlight style, it is not clear when the button is active or not as the shading for it is too subtle. Either improve the shading or use a different style of button. 2) add tooltips to the filter by style buttons 3) when annotations are are filtered

out also hide the divider line, otherwise we get a whole bunch of divider lines dividing nothing. 4) ensure that all UI test such as Show All and the new tooltips are translated when the HTML is generated by using the _() function.
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.