39839bd3-2d47-4642-affa-63e5f6957f87

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'benbalter/benbalter.github.com' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/benbalter.github.com/benbalter.github.com (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-20T03:50:01.756Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add LanguageTool CI
</pr_title>

<pr_description>
Adds LanguageTool grammar checking to CI via Docker service container.

- **`script/languagetool`** — Strips markdown (frontmatter, code blocks, inline code, HTML, links) and checks plain text against the LanguageTool API. Gracefully skips when no server is available (same pattern as `script/vale`). Disables rules that overlap with existing linters (retext-spell, retext-indefinite-article, retext-repeated-words) and rules that false-positive on

markdown syntax artifacts.

- **`.github/workflows/ci.yml`** — New parallel `languagetool` job using `erikvl87/languagetool` as a Docker service container.

- **`script/cibuild-content`** — Appends `script/languagetool` as final content check step.

- **Docs** — Updated `CI-REQUIRED-CHECKS.md` and `PROSE-TESTING.md`.

```yaml
# CI job structure
languagetool:
  name: LanguageTool
  runs-on: ubuntu-latest
  services:
    languagetool:
      image: erikvl87/languagetool
      ports:
        - 8010:8010
```

Local usage:
```bash
docker run -d -p 8010:8010 erikvl87/languagetool
script/languagetool
# or with custom server
LANGUAGETOOL_URL=http://localhost:8081 script/languagetool
```

<issue_title>Add languagetool CI</issue_title>
><issue_description></issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>

<author>@copilot-pull-request-reviewer</author>
Pull request overview

This PR adds LanguageTool grammar checking to the CI pipeline via a Docker service container. LanguageTool is an open-source grammar and style checker that complements the existing prose linting stack (retext, textlint, Vale).

Changes:
- New `script/languagetool` shell script that strips Markdown syntax from content files and sends extracted plain text to the LanguageTool API, with a comprehensive list of disabled rules to avoid overlap with existing linters and Markdown false positives.
- New `languagetool` CI job in `.github/workflows/ci.yml` that runs the checker using `erikvl87/languagetool` as a Docker service container.
- Documentation updates (`PROSE-TESTING.md`, `CI-REQUIRED-CHECKS.md`) and integration into `script/cibuild-content`.

Reviewed changes

Copilot reviewed 5 out of 5 changed files in this pull request and generated 1 comment.

You can also share your feedback on Copilot code review. Take the survey.
</comment_old>

</pr_comments>

<pr_reviews>

<comment_thread>
<file>script/languagetool:226-238</file>
<original_commit>92c7c46</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
The text extraction pipeline doesn't strip `import` statements from `.mdx` files. Lines like `import Callout from '../../components/Callout.astro';` will be passed through to LanguageTool as plain text, which could produce false positives. Consider adding a sed expression to strip import lines, e.g., removing lines matching `^import .* from ` before processing.
</comment_old>

<comment_old>
<author>@benbalter</author>
@copilot apply changes based on this feedback
</comment_old>

<comment_old>
<author>@copilot</author>
Added an awk rule (`/^import .* from / { next }`) to strip MDX import statements before sending text to LanguageTool. See commit `0dff316`.
</comment_old>

</comment_thread>

</pr_reviews>

<pr_comments>

<comment_old>
<author>@benbalter</author>
@copilot+claude-opus-4.6 fix failing tests
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot+claude-opus-4.6 fix failing tests

The LanguageTool CI job was failing because 72 rules were triggering false positives on existing blog posts. Added all failing rule IDs to the disabled rules list, organized by category: compound/hyphenation, comma/punctuation, agreement, style preferences, and pronoun/possessive rules. See commit `3839e70`.
</comment_old>

<comment_old>
<author>@benbalter</author>
@copilot fix failing tests
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot fix failing tests

The LanguageTool job was still failing with 299 issues across 94 files from 167 unique rule IDs. The individual-rule blacklist approach wasn't scaling. Fixed by:

1. Adding `disabledCategories` parameter to disable broad LanguageTool categories (COMPOUNDING, STYLE, REDUNDANCY, TYPOGRAPHY, CASING)
2. Adding all remaining individual rule IDs from the CI failure, organized by type
3. Using compact multi-rule-per-line format

See commits `328a33d` and `4bcc2c6`.
</comment_old>

<comment_old>
<author>@benbalter</author>
@copilot merge in `main` and resolve any conflicts.
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot merge in `main` and resolve any conflicts.

Merged `main` and resolved conflicts in `docs/PROSE-TESTING.md` and `script/cibuild-content` — both now include Harper (from main) and LanguageTool (from this branch). See commit `d7aeb75`.
</comment_old>

<comment_new>
<comment_id>4095268638</comment_id>
<author>@benbalter</author>
@copilot+claude-opus-4.6 fix failing tests
</comment_new>

</pr_comments>

</comments>

The last **15** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.

<prev_assistant>

Summary

I fixed 20 E2E test failures that were blocking the PR:

1. **TLDR tooltip tests (15 failures)** - Updated CSS selector from `.lead strong abbr.initialism` to `.tldr-content strong abbr.initialism` across 3 test files (`tldr-tooltip.spec.ts`, `tldr-mobile.spec.ts`, `tldr-navigation-ios.spec.ts`) to match the current Tldr.astro component structure.

2. **404 page accessibility (1 failure)** - Changed `bg-primary/5` to `bg-gray-50` on the alert container in `src/pages/404.astro` to fix insufficient color contrast ratio (4.27:1 → passes 4.5:1 threshold).

3. **Talks page accessibility (2 failures)** - Changed `text-gray-600` to `text-gray-700` on badge links in `src/pages/talks.astro` to fix contrast ratio for small text (4.44:1 → passes 4.5:1 threshold).

4. **Article structure test (1 failure)** - Updated selector from `.col-md-10 > article` to `article[data-pagefind-body]` in `e2e/accessibility-astro.spec.ts` to match the current Tailwind-based layout structure.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'benbalter/benbalter.github.com' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/benbalter.github.com/benbalter.github.com (not in /tmp/inputs).
Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-20T04:18:14.715Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add LanguageTool CI
</pr_title>

<pr_description>
Adds LanguageTool grammar checking to CI via Docker service container.

- **`script/languagetool`** — Strips markdown (frontmatter, code

blocks, inline code, HTML, links) and checks plain text against the LanguageTool API. Gracefully skips when no server is available (same pattern as `script/vale`). Disables rules that overlap with existing linters (retext-spell, retext-indefinite-article, retext-repeated-words) and rules that false-positive on markdown syntax artifacts.

- **`.github/workflows/ci.yml`** — New parallel `languagetool` job using `erikvl87/languagetool` as a Docker service container.

- **`script/cibuild-content`** — Appends `script/languagetool` as final content check step.

- **Docs** — Updated `CI-REQUIRED-CHECKS.md` and `PROSE-TESTING.md`.

```yaml
# CI job structure
languagetool:
  name: LanguageTool
  runs-on: ubuntu-latest
  services:
    languagetool:
      image: erikvl87/languagetool
      ports:
        - 8010:8010
```

Local usage:
```bash
docker run -d -p 8010:8010 erikvl87/languagetool
script/languagetool
# or with custom server
LANGUAGETOOL_URL=http://localhost:8081 script/languagetool
```

<issue_title>Add languagetool CI</issue_title>
><issue_description></issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
Pull request overview

This PR adds LanguageTool grammar checking to the CI pipeline via a Docker service container. LanguageTool is an open-source grammar and style checker that complements the existing prose linting stack (retext, textlint, Vale).

Changes:
- New `script/languagetool` shell script that strips Markdown syntax from content files and sends extracted plain text to the LanguageTool API, with a comprehensive list of disabled rules to avoid overlap with existing linters and Markdown false positives.
- New `languagetool` CI job in `.github/workflows/ci.yml` that runs the checker using `erikvl87/languagetool` as a Docker service container.
- Documentation updates (`PROSE-TESTING.md`, `CI-REQUIRED-CHECKS.md`) and integration into `script/cibuild-content`.

Reviewed changes

Copilot reviewed 5 out of 5 changed files in this pull request and generated 1 comment.

You can also share your feedback on Copilot code review. Take the survey.
</comment_old>

</pr_comments>

<pr_reviews>

<comment_thread>
<file>script/languagetool:226-238</file>
<original_commit>92c7c46</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
The text extraction pipeline doesn't strip `import` statements from `.mdx` files. Lines like `import Callout from '../../components/Callout.astro';` will be passed through to LanguageTool as plain text, which could produce false positives. Consider adding a sed expression to strip import lines, e.g., removing lines matching `^import .* from ` before processing.
</comment_old>

<comment_old>
<author>@benbalter</author>
@copilot apply changes based on this feedback
</comment_old>

<comment_old>
<author>@copilot</author>
Added an awk rule (`/^import .* from / { next }`) to strip MDX import statements before sending text to LanguageTool. See commit `0dff316`.
</comment_old>

</comment_thread>

</pr_reviews>

<pr_comments>

<comment_old>
<author>@benbalter</author>
@copilot+claude-opus-4.6 fix failing tests
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot+claude-opus-4.6 fix failing tests

The LanguageTool CI job was failing because 72 rules were triggering false positives on existing blog posts. Added all

failing rule IDs to the disabled rules list, organized by category: compound/hyphenation, comma/punctuation, agreement, style preferences, and pronoun/possessive rules. See commit `3839e70`.
</comment_old>

<comment_old>
<author>@benbalter</author>
@copilot fix failing tests
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot fix failing tests

The LanguageTool job was still failing with 299 issues across 94 files from 167 unique rule IDs. The individual-rule blacklist approach wasn't scaling. Fixed by:

1. Adding `disabledCategories` parameter to disable broad LanguageTool categories (COMPOUNDING, STYLE, REDUNDANCY, TYPOGRAPHY, CASING)
2. Adding all remaining individual rule IDs from the CI failure, organized by type
3. Using compact multi-rule-per-line format

See commits `328a33d` and `4bcc2c6`.
</comment_old>

<comment_old>
<author>@benbalter</author>
@copilot merge in `main` and resolve any conflicts.
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot merge in `main` and resolve any conflicts.

Merged `main` and resolved conflicts in `docs/PROSE-TESTING.md` and `script/cibuild-content` — both now include Harper (from main) and LanguageTool (from this branch). See commit `d7aeb75`.
</comment_old>

<comment_old>
<author>@benbalter</author>

@copilot+claude-opus-4.6 fix failing tests
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot+claude-opus-4.6 fix failing tests

Fixed 20 E2E test failures across 4 categories:

1. **TLDR tooltip/mobile tests (15 failures)**: Updated selector from `.lead strong abbr.initialism` to `.tldr-content strong abbr.initialism` to match current Tldr.astro component structure
2. **404 page accessibility (1 failure)**: Changed `bg-primary/5` to `bg-gray-50` to fix color contrast ratio (was 4.27:1, needs 4.5:1)
3. **Talks page accessibility (2 failures)**: Changed badge text from `text-gray-600` to `text-gray-700` to fix contrast ratio (was 4.44:1)
4. **Article structure test (1 failure)**: Updated selector from `.col-md-10 > article` to `article[data-pagefind-body]` to match current Tailwind layout

See commit `1dc5423`.
</comment_old>

<comment_new>
<comment_id>4095393926</comment_id>
<author>@benbalter</author>
@copilot+claude-opus-4.6 fix failing tests
</comment_new>

</pr_comments>

</comments>

The last **21** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.

```
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you
can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment
and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>




A **CI/Build Failure** has been mentioned in the problem
statement, make sure to follow your instructions for addressing
CI/Build Failures.
```