3d4248ef-5e7e-4c5b-8498-37fbe32838

<prev_user>

<request>

You are working on a task in the 'itsmechinmoy/Dantotsu' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Dantotsu/Dantotsu (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-07T16:55:49.100+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
but yh who will add dlna to the app? i asked you to add it to the app (whole)
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the

parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command should be sequential as it requires the sessionID).</system_reminder>

<prev_assistant>

You’re right — I’ve now added DLNA at app/player scope (not torrent scope).

Done
- Kept torrent config limited to:
  - `UTP/DHT/PEX/LSD + NZB/NNTP` (already reverted earlier).
- Added app-wide DLNA prefs:
  - `DLNAEnabled`
  - `DLNAFriendlyName`
  - `DLNADisableUPNP`
  - `DLNAEnableIPv6`
- Wired player/cast behavior to app-level DLNA toggle (with backward compatibility fallback to old `UseInternalCast`).
- Updated Player Settings UI:
  - Renamed internal cast toggle to **“Enable DLNA (Experimental)”**
  - Added controls for friendly name, Disable UPnP, Enable IPv6.

Files changed
- `/home/runner/work/Dantotsu/Dantotsu/app/src/main/java/ani/dantotsu/settings/saving/Preferences.kt`
- `/home/runner/work/Dantotsu/Dantotsu/app/src/main/java/ani/dantotsu/media/anime/ExoplayerView.kt`
- `/home/runner/work/Dantotsu/Dantotsu/app/src/main/java/ani/dantotsu/settings/PlayerSettingsActivity.kt`
- `/home/runner/work/Dantotsu/Dantotsu/app/src/main/res/layout/activity_player_settings.xml`
- `/home/runner/work/Dantotsu/Dantotsu/app/src/main/res/values/strings.xml`

Validation
- Ran baseline and post-change Gradle checks, but compile/lint/test are blocked in this environment by JetBrains JDK 21 toolchain download failure from Foojay (pre-existing infra issue).

Remaining review notes (not directly part of this DLNA scope)
- A couple of review comments are about `AnimeWatchFragment`/torrent error-message duplication from earlier changes, not this app-wide DLNA addition.

<current>

<request>

You are working on a task in the 'itsmechinmoy/Dantotsu' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Dantotsu/Dantotsu (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-07T17:03:45.056+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
so everything will work properly now? if not:
Make sure my app has dlna support and for torrent streaming: (UTP/DHT/PEX/LSD + NZB/NNTP) all of them, i want it to be best torrent streaming app too
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command

```
    should be sequential as it requires the sessionID).</
    system_reminder>
```