506f3427-85a9-4ded-a1ad-934d2253fee1

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'madskristensen/MarkdownEditor2022' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/MarkdownEditor2022/MarkdownEditor2022 (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-24T10:05:38.423Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add wiki-style file creation on link click in preview
</pr_title>

<pr_description>
Enables wiki-style workflows by prompting to create markdown files when clicking non-existent local links in the preview pane.

Changes

- **Browser.cs**: Added `HandleNonExistentMarkdownLinkAsync()` to intercept failed link navigation
  - Filters for markdown extensions

(.md, .markdown, .mdown, .mkd) or extensionless links
  - Shows confirmation dialog with relative path
  - Creates directory structure if needed
  - Opens newly created file in editor

- **Performance**: Moved markdown extensions to static readonly field

Behavior

```markdown
<!-- Clicking this link in preview when file doesn't exist: -->
[New Page](docs/new-page.md)

<!-- Shows dialog: -->
"The file 'docs/new-page.md' does not exist, and its directory doesn't exist either.

Do you want to create the directory and file?"
```

Non-markdown files, existing files, external URLs, and internal anchors are unaffected.

> [!WARNING]
>
>

<details>

<summary>Original prompt</summary>

>
> ----
>
> *This section details on the original issue you should resolve*
>
> <__filter_complete__></__filter_complete__></details><issue_title>Automatically ask for creating files on link click in preview if local link</issue_title>
><issue_description>**Is your feature request related to a problem? Please describe.**

> I was experimenting with this extension and I really like it. Thank you for providing it!
> One thing that came to my mind was if I could simulate a Wiki with this editor. For this, it would be necessary to be able to create new Markdown files for links that do not yet exist.
>
> **Describe the solution you'd like**
> If I click on a local link that cannot be resolved (it is already highlighted) and the link goes to local disk (no http oder other protocol) and has a .md extension, it would be great to have a messagebox asking me if a new empty Markdown file should be created at that location. This should be the case even when having relative paths to subdirectories oder parent folders and even if the directory does not exist yet (then the full path should be generated).
>
> **Describe alternatives you've considered**
> An alternative is to manually create the files... no big problem.
>
> **Additional context**
> Add any other context or screenshots about the feature request here.
></issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

```
<comment_new>
<comment_id>3794381735</comment_id>
<author>@madskristensen</author>
@copilot the build failed. Fix it
</comment_new>
```

</pr_comments>

</comments>

```
---
The last **3** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>


Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>




A **CI/Build Failure** has been mentioned in the problem statement,
make sure to follow your instructions for addressing CI/Build
Failures.
```

<prev_assistant>

```
Excellent! Everything is in order. Now let me create a final summary:

## Summary

I successfully addressed the build failure mentioned by @madskristensen
in the comment. The issue was caused by using .NET Core/.NET 5+ APIs
that are not available in .NET Framework 4.8, which is the target
framework for this Visual Studio extension.

### Issues Fixed
```

1. **Line 469 - Array.Contains() error**: Changed from `_markdownExtensions.Contains(extension.ToLowerInvariant())` to `Array.IndexOf(_markdownExtensions, extension.ToLowerInvariant()) >= 0` because the `.Contains()` extension method with the specific signature used isn't available in .NET Framework 4.8.

2. **Line 513 - File.WriteAllTextAsync() error**: Changed from `await File.WriteAllTextAsync(targetPath, string.Empty)` to `File.WriteAllText(targetPath, string.Empty)` because `WriteAllTextAsync` was introduced in .NET Core 2.0 and is not available in .NET Framework 4.8.

Changes Made

- **Commit**: 154f8b3 - "Fix build errors for .NET Framework 4.8 compatibility"
- **File Modified**: `src/Margin/Browser.cs`
- **Lines Changed**: 3 lines (2 fixes + 1 comment update)

The build is now awaiting approval to run, but the compilation errors have been resolved. The feature implementation remains unchanged - it still provides the wiki-style file creation functionality as originally designed, just with .NET Framework 4.8 compatible APIs.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'madskristensen/MarkdownEditor2022' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/MarkdownEditor2022/MarkdownEditor2022 (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-24T10:22:19.064Z</current_datetime>

Consider the following problem statement:

<problem_statement>

```
---
*This section includes details on the pull request with code
changes you have already submitted to fix the problem above.*

<pr_title>
Add wiki-style file creation on link click in preview
</pr_title>

<pr_description>
## Implementation Plan: Auto-create Markdown Files on Link Click

- [x] Understand the current link handling logic in Browser.cs
(BrowserNavigationStarting method)
- [x] Modify the link handling to detect non-existent local .md
files
- [x] Add prompt to ask user if they want to create the file
- [x] Implement file and directory creation logic
- [x] Handle relative paths including parent directories (../)
- [x] Address code review feedback
- [x] Run security scan with CodeQL (0 vulnerabilities found)
- [x] Fix build errors for .NET Framework 4.8 compatibility
- [x] Verify implementation

## Summary

Successfully implemented the requested feature to enable wiki-
like functionality in the Markdown Editor. When users click on a
local markdown link in the preview that points to a non-existent
file, they are now prompted to create it.

## Build Fix

Fixed two compilation errors for .NET Framework 4.8:
1. Changed `_markdownExtensions.Contains()` to `Array.IndexOf()`
for array searching
2. Changed `File.WriteAllTextAsync()` to `File.WriteAllText()`
(async version not available in .NET Framework 4.8)

## Key Features

✅ Detects non-existent local .md links
(.md, .markdown, .mdown, .mkd)
✅ Shows confirmation dialog before creating files
✅ Automatically adds .md extension if link has no extension
✅ Creates full directory structure if needed
✅ Opens newly created file in the editor
✅ Handles relative paths (./file.md, ../file.md, path/to/
```

```
file.md)
✅ User-friendly error messages
✅ No impact on existing functionality

## Implementation Details

**Modified File:** `src/Margin/Browser.cs`

**Changes:**
- Added static readonly array for markdown extensions
(performance optimization)
- Added `HandleNonExistentMarkdownLinkAsync()` method to handle
file creation
- Added `GetRelativePathForDisplay()` helper for user-friendly
path display
- Integrated with existing link handling in
`BrowserNavigationStarting` event

**Lines Changed:** ~90 lines added, 4 lines modified

**Security:** CodeQL scan passed with 0 vulnerabilities

<issue_title>Automatically ask for creating files on link click
in preview if local link</issue_title>
&gt;<issue_description>**Is your feature request related to a
problem? Please describe.**
&gt; I was experimenting with this extension and I really like
it. Thank you for providing it!
&gt; One thing that came to my mind was if I could simulate a
Wiki with this editor. For this, it would be necessary to be
able to create new Markdown files for links that do not yet
exist.
&gt;
&gt; **Describe the solution you'd like**
&gt; If I click on a local link that cannot be resolved (it is
already highlighted) and the link goes to local disk (no http
oder other protocol) and has a .md extension, it would be great
to have a messagebox asking me if a new empty Markdown file
should be created at that location. This should be the case even
when having relative paths to subdirectories oder parent folders
and even if the directory does not exist yet (then the full path
should be generated).
&gt;
&gt; **Describe alternatives you've considered**
&gt; An alternative is to manually create the files... no big
problem.
&gt;
```

> **Additional context**
> Add any other context or screenshots about the feature request here.
></issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@madskristensen</author>
@copilot the build failed. Fix it
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot the build failed. Fix it

Fixed in commit 154f8b3. The build errors were caused by using .NET Core APIs that aren't available in .NET Framework 4.8:
- Changed array Contains() to Array.IndexOf()
- Changed File.WriteAllTextAsync() to File.WriteAllText()
</comment_old>

<comment_new>
<comment_id>3701228178</comment_id>
<author>copilot-pull-request-reviewer[bot]</author>
Pull request overview

This PR enhances the Markdown preview’s link handling to provide wiki-style behavior: when a local markdown link in the preview points to a non-existent file, the user is prompted to create it, and the resulting file (and any missing directories) are created and opened.

Changes:
- Centralizes the set of recognized markdown extensions in a static `_markdownExtensions` array and reuses it in link

resolution.
- Extends `BrowserNavigationStarting` to detect unresolved local markdown links and invoke a new `HandleNonExistentMarkdownLinkAsync` helper that prompts to create the file, creates needed directories, writes an empty markdown file, and opens it.
- Adds `GetRelativePathForDisplay` to present user-friendly relative paths in confirmation messages, handling path normalization and URI edge cases.

💡 <a>Add Copilot custom instructions for smarter, more guided reviews. Learn how to get started.
</comment_new>

</pr_comments>

<pr_reviews>

<comment_thread>
<file>src/Margin/Browser.cs:481-485</file>
<original_commit>154f8b3</original_commit>

<comment_new>
<comment_id>2724012114</comment_id>
<author>copilot-pull-request-reviewer[bot]</author>
When creating a new file for a non-existent link, `HandleNonExistentMarkdownLinkAsync` always combines the link path with `currentDir`, which means paths that conceptually resolve to a parent directory (e.g. `../notes/note`) will have the new file created under the current document directory instead of the parent directory. In `BrowserNavigationStarting` you already resolve existing files by checking both `currentDir` and its parent, but this creation logic ignores that second case, so the creation location can differ from where an existing file would be found. Consider reusing the same resolved base directory (or `parentDir`) when computing `targetPath` so that `../` and other parent-relative links create files in the expected

folder.
</comment_new>

<comment_new>
<comment_id>2724012114</comment_id>
<author>@madskristensen</author>
@copilot can you make that modification?
</comment_new>

</comment_thread>

</pr_reviews>

</comments>

The last **4** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

A **CI/Build Failure** has been mentioned in the problem statement,

```
make sure to follow your instructions for addressing CI/Build
Failures.
```