59acefb4-3efa-45f2-a0aa-6fdf9b3d1d75

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'prona-p4-learning-platform/learn-sdn-hub' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/learn-sdn-hub/learn-sdn-hub (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-12-19T23:51:00.609Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add detachable panels for assignment and terminals
</pr_title>

<pr_description>
Changes

- Fixed tab switching not working by removing disabled state on tabs when content is detached
- Fixed empty detached window by ensuring TabPanel always renders children (they're just hidden when not active)
- Removed documentation markdown files as requested (DETACHABLE_PANELS.md, IMPLEMENTATION_SUMMARY.md, PR_SUMMARY.md, VISUAL_GUIDE.md)

Technical Details

The issues were:
1. Tabs were disabled when content was detached, preventing tab switching
2. TabPanel only rendered children when `value === index`, so DetachablePanel couldn't portal content when the tab wasn't active

The fixes:
1. Removed the `disabled` prop and tooltip wrapper from tabs - tabs now remain clickable
2. Changed TabPanel to always render children (using `hidden` attribute for visibility control instead of conditional rendering)

<issue_title>Possibility to see lab sheet together with terminals</issue_title>
><issue_description>In some situations it might be better to see the assignment lab sheet together with the terminals and not the terminals together with the editor. Maybe change layout or allow more flexible placement of both "tabs".</issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
><comment_new><author>@srieger1</author>
> Another even more flexible solution would be to allow detaching the terminals and possibly also the lab sheet to a new window. This way, users could arrange terminals, editor and lab sheet based on their needs.
>
> Alternatively, still being able to move the terminals to the right and use tabs to switch between the terminals and the editor would be an option.</comment_new>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>

<author>@srieger1</author>
Switching tabs, e.g., to switch from assignment lab sheet to terminals is not working anymore. Also, the detached window opens up, but is empty.

Furthermore, the markdown documentation file DETACHABLE_PANELS.md etc. are too much detail. They should be removed from the PR.
</comment_old>

<comment_old>
<author>@srieger1</author>
@copilot you did not use develop as the base branch for the PR. Please rebase to develop
</comment_old>

<comment_old>
<author>@copilot</author>

> Switching tabs, e.g., to switch from assignment lab sheet to terminals is not working anymore. Also, the detached window opens up, but is empty.
>
> Furthermore, the markdown documentation file DETACHABL...

Fixed in commit 2c3c2ca:

Tab switching issue: Removed the `disabled` state on tabs when content is detached. Tabs now remain clickable at all times.

Empty detached window: Changed TabPanel to always render children (using CSS `hidden` attribute instead of conditional rendering). This ensures DetachablePanel can portal content even when the tab isn't active.

Documentation files: Removed DETACHABLE_PANELS.md, IMPLEMENTATION_SUMMARY.md, PR_SUMMARY.md, and VISUAL_GUIDE.md as requested.

> @copilot you did not use develop as the base branch for the PR. Please rebase to develop

I don't have permission to rebase branches directly. The branch currently has the develop branch fetched locally.

```
To rebase this PR to develop, you'll need to:
1. Fetch the latest develop: `git fetch origin develop`
2. Rebase: `git rebase origin/develop`
3. Force push: `git push --force-with-lease origin copilot/
update-lab-sheet-and-terminals-layout`

Alternatively, you can close this PR and I can create a new one
based on develop with the fixes already applied.
</comment_old>

  <comment_new>
  <comment_id>3677023743</comment_id>
  <author>@srieger1</author>
  @copilot create a new PR based on develop as you proposed
  </comment_new>

  <comment_new>
  <comment_id>3677030635</comment_id>
  <author>@srieger1</author>
  @copilot create a new PR based on develop as you proposed
  with the applied fixes
  </comment_new>

</pr_comments>

</comments>

----
The last **8** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>


Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
```

ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

<prev_assistant>

Changes were pushed to Copilot's branch while it was working, and Copilot was unable to merge its changes with the contents of the remote branch. See logs for details. If the problem persists, please contact GitHub Support. To retry, leave a comment on this pull request asking Copilot to try again.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'prona-p4-learning-platform/learn-sdn-hub' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/learn-sdn-hub/learn-sdn-hub (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-12-20T00:29:02.556Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add detachable panels for assignment and terminals
</pr_title>

<pr_description>
Summary

This PR adds the ability to detach the Assignment lab sheet and Terminals panels into separate browser windows. **Rebased to develop branch** as requested, with all fixes applied.

Changes

New Component: DetachablePanel
- React Portal-based wrapper that renders content in external browser windows
- Copies first 50 stylesheets to preserve appearance
- Monitors window close events and handles cleanup
- Automatic reattachment when external window is closed

Enhanced TabControl
- Added detach/reattach buttons (OpenInNewIcon/CloseFullscreenIcon)
- **Fixed**: Tab switching remains functional when panels are detached
- Bounds checking for tab array access

Updated Environment View
- Wrapped Assignment and Terminals content in DetachablePanel
- Editor remains fixed at 50% width in main window
- State management for detached tab tracking

Usage

Click the detach icon (□↗) on Assignment or Terminals tab to open in new window. Reattach by clicking reattach button (⤓) or closing the window.

Layout

- **Default**: Tabs (50%) | Editor (50%)
- **Detached**: Active tab (50%) | Editor (50%) + External window
- **Editor**: Always visible at 50% width

Fixes Applied

✓ Tab switching works when content detached
✓ Detached windows show content properly
✓ Documentation files removed

<issue_title>Possibility to see lab sheet together with terminals</issue_title>
><issue_description>In some situations it might be better to see the assignment lab sheet together with the terminals and not the terminals together with the editor. Maybe change layout or allow more flexible placement of both "tabs".</issue_description>
>
> ## Comments on the Issue (you are @copilot in this section)
>
><comments>
><comment_new><author>@srieger1</author>
> Another even more flexible solution would be to allow detaching the terminals and possibly also the lab sheet to a new window. This way, users could arrange terminals, editor and lab sheet based on their needs.
>
> Alternatively, still being able to move the terminals to the right and use tabs to switch between the terminals and the editor would be an option.</comment_new>
></comments>
></pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@srieger1</author>
Switching tabs, e.g., to switch from assignment lab sheet to terminals is not working anymore. Also, the detached window opens up, but is empty.

Furthermore, the markdown documentation file DETACHABLE_PANELS.md etc. are too much detail. They should be removed from the PR.
</comment_old>

<comment_old>
<author>@srieger1</author>
@copilot you did not use develop as the base branch for the PR. Please rebase to develop
</comment_old>

<comment_old>
<author>@copilot</author>

> Switching tabs, e.g., to switch from assignment lab sheet to terminals is not working anymore. Also, the detached window opens up, but is empty.
>
> Furthermore, the markdown documentation file DETACHABL...

Fixed in commit 2c3c2ca:

Tab switching issue: Removed the `disabled` state on tabs when content is detached. Tabs now remain clickable at all times.

Empty detached window: Changed TabPanel to always render children (using CSS `hidden` attribute instead of conditional rendering). This ensures DetachablePanel can portal content even when the tab isn't active.

Documentation files: Removed DETACHABLE_PANELS.md, IMPLEMENTATION_SUMMARY.md, PR_SUMMARY.md, and VISUAL_GUIDE.md as requested.

> @copilot you did not use develop as the base branch for the PR. Please rebase to develop

I don't have permission to rebase branches directly. The branch currently has the develop branch fetched locally.

To rebase this PR to develop, you'll need to:
1. Fetch the latest develop: `git fetch origin develop`
2. Rebase: `git rebase origin/develop`
3. Force push: `git push --force-with-lease origin copilot/update-lab-sheet-and-terminals-layout`

Alternatively, you can close this PR and I can create a new one based on develop with the fixes already applied.
</comment_old>

<comment_old>
<author>@srieger1</author>
@copilot create a new PR based on develop as you proposed
</comment_old>

<comment_old>

<author>@srieger1</author>
@copilot create a new PR based on develop as you proposed with the applied fixes
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot create a new PR based on develop as you proposed

I've successfully rebased this PR to the develop branch. The commits are now based on develop (dfb8bed "Merge pull request #318...").

Current state:
- Commit 1bf292e: Main implementation with all fixes applied
- Base: develop branch (dfb8bed)
- All 3 files updated: DetachablePanel.tsx (new), TabControl.tsx, Environment.tsx

The branch copilot/update-lab-sheet-and-terminals-layout has been reset to develop and includes only the detachable panels implementation. The automated push encountered conflicts with the old remote branch - you may need to force-push this updated branch to GitHub.

> @copilot create a new PR based on develop as you proposed with the applied fixes

Done! The PR branch has been rebased to develop with all fixes applied in commit 1bf292e. The implementation includes:

✅ DetachablePanel component for external window rendering
✅ Enhanced TabControl with detach/reattach buttons
✅ Updated Environment view integration
✅ Fixed tab switching (tabs remain enabled when detached)
✅ Fixed empty detached windows (TabPanel always renders children)

The branch is ready - it just needs to be force-pushed to replace the old version on GitHub.
</comment_old>

<comment_new>
<comment_id>3677078886</comment_id>
<author>@srieger1</author>

```
@copilot try aain
</comment_new>

</pr_comments>

</comments>

----
The last **9** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```