65c86bdf-e2f9-4998-b0ba-5b62409675cd

<prev_user>

<request>

You are working on an issue in the 'sillsdev/machine.py' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/machine.py/machine.py (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-23T19:26:06.107+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>

This section details on the original issue you should resolve

<issue_title>Port 'Handle invalid book id tags more robustly'</issue_title>
<issue_description>
Port any relevant changes in https://github.com/sillsdev/machine/pull/407 from machine to machine.py.

</issue_description>

<agent_instructions>Port the code from the linked PR exactly.</agent_instructions>

Comments on the Issue (you are @copilot in this section)

<comments>
</comments>
</problem_statement>

Implement the necessary changes to the repository so that the

requirements specified in the <problem_statement> are met.

<prev_assistant>

The implementation is complete. Here's a summary of the changes made to port the "Handle invalid book id tags more robustly" feature from machine to machine.py:

Changes Made

1. `machine/corpora/usfm_parser.py`
Truncate book code to 3 characters when the `\id` token data is longer than 3 chars. This allows `\id Matthew` to be parsed as `MAT`.

2. `machine/corpora/usfm_text_base.py`
In `_TextRowCollector.start_book`, added an early return when `verse_ref.book` is already set and doesn't match the new code. This handles USFM files with multiple `\id` markers — the second (and subsequent) `\id` markers are ignored.

3. `machine/corpora/usfm_file_text_corpus.py`
In `_get_id`, updated the logic to truncate book ids that are longer than 3 characters (no space found, or space found after position 3). For example, `\id Leviticus` now correctly returns `"LEV"`.

4. Test data files
- `tests/testutils/data/usfm/Tes/03LEVTes.SFM`: Changed `\id lev - Test` → `\id Leviticus` (tests the truncation behavior)
- `tests/testutils/data/usfm/Tes/131CHTes.SFM`: Changed `\id 1CH - Test` → `\id 1CH`

5. Tests (`tests/corpora/test_usfm_memory_text.py`)
Added 5 new tests corresponding to the C# test cases:
- `test_get_rows_book_code_different_to_filename` — raises exception when `\id LUK` but text id is MAT
- `test_get_rows_book_code_invalid` — raises exception for `\id ZZZ` (invalid book)
- `test_get_rows_book_code_truncated` — raises exception for `\id MA` (too short)
- `test_get_rows_book_code_multiple` — succeeds with `\id MAT\n\id LUK` (second id ignored)
- `test_get_rows_book_code_no_space` — succeeds with `\id Matthew` (truncated to MAT)

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'sillsdev/machine.py' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/machine.py/machine.py (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-23T20:02:01.640+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Port: Handle invalid book id tags more robustly
</pr_title>

<pr_description>
USFM `\id` markers with non-standard book codes (full names, no space separator, duplicates, or invalid codes) were not handled gracefully. Ports machine#407.

Changes

- **`usfm_parser.py`**: Truncate book code to 3 chars after uppercasing — e.g. `\id Matthew` → `MAT`
- **`usfm_text_base.py`**: In `start_book`, early-return when `verse_ref.book` is already set and differs from the incoming code, silently ignoring subsequent `\id` markers (e.g. duplicate `\id` in one file)
- **`usfm_file_text_corpus.py`**: `_get_id` now truncates to 3 chars when no space is present or the first space is past position 3

```python
# All of these now resolve to "MAT" / "LEV" correctly
\id Matthew      # no space — truncated to MAT
\id Leviticus    # no space — truncated to LEV
\id MAT\n\id LUK # duplicate \id — second ignored, stays MAT

# These still raise as expected
\id ZZZ          # invalid book code
\id MA           # too short (< 3 chars)
\id LUK          # mismatches text id MAT
```

- **Test data**: Updated `03LEVTes.SFM` (`\id Leviticus`) and `131CHTes.SFM` (`\id 1CH`) to exercise the new truncation path
- **Tests**: Added five new cases covering the above scenarios

- - -
This change is <img src="https://reviewable.io/review_button.svg">

</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_reviews>

<comment_thread>
<file>tests/corpora/test_usfm_memory_text.py:482</file>
<original_commit>d2db8aa</original_commit>

<comment_new>
<comment_id>3133471781</comment_id>
<author>@ddaspit</author>
@copilot Move `pytest` import to the top of the file.
</comment_new>

</comment_thread>

</pr_reviews>

</comments>

The last **3** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>