689c4a53-3b41-430f-a449-631e28174c4b

<prev_user>

<request>

You are working on a task in the 'omnistrate-oss/customer-portal' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/customer-portal/customer-portal (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-10T11:48:41.573+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
request parameter accepts allow_new_cloud_native_network_creation, PrivateLink boolean. create cloud account instance both varibale add for 1.allow_new_cloud_native_network_creation default is true, 2.PrivateLink is default is false and update for first step for Enable Private Connectivity value pass for
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple

independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command should be sequential as it requires the sessionID).</system_reminder>

<prev_assistant>

Implemented — this task required **code changes**, and they're done.

What I changed
Updated:

- `/home/runner/work/customer-portal/customer-portal/app/(dashboard)/cloud-accounts/components/CloudAccountWizard.tsx`

Changes:

1. Added new create request params with defaults:
   - `allow_new_cloud_native_network_creation: true`
   - `PrivateLink: enablePrivateConnectivity` (defaults to `false` because toggle starts off)

2. Wired Step-1 **Enable Private Connectivity** toggle into `PrivateLink` param.

3. Kept backward compatibility by still sending:
   - `enable_private_connectivity: enablePrivateConnectivity`

4. Updated local result handling to include:
   - `PrivateLink`
   - `allow_new_cloud_native_network_creation`
   so summary rendering can read either key.

Validation
- `yarn eslint app/(dashboard)/cloud-accounts/components/CloudAccountWizard.tsx` ✅ (warnings only, no errors)
- `yarn build` ✅
- `yarn test:replay` ✗ (fails due missing required env vars in this environment; unchanged infra issue)

Note
`store_memory` tool is not available in this environment, so I couldn't persist memory via that tool.

<current>

<request>

You are working on a task in the 'omnistrate-oss/customer-portal' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/customer-portal/customer-portal (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-10T12:02:42.948+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
refe this section - Standard Information add for Enable Private Connectivity some for standard information add for bottom for not diff section merged both section
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in

```
parallel, or edit different files in parallel. However, if some tool
calls depend on previous calls to inform dependent values like the
parameters, do NOT call these tools in parallel and instead call
them sequentially (e.g. reading shell output from a previous command
should be sequential as it requires the sessionID).</
system_reminder>
```