725c2407-575f-4849-a18c-ac41bcd9145a

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'hyprstream/hyprstream' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/hyprstream/hyprstream (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-11-10T18:07:49.389Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the stacked pull request you are creating to address the problem above.

<pr_title>
[WIP] Address feedback by removing the specified test from the megacommit
</pr_title>

<pr_description>
Thanks for the feedback on #54. I've created this new PR, which merges into #54, to address your comment. I will work on the changes and keep this PR's description up to date as I make progress.

Original PR: #54
Triggering review: https://github.com/hyprstream/hyprstream/pull/54#discussion_r2511499560
> @copilot remove this test entirely.
</pr_description>

This stacked PR was created to address a specific review comment on a different pull request.
Focus on addressing the feedback in the review thread below.

Comments on the PR (you are @copilot in this section)

<comments>

<comment_thread>
<file>crates/hyprstream/tests/tokenizer_decode_stream.rs:14</file>
<original_commit>e62905ffae6db50299b1ed22b98c4e18040e4879</original_commit>

<comment_old>
<author>copilot-pull-request-reviewer[bot]</author>
Hardcoded path `/home/birdetta/Qwen3/tokenizer.json` will fail in CI/CD or other environments. Consider using a relative path to a test fixture, an environment variable with a meaningful name like `TEST_TOKENIZER_PATH`, or skip the test if the tokenizer is not available.
</comment_old>

<comment_new>
<comment_id>2511499560</comment_id>
<author>@ewindisch</author>
@copilot remove this test entirely.
</comment_new>

</comment_thread>

</comments>

The last **2** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>

```
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>


Ensure that you lint, build and test early and iteratively to
validate each code change thoroughly.
```