73f69923-3d4c-4a1f-b8ee-d8d23cf9fb60

<current>

<request>

You are working on an issue in the 'hiero-ledger/solo' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/solo/solo (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-12T18:08:53.816Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section details on the original issue you should resolve

<issue_title>external database e2e test failed in main branch with PR check workflow</issue_title>
<issue_description>### Describe the bug

https://github.com/hiero-ledger/solo/actions/runs/23009605640/job/66816552946

Test at final smoke test step

```
First account created.
OPERATOR_ID=3.2.1007
CONTRACT_TEST_KEY_ONE=0x3f693b240b7f4a638b0e0c4c4a5c5b8c6c74ae13639e1daa55c82d5449e8131f
Create second test account
Second account created.
CONTRACT_TEST_KEY_TWO=0x75255b49014bde07122df529bda8b5b2d8773215
```

```
fb1e17ea2486b3ff2753521f
OPERATOR_KEY=3030020100300706052b8104000a042204203f693b240b7f4a6
38b0e0c4c4a5c5b8c6c74ae13639e1daa55c82d5449e8131f
HEDERA_NETWORK=local-node
CONTRACT_TEST_KEYS=0x3f693b240b7f4a638b0e0c4c4a5c5b8c6c74ae13639
e1daa55c82d5449e8131f,
0x75255b49014bde07122df529bda8b5b2d8773215fb1e17ea2486b3ff275352
1f
/home/runner/_work/solo
Clone hedera-smart-contracts
Directory hedera-smart-contracts does not exist.
Cloning into 'hedera-smart-contracts'...
Setup smart contract test
Remove previous .env file
Install dependencies and compile smart contract
Build .env file
PRIVATE_KEYS="0x3f693b240b7f4a638b0e0c4c4a5c5b8c6c74ae13639e1daa
55c82d5449e8131f,
0x75255b49014bde07122df529bda8b5b2d8773215fb1e17ea2486b3ff275352
1f"
RETRY_DELAY=5000 # ms
MAX_RETRY=5
/home/runner/_work/solo
Wait a few seconds for background transactions to start
Run smart contract test
> @hashgraph/smart-contracts@0.12.0-SNAPSHOT hh:test
> hardhat test --grep "@OZERC20 Test Suite"
[dotenv@17.2.0] injecting env (3) from .env (tip: ⚙️  suppress
all logs with { quiet: true })
[dotenv@17.2.0] injecting env (0) from .env (tip: 🔐 prevent
committing .env to code: https://dotenvx.com/precommit)


  @OZERC20 Test Suite
Try if network is up and running...
wallet1 = 0xcf039c896eD5Ab55cC5186231Fc9Bc7A4F31E432
wallet2 = 0x8E006F8A488262E046544e4EA20F7c8770208480
erc20Contract = 0x747f48e2934DEB4c527316fa8737b569b874083C
  ✔ should be able to execute name() (2036ms)
  ✔ should be able to execute symbol() (39ms)
  ✔ should be able to execute decimals()
totalSupply = *1000*
  ✔ should be able to execute totalSupply()
wallet1BalanceOf = *1000*
wallet2BalanceOf = *0*
  ✔ should be able to get execute balanceOf(address) (70ms)
wallet2BalanceBefore = *0*
```

```
wallet2BalanceAfter = *33*
  ✔ should be able to execute transfer(address,uint256) (4874ms)
wallet1BalanceBefore = *967*
wallet1BalanceAfter = *934*
  ✔ should be able to execute
transferFrom(address,address,uint256) (13721ms)
    should be able to approve an amount and read a corresponding
allowance
  ✔ should be able to execute approve(address,uint256) (8807ms)
  ✔ should be able to execute allowance(address,address) (46ms)


  9 passing (44s)

/home/runner/_work/solo

Test local network connection using nc
{
  "RSA_PubKey":
"308201a2300d06092a864886f70d01010105000382018f003082018a0282018
100b935d6520b8326fa0fa572c9bdd7e80d5372e55915ee68ba158c5c1a99b85
9028098d09bc194690cf7997c78c0f8f635496b938f42a86dbed6d756d6eee59
a9f2e0978499a271cf18cd916bf9845ae4213da1b4d6ade35f4f7e47d652caaa
39158c1671fb670d8d1b45c71680f5adff88dc4aa15c94b64f9d4741186345d6
d51c7345362f92071f016d0e0f744157d19fc74068abeafd2481566a0d9055c1
54a3b3fe27dcb2d88e5a04e01bc0be884c7fb5f2888aa575c87e2342c330e7da
d7129fdd6741cb47be01beb80a8d97addb0c2c8f0b384ec40d9bb45b16131fe4
ecf254152fdcfc8871cc056e5071f9cb051b798bcc5f9e95081be0b4b4a58fff
aa225a01e95c27639f531418895a0afeec99597025d8bf1e3eaa95cf9cc27179
86f2989f6561b2a989440a00a4570071a552d9cd61c25b9a1410915aeb478f66
fcd4f0a7d7dc8b2335412c3d5e4873bdcd9201c080744f792410e277b9b5bbcc
df4fa8bf53c5254011d5b08b3a2f502969f5e8639d235e3ee1946df0e779d8a7
daf0203010001",
  "nodeAccountId": {
    "shardNum": "3",
    "realmNum": "2",
    "accountNum": "3"
  },
  "serviceEndpoint": [
    {
      "ipAddressV4": "rBMBAQ==",
      "port": 50211
    }
  ],
  "description": "node1"
}
{
```

```
  "RSA_PubKey":
"308201a2300d06092a864886f70d01010105000382018f003082018a0282018
1008f05eb7a508865f239013a98b4ed5603972128083795f8e21094927a4a4b0
55781b3f4e7ad289616f41d1248b8240bbba9388643d7e359f2995054f33e415
188aff0f1965d677649566d4750363e6cc0dbfe9d0d18221d28c9367ef755acb
58d18edbbef1a75c02cf31298b9fc4d6e01f45a5d68600502f91a518a9a75c28
b8d8f878c1f004b72fbac3ddc4de9f554a2ad76bb4eabc8ee284170668abab1c
7adcee45dd374a53b00fab8649918107c40b33afd129c9b040647dd2ac2a594b
529b8dbe0ee78d89eb385dafa9599ef5b1a52ffc22e05fa7b7fbb4e67f726944
e4c841f6cb91c95e0dfb22f8f3696dee506b0917f1c7d84eb63fa4b79259cebb
d497f3dfd95b3a40707abe3554cc971478548c842aecefe3f0cb51e3d87bc813
25c5fafb1decb0410bc9861f8b460e2f42509ee2c23fad094bcdc5ae6c782fcb
97f974f8eddf6bdd153e9980f16ce54cce35a4996e1d1474df032318ad368e3e
365983a08428b5acb805dddfc1640a5140236128ce72f1de9a279e8aec81061f
7a90203010001",
  "nodeId": "1",
  "nodeAccountId": {
    "shardNum": "3",
    "realmNum": "2",
    "accountNum": "4"
  },
  "serviceEndpoint": [
    {
      "ipAddressV4": "rBMCAg==",
      "port": 50211
    }
  ],
  "description": "node2"
}
[2026-03-12T15:41:35.652Z] [dotenv@17.3.1] injecting env (0)
from .env -- tip: ⌂ auth for agents: https://vestauth.com/
[2026-03-12T15:41:35.653Z]
create-topic
/home/runner/_work/solo
Sleep a while to wait background transactions to finish
Run mirror node acceptance test on namespace external-database-
test
Using mirror release: mirror
NAME: mirror
LAST DEPLOYED: Thu Mar 12 15:35:22 2026
NAMESPACE: external-database-test
STATUS: deployed
REVISION: 1
TEST SUITE:     mirror-rest-test
Last Started:   Thu Mar 12 15:43:40 2026
Last Completed: Thu Mar 12 15:43:40 2026
Phase:          Succeeded
```

```
TEST SUITE:     mirror-rest-test
Last Started:   Thu Mar 12 15:43:40 2026
Last Completed: Thu Mar 12 16:03:41 2026
Phase:          Failed
NOTES:
Hedera Mirror Node 0.149.0 successfully installed.
To access the gRPC API:
  kubectl port-forward "service/mirror-grpc" -n external-
database-test 5600:5600 &
  grpcurl -plaintext "${GRPC_IP:-127.0.0.1}:5600" list
To access the REST API:
  kubectl port-forward "service/mirror-rest" -n external-
database-test 80:80 &
  curl -s "http://${REST_IP:-127.0.0.1}:80/api/v1/transactions?
limit=1"
To access the Java REST API:
  kubectl port-forward "service/mirror-restjava" -n external-
database-test 8084:80 &
  curl -s "http://${REST_IP:-127.0.0.1}:8084/api/v1/accounts/
0.0.2/allowances/nfts"
To access the Web3 API
  kubectl port-forward "service/mirror-web3" -n external-
database-test 80:80 &
  curl -sL -H "Content-Type: application/json" -X POST -d
'{"from": "0x0000000000000000000000000000000002edec80","to":
"0x0000000000000000000000000000000002edec81","value": 500,"gas":
0,"gasPrice": 0}' "http://${WEB3_IP:-127.0.0.1}:80/api/v1/
contracts/call"
Error: 1 error occurred:
        * timed out waiting for the condition
Mirror node acceptance test failed with exit code 1
```


Describe the expected behavior

Should not fail

To Reproduce

SOLO_TEST_CLUSTER=e2e-dual-cluster-full ./test/e2e/dual-cluster/
setup-dual-e2e.sh; task test-e2e-external-database

Additional Context

No response</issue_description>

```
## Comments on the Issue (you are @copilot in this section)

<comments>
</comments>

</problem_statement>
```

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.