75232e7b-7386-49f6-8c85-900c2d7fd3

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'microsoft/Agent365-dotnet' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Agent365-dotnet/Agent365-dotnet (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-12-31T06:25:47.898Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the stacked pull request you are creating to address the problem above.

<pr_title>
[WIP] Address feedback on API for sending chat history to MCP platform
</pr_title>

<pr_description>
Thanks for the feedback on #148. I've created this new PR, which merges into #148, to address your comment. I will work on the changes and keep this PR's description up to date as I make progress.

Original PR: #148
Triggering review: https://github.com/microsoft/Agent365-dotnet/pull/148#discussion_r2654878755
> @copilot open a new pull request to apply changes based on <a href="https://github.com/microsoft/Agent365-dotnet/pull/

148#discussion_r2654855016">this feedback
</pr_description>

This stacked PR was created to address a specific review comment on a different pull request.
Focus on addressing the feedback in the review thread below.

Comments on the PR (you are @copilot in this section)

<comments>

<comment_thread>
<file>src/Runtime/Core/Utility.cs:50-56</file>
<original_commit>ca2beef8bfa855b9700a9969c7c16a7e6d0242f0</original_commit>

<comment_old>
<author>copilot-pull-request-reviewer[bot]</author>
The new GetDefaultHttpClient method in Runtime.Utils.Utility lacks test coverage. The existing UtilityTests.cs file in Runtime.Tests has tests for other Utility methods, but none for GetDefaultHttpClient. Add tests to verify: 1) HttpClient creation with and without IHttpClientFactory, 2) timeout configuration, 3) User-Agent header setting with default and custom configurations.
</comment_old>

<comment_new>
<comment_id>2654878755</comment_id>
<author>@pontemonti</author>
@copilot open a new pull request to apply changes based on this feedback
</comment_new>

</comment_thread>

</comments>

The last **18** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>

```
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```