8888a316-1df9-4a75-b923-701c397aaf3a

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'discourse/discourse' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/discourse/discourse (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-02-11T20:40:09.675Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
FEATURE: support target_user_ids for private messages
</pr_title>

<pr_description>
Add `target_user_ids` as an alternative to `target_usernames` when
creating private messages via PostCreator and TopicCreator. The two
options are mutually exclusive and raise ArgumentError if both are
provided.

This avoids username-based lookups where the caller already has user

```
IDs, and prevents stale references when users rename after a
pending
PM is created.

Key changes:
- PostCreator/TopicCreator: accept `target_user_ids`, validate
  mutual exclusivity with `target_usernames`, extract shared
  `add_users_from_scope` in TopicCreator
- Automation PendingPm: migrate from `sender`/`target_usernames`
  string columns to `sender_id`/`target_user_ids` integer
columns
  with a backfill migration
- Scriptable::Utils.send_pm: resolve sender upfront, support
  integer sender param, store IDs in pending PMs

</pr_description>

## Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@discoursebot</author>
This pull request has been mentioned on **Discourse Meta**.
There might be relevant details there:

https://meta.discourse.org/t/discourse-automation-did-not-send-
pm-no-valid-targets-exist/395740/2

</comment_old>

  <comment_new>
  <comment_id>3887057939</comment_id>
  <author>@SamSaffron</author>
  @copilot can you fix the annotation here?
  </comment_new>

</pr_comments>

</comments>

----
The last **1** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>
```

```
Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```

<prompt>

```
@copilot can you fix the annotation here?
```