# 8d71e71b-8ea6-40ca-be54-4828acb3acf8

## <prev_user>

### <request>

You are working on an issue in the 'AndroidDagashi/androiddagashi.github.io' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/androiddagashi.github.io/androiddagashi.github.io (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-22T12:02:49.437Z</current_datetime>

Consider the following problem statement:

<problem_statement>
peaceiris/actions-gh-pages の代わりに別の github action に移行できないか？
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

## <prev_assistant>

The migration is complete. Here's a summary of what was changed:

## Summary

The issue requested migrating from `peaceiris/actions-gh-pages` to a different GitHub Action.

### Changes made to `.github/workflows/deploy.yml`:

1. **Added `permissions` block** — `pages: write` and `id-token: write` are required for the official GitHub Pages OIDC-based deployment (replaces the personal access token approach).

2. **Added `concurrency` block** — Prevents multiple deployments running simultaneously (a best practice for Pages deployments).

3. **Added `environment` block** — Connects the job to the `github-pages` GitHub environment, enabling deployment tracking and surfacing the published URL in the Actions UI.

4. **Replaced `peaceiris/actions-gh-pages`** with two official GitHub Actions:
   - `actions/upload-pages-artifact@v4.0.0` — Packages the built site for deployment
   - `actions/deploy-pages@v4.0.5` — Deploys to GitHub Pages via the official deployment API

5. **Removed `PUSH_ACCESS_TOKEN`** — The personal access token is no longer needed; `GITHUB_TOKEN` with the right permissions handles everything.

6. **Removed `persist-credentials: false`** — Only needed when pushing to a branch; not relevant with the new approach.

7. **Removed the `Print debug info` failure step** — No longer relevant since we're not pushing to a branch.

### Required repository settings change:
In the repository **Settings → Pages → Source**, change from `"Deploy from a branch (master)"` to **`"GitHub Actions"`**. This is required for the official `actions/deploy-pages` action to work.

## <current>

### <request>

You are working on an issue in the 'AndroidDagashi/androiddagashi.github.io' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/androiddagashi.github.io/androiddagashi.github.io (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-22T12:35:09.113Z</current_datetime>

Consider the following problem statement:

<problem_statement>
can you explain why you change your mind and use github's official actions? just a questioln
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.