9e263f6b-cd3a-4a85-85d9-782c04b248c6

<prev_user>

<request>

You are working on an issue in the 'microsoft/agent-framework' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/agent-framework/agent-framework (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-22T17:57:53.211Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section details on the original issue you should resolve

<issue_title>.NET: Improve unit test coverage for Microsoft.Agents.AI.Anthropic</issue_title>
<issue_description>85% is the required level, coverage is currently at 68.7%



<agent_instructions>Please analyze the Cobertura Coverage information related to the Microsoft.Agents.AI.Anthropic and lets improve its coverage on non-covered paths.

Please keep the same patterns used for UnitTests existing into the Microsoft.Agents.AI.Anthropic.UnitTests.

Use our repository guidelines regarding UnitTests code as well as use our existing File approach for the UnitTests generatino,

only creating new ones if the file being covered have not being covered yet.

Ensure the coverage only covers non-covered paths without duplicating paths that are already covered.

Ensure all existing tests are working on top of the new added ones. This change should only be focused in UnitTests not changing any functionality.</agent_instructions>

Comments on the Issue (you are @copilot in this section)

<comments>
</comments>

</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

I have successfully completed the task. Here's a summary of what was accomplished:

Summary

Problem
The Microsoft.Agents.AI.Anthropic project had unit test coverage at 68.7%, while the required level is 85%.

Analysis
I analyzed the Cobertura coverage report and identified the following uncovered code paths:
1. **Lines 58-62**: The `tools` handling branch when `tools` is provided with `Count > 0`
2. **Line 64**: The `defaultMaxTokens` null coalescing branch when an explicit value is provided

Solution
Added 12 new unit tests (6 for each extension class) following the existing patterns in the repository:

```
**For `AnthropicClientExtensionsTests`:**
- `CreateAIAgent_WithTools_AssignsToolsCorrectly`
- `CreateAIAgent_WithExplicitMaxTokens_UsesProvidedValue`
- `CreateAIAgent_WithToolsAndInstructions_AssignsBothCorrectly`
- `CreateAIAgent_WithEmptyTools_DoesNotAssignTools`
- `CreateAIAgent_WithNullInstructions_DoesNotSetInstructions`
- `CreateAIAgent_WithWhitespaceInstructions_DoesNotSetInstructions`

**For `AnthropicBetaServiceExtensionsTests`:**
- Same 6 tests as above for the Beta Service extensions.

### Results
- All 26 tests pass (14 original + 12 new)
- **AnthropicClientExtensions**: 100% line-rate, 100% branch-rate
- **AnthropicBetaServiceExtensions**: 100% line-rate, 100% branch-rate
- No functionality was changed, only unit tests were added
- Code review passed with no issues
```

<current>

<request>

```
You are working on an issue in the 'microsoft/agent-framework'
repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/agent-
framework/agent-framework (not in /tmp/inputs). Always use absolute
paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-23T12:06:38.707Z</current_datetime>

Consider the following problem statement:
```

```
<problem_statement>
///
    [Fact]
    public void
CreateAIAgent_WithNullInstructions_DoesNotSetInstructions()
    {
        // Arrange
        var chatClient = new TestAnthropicChatClient();

        // Act
        var agent = chatClient.AsAIAgent(
            model: "test-model",
```

```
            name: "Test Agent",
            instructions: null);

        // Assert
        Assert.NotNull(agent);
        Assert.Equal("Test Agent", agent.Name);
    }

    ///
    [Fact]
    public void
CreateAIAgent_WithWhitespaceInstructions_DoesNotSetInstructions(
)
    {
        // Arrange
        var chatClient = new TestAnthropicChatClient();

        // Act
        var agent = chatClient.AsAIAgent(
            model: "test-model",
            name: "Test Agent",
            instructions: "   ");

        // Assert
        Assert.NotNull(agent);
        Assert.Equal("Test Agent", agent.Name);
    }

This tests are not checking if the instructions were set in the
test agent instance, please update the instance class in a way
that the test can check if the instructions were set at the
agent level or not
</problem_statement>
```

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prompt>

```
 /// <summary>
    /// Verify that CreateAIAgent with null instructions does not
set instructions.
    /// </summary>
    [Fact]
```

```
    public void
CreateAIAgent_WithNullInstructions_DoesNotSetInstructions()
    {
        // Arrange
        var chatClient = new TestAnthropicChatClient();

        // Act
        var agent = chatClient.AsAIAgent(
            model: "test-model",
            name: "Test Agent",
            instructions: null);

        // Assert
        Assert.NotNull(agent);
        Assert.Equal("Test Agent", agent.Name);
    }

    /// <summary>
    /// Verify that CreateAIAgent with whitespace instructions does
not set instructions.
    /// </summary>
    [Fact]
    public void
CreateAIAgent_WithWhitespaceInstructions_DoesNotSetInstructions()
    {
        // Arrange
        var chatClient = new TestAnthropicChatClient();

        // Act
        var agent = chatClient.AsAIAgent(
            model: "test-model",
            name: "Test Agent",
            instructions: "   ");

        // Assert
        Assert.NotNull(agent);
        Assert.Equal("Test Agent", agent.Name);
    }

This tests are not checking if the instructions were set in the test
agent instance, please update the instance class in a way that the
test can check if the instructions were set at the agent level or
not
```