adeb77e1-9cbd-4a7a-9bcd-9af926ab46

<prev_user>

<request>

You are working on a task in the 'esrrhs/fakelua' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/fakelua/fakelua (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-22T23:26:49.834+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
修改这个工程，使得也能支持macos编译运行，原有的windows和linux的可以编译运行，需要保持原样
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<prev_assistant>

已完成修改，支持 macOS 编译/运行，同时保持 Linux/Windows 现有行为不变。主要变更：

- `src/jit/gcc_jit.cpp`
  - macOS 下 GCC JIT 产物改为 `.dylib`
  - macOS 使用 `-dynamiclib -undefined dynamic_lookup`

  - Linux/Windows 原逻辑保持不变
- `src/CMakeLists.txt`
  - 非 Windows 链接从硬编码 `dl` 改为 `${CMAKE_DL_LIBS}`（macOS 可为空，Linux 仍可用）
- `cmd/CMakeLists.txt`、`test/CMakeLists.txt`、`benchmark/CMakeLists.txt`
  - `-Wl,-E` 仅在 `UNIX AND NOT APPLE` 使用，避免 macOS 链接参数不兼容
- `test/CMakeLists.txt`、`benchmark/CMakeLists.txt`
  - macOS 下新增 Lua 头文件/库探测（`find_path` / `find_library`）
  - 非 macOS 保持原有 Linux/Windows 方式
- `README.md`
  - 新增 macOS 构建说明（含 `brew install lua` 提示）

验证结果（本地）：
- `cmake -S . -B build`
- `cmake --build build --parallel`
- `ctest --test-dir build -V`（通过，411 tests passed）
- `./build/bin/bench_mark`（通过）
- `./build/bin/flua`（通过）

额外校验：
- Code Review 已通过（仅有“可抽取重复 CMake 逻辑”的建议，非阻断）
- CodeQL 扫描超时（工具提示预算耗尽，无法继续重跑）

<current>

<request>

You are working on a task in the 'esrrhs/fakelua' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/fakelua/fakelua (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-23T00:08:16.964+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
macos下也有gcc吗？
</problem_statement>

```
First, determine whether the <problem_statement> requires code
changes, an explanation, a plan, or analysis. Then follow the
appropriate path:

**If the task requires code changes:**

**If the task is a question or only requires creating a plan or
analysis:** respond directly without making code changes.
```