b79f6000-9fd9-43eb-82b9-751eb72762

<prev_user>

<request>

You are working on an issue in the 'veritasfuji-japan/veritas_os' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/veritas_os/veritas_os (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-07T02:04:01.089Z</current_datetime>

Consider the following problem statement:

<problem_statement>
<img src="https://github.com/user-attachments/assets/4aec1d29-d8d4-4b4f-a9cd-972da38f4d3e">

<img src="https://github.com/user-attachments/assets/9f285f46-a525-4ce9-8c4e-3672efa098eb">

<img src="https://github.com/user-attachments/assets/bed74f6d-7d97-4aa8-a690-9f0a94c2bb7d">
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prompt>

![スクリーンショット 2026-03-07 11.02.56.png](https://github.com/user-attachments/assets/4aec1d29-d8d4-4b4f-a9cd-972da38f4d3e)

![スクリーンショット 2026-03-07 11.03.01.png](https://github.com/user-attachments/assets/9f285f46-a525-4ce9-8c4e-3672efa098eb)

```
![スクリーンショット 2026-03-07 11.03.05.png](https://github.com/user-attachments/assets/bed74f6d-7d97-4aa8-a690-9f0a94c2bb7d)
```

<prev_assistant>

The fix is complete. Here's what was done:

Problem: The gitleaks secret scanner in CI detected the base64-encoded string `dGVzdGtleXRlc3RrZXl0ZXN0a2V5dGVzdGtleXk=` as a "generic-api-key" secret in two test files:
- `veritas_os/tests/test_eu_ai_act_p1_improvements.py:371`
- `veritas_os/tests/test_eu_ai_act_remaining_gaps.py:245`

Root cause: Test code used `monkeypatch.setenv("VERITAS_ENCRYPTION_KEY", "dGVzdGtleXRlc3RrZXl0ZXN0a2V5dGVzdGtleXk=")` — a base64-encoded value that gitleaks flagged as a leaked secret.

Fix: Replaced with `"test-dummy-key"`. Both `validate_audit_readiness_for_high_risk()` and `validate_deployment_readiness()` only check `bool(os.environ.get("VERITAS_ENCRYPTION_KEY"))`, so any non-empty string works. The plain-text dummy value won't trigger gitleaks' generic-api-key pattern.

<current>

<request>

You are working on an issue in the 'veritasfuji-japan/veritas_os' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/veritas_os/veritas_os (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-07T02:17:57.542Z</current_datetime>

Consider the following problem statement:

<problem_statement>

</problem_statement>

```
<img src="https://github.com/user-attachments/assets/
1ac56b77-5af0-42e6-abab-26bb843e0b05">

<img src="https://github.com/user-attachments/assets/11fa2013-
a0ce-48db-84a3-8b138d0114f7">
</problem_statement>
```

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prompt>

```
![スクリーンショット 2026-03-07 11.14.03.png](https://github.com/user-
attachments/assets/3273be63-6f70-469a-866b-ae01571f80fb)

![スクリーンショット 2026-03-07 11.14.07.png](https://github.com/user-
attachments/assets/1ac56b77-5af0-42e6-abab-26bb843e0b05)

![スクリーンショット 2026-03-07 11.14.10.png](https://github.com/user-
attachments/assets/11fa2013-a0ce-48db-84a3-8b138d0114f7)
```