bcf05d35-30d4-43dc-92ab-1f8954045e

<prev_user>

<request>

You are working on an issue in the 'Azure/azure-sdk-for-js' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/azure-sdk-for-js/azure-sdk-for-js (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-10T18:53:39.418Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section details on the original issue you should resolve

<issue_title>notification-hub should re-export RestError</issue_title>
<issue_description>**Is your feature request related to a problem? Please describe.**

I have noticed that several Azure SDKs, such as `@azure/storage-queue` and `@azure/cosmos`, re-export the `RestError1 class from `@azure/core-rest-pipeline`. However, the `@azure/notification-hubs` package currently does not re-export it.
This inconsistency impacts the Developer Experience and can lead to issues with IDE auto-imports. For example, if a developer writes:
*****__CODE_BLOCK_0_0__*****

And is not careful, the IDE might automatically import `RestError` from a different and unrelated dependency that happens to be installed in the project, leading to unexpected behaviour.

Describe the solution you'd like

I think that `@azure/notification-hubs` should be aligned with the other Azure SDKs by re-exporting the `RestError` class.

Additionally, I noticed that `@azure/core-rest-pipeline` exports the `isRestError()` function, it would be a great addition to re-export this one as well.

Describe alternatives you've considered

Another solution would be to avoid re-exporting `RestError` in all SDKs. However, this is not ideal, as it would force users to manually install `@azure/core-rest-pipeline` as a direct dependency just to import the necessary types and functions for basic error handling.
</issue_description>

<agent_instructions>Re-export `RestError` and `isRestError` in `@azure/nothfication-hubs`</agent_instructions>

Comments on the Issue (you are @copilot in this section)

<comments>
<comment_new><author>@jeremymeng</author>
@Garma00 thanks for the feedback! Yes, I think we should do that for our SDK packages.</comment_new>
</comments>
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.

<prev_assistant>

The change is complete. Here's a summary:

Changes Made

`sdk/notificationhubs/notification-hubs/src/index.ts`
Added a single line to re-export `RestError` and `isRestError` from `@azure/core-rest-pipeline`:

```typescript
export { RestError, isRestError } from "@azure/core-rest-pipeline";
```

This aligns `@azure/notification-hubs` with other Azure SDKs (e.g., `@azure/cosmos`, `@azure/storage-queue`, `@azure/data-tables`) that already re-export `RestError`. The `isRestError` typeguard function was also included as requested in the issue.

`sdk/notificationhubs/notification-hubs/review/notification-hubs-node.api.md`
Automatically updated by `extract-api` to reflect the new public API exports.

Key details:
- `@azure/core-rest-pipeline` was already a dependency of the package, so no `package.json` changes were needed
- The build, format, and lint all pass successfully
- Code review and CodeQL validation passed with no issues

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'Azure/azure-sdk-for-js' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/azure-sdk-for-js/azure-sdk-for-js (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-10T19:16:25.218Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Re-export RestError and isRestError in @azure/notification-hubs
</pr_title>

<pr_description>
Packages impacted by this PR

`@azure/notification-hubs`

Issues associated with this PR

`@azure/notification-hubs` does not re-export `RestError` or `isRestError` from `@azure/core-rest-pipeline`, unlike other Azure SDKs (`@azure/cosmos`, `@azure/storage-queue`, `@azure/data-tables`, etc.). This forces users to add `@azure/core-rest-pipeline` as a direct dependency for basic error handling, and IDEs may auto-import `RestError` from unrelated packages.

Describe the problem that is addressed by this PR

Adds re-exports of `RestError` and `isRestError` from `@azure/core-rest-pipeline` to the package's public API surface, consistent with other Azure SDK packages.

```ts
import { RestError, isRestError } from "@azure/notification-hubs";

try {
  // ...
} catch (e) {
  if (isRestError(e)) {
    console.log(e.statusCode);
  }
}
```

What are the possible designs available to address the problem? If there are more than one possible design, why was the one in this PR chosen?

Direct re-export from the existing `@azure/core-rest-pipeline` dependency — same pattern used by `@azure/cosmos`, `@azure/data-tables`, and the storage packages.

Are there test cases added in this PR? _(If not, why?)_

No. This is a pass-through re-export of symbols already tested in `@azure/core-rest-pipeline`. The API review file is updated via `extract-api`.

Provide a list of related PRs _(if any)_

Checklists
- [x] Added impacted package name to the issue description.
-] Does this PR need any fixes in the SDK Generator?** _(If so, create an Issue in the [Autorest/typescript repository and link it here.)_
- [ ] Added a changelog (if necessary).

> [!WARNING]
>
>
</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_new>
<comment_id>4226155183</comment_id>
<author>@jeremymeng</author>
@copilot increment package version following semver, and add changelog entry
</comment_new>

</pr_comments>

</comments>

The last **2** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at

```
you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you
can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment
and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>




A **CI/Build Failure** has been mentioned in the problem
statement, make sure to follow your instructions for addressing
CI/Build Failures.
```