be3840cf-2004-4196-9a5f-2aa9c918c6

<prev_user>

<request>

You are working on an issue in the 'Activiti/activiti-cloud' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/activiti-cloud/activiti-cloud (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-13T10:50:54.355Z</current_datetime>

Consider the following problem statement:

<problem_statement>
creating an index and use the liquidbase
CREATE INDEX CONCURRENTLY idx_task_var_name_value_btree
ON task_variable (name, value);
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

All changes are complete and pushed. Here's a summary of what was implemented:

Summary of Changes

Problem
Create a composite B-tree index on the `task_variable` table's `name` and `value` columns using Liquibase migrations.

Changes Made

1. **New file: `36-alter.pg.schema.8.8.0.sql`** (PostgreSQL migration)
   - `CREATE INDEX CONCURRENTLY IF NOT EXISTS idx_task_var_name_value_btree ON task_variable (name, (value::text));`
   - Uses `CONCURRENTLY` for non-blocking index creation, `IF NOT EXISTS` for safety, and `value::text` cast because the `value` column is `jsonb` type in PostgreSQL (which doesn't support B-tree directly)

2. **New file: `36-alter.oracle.schema.8.8.0.sql`** (Oracle migration)
   - `CREATE INDEX idx_task_var_name_value_btree ON task_variable (name, JSON_SERIALIZE(value RETURNING VARCHAR2(4000)));`
   - Uses `JSON_SERIALIZE` to convert the JSON `value` column to a varchar for B-tree indexing

3. **Modified: `h2.schema.sql`**
   - Added `create index idx_task_var_name_value_btree on task_variable (name, "value");` for the H2 test database

4. **Modified: `master.xml`**
   - Added changeset `alter36-oracle-schema` for Oracle
   - Added changeset `alter36-schema` for PostgreSQL
   - Both use `runInTransaction="false"` (required for `CONCURRENTLY`)

5. **Modified: `TaskVariableEntity.java`**
   - Added JPA `@Index(name = "idx_task_var_name_value_btree", columnList = "name, value", unique = false)` annotation

Security Summary
No security vulnerabilities introduced. Changes are purely database DDL (index creation) and JPA metadata annotations with no executable code paths.

<current>

<request>

You are working on an issue in the 'Activiti/activiti-cloud' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/activiti-cloud/activiti-cloud (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-13T11:08:47.567Z</current_datetime>

Consider the following problem statement:

```
<problem_statement>
should we have a rollback liquid script?
</problem_statement>
```

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.