c09e6a8c-001f-4ada-a5f7-e3b0018da8f4

<prev_user>

<request>

You are working on an issue in the 'OpenKnots/okcode' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/okcode/okcode (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-20T07:30:01.679Z</current_datetime>

Consider the following problem statement:

<problem_statement>
The iOS build is failing due to compilation errors in `@capacitor/local-notifications`. The project is using Capacitor v8, but the plugin's Swift code (as patched by `scripts/patch-capacitor-local-notifications.ts`) is using an outdated API.

Specifically:
1. `call.getArray` now requires a second argument (a default value) and returns a non-optional `JSArray`.
2. `CAPPluginCall` no longer has a `reject` method; it has been replaced by `unimplemented` or `resolve(JSObject)` / `error(String, String, Error, JSObject)`. Based on common patterns in Capacitor 6+, `reject` is typically replaced by `call.error`.

I need to update `scripts/patch-capacitor-local-notifications.ts` to:
- Pass `[]` as the second argument to `call.getArray`.
- Remove the optional chaining `?.` from `call.getArray(...)` calls.
- Replace `call.reject(...)` with `call.error(...)`.

Modified `REPLACEMENTS` in `scripts/patch-capacitor-local-notifications.ts` should look like this:

```typescript
const REPLACEMENTS: ReadonlyArray<[RegExp, string]> = [
  [
    /guard let notifications = call\.getArray\("notifications",
JSObject\.self\) else \{/g,
    'guard let notifications = call.getArray("notifications",
[]).compactMap({ $0 as? JSObject }) else {',
  ],
  [
    /guard let notifications = call\.getArray\("notifications",
JSObject\.self\), notifications\.count > 0 else \{/g,
    'guard let notifications = call.getArray("notifications",
[]).compactMap({ $0 as? JSObject }), notifications.count > 0
else {',
  ],
  [
    /guard let types = call\.getArray\("types", JSObject\.self\)
else \{/g,
    'guard let types = call.getArray("types",
[]).compactMap({ $0 as? JSObject }) else {',
  ],
  [
    /call\.reject\(/g,
    'call.error(',
  ],
  [
    /return bridge\?\.localURL\(fromWebURL: webURL\)/g,
    [
      "        switch webURL.scheme {",
      '        case "res":',
      "            return
bridge?.config.appLocation.appendingPathComponent(webURL.path)",
      '        case "file":',
      "            return webURL",
      "        default:",
      "            return nil",
      "        }",
    ].join("\n"),
  ],
];
```

Please apply these changes to `scripts/patch-capacitor-local-notifications.ts`.

The following is the prior conversation context from the user's

chat exploration (may be truncated):

User: Please find a solution for this failing job. Use the logs, job definition, and any referenced files where the failure occurred. Keep your response focused on the solution and include code suggestions when appropriate.

Assistant: The build failure in job `72082365800` is caused by compilation errors in the iOS source code of the `@capacitor/local-notifications` plugin. The error messages indicate that the Swift code is attempting to call `getArray` with only one argument, whereas the installed version of Capacitor requires a second argument (a default value). Additionally, the `CAPPluginCall` object is missing the `reject` method, suggesting a version mismatch between the plugin and the Capacitor core libraries.

Analysis of the Failure
The logs show multiple errors in `LocalNotificationsPlugin.swift`:
1. **Missing Argument**: `error: missing argument for parameter #2 in call` when calling `call.getArray("notifications")`.
2. **Optional Chaining Error**: `error: cannot use optional chaining on non-optional value` because the new `getArray` signature returns a non-optional `JSArray`.
3. **Missing Member**: `error: value of type 'CAPPluginCall' has no member 'reject'`, which typically indicates the project is using a newer version of Capacitor where certain methods have been renamed or relocated.

The `package.json` contains a script specifically for patching this dependency: `"patch:capacitor-local-notifications": "node scripts/patch-capacitor-local-notifications.ts"`. This suggests the issue is known and requires a local patch to maintain compatibility.

Proposed Solution

The failure occurs because the patch script is either not being run during the CI process or the patch itself is outdated for the version of Capacitor being used. You should update the patch script to correctly handle the `getArray` and `reject` signatures.

1. Update the Patch Script
Modify `scripts/patch-capacitor-local-notifications.ts` to ensure it correctly transforms the Swift code to match the

Capacitor 6+ API requirements.

```typescript
// scripts/patch-capacitor-local-notifications.ts (Partial
suggestion)

const patchSwiftFile = (content: string) => {
  let patched = content;

  // 1. Fix getArray calls: add empty array as default value and
remove optional chaining
  // From: call.getArray("notifications")?.
  // To:   call.getArray("notifications", [])?. -> Note: if it's
non-optional now, remove '?'
  patched = patched.replace(
    /call\.getArray\("(.+?)"\)\?/g,
    'call.getArray("$1", [])'
  );

  // 2. Fix reject calls: Capacitor 6 uses call.unavailable() or
call.error()
  // or requires specific formatting if 'reject' was removed
from the bridge.
  // Based on the error, if 'reject' is missing, check the
Capacitor migration guide.
  // Usually, it's replaced by call.error() or renamed.
  patched = patched.replace(/\.reject\(/g, '.error(');

  return patched;
};
```

2. Ensure Patch Runs in CI
Verify that the `.github/workflows/release.yml` workflow
executes the patch script before starting the iOS build. It
should be called after `bun install` but before the Xcode build
step:

```yaml
- name: Patch Dependencies
  run: bun run patch:capacitor-local-notifications
```

3. Verify Capacitor Versions
Check the `package.json` in `apps/mobile` (if applicable) to
ensure `@capacitor/core` and `@capacitor/ios` versions are
synchronized with the version expected by the plugin. If you

recently upgraded Capacitor to v6, the `reject` method on `CAPPluginCall` may need to be replaced with `resolve` or `error` depending on the logic.

User: fix for me

Assistant: The build failure was caused by a compatibility issue between the `@capacitor/local-notifications` plugin and the updated Capacitor core libraries (v8) used in the project. The plugin's Swift code was using outdated API signatures for `getArray` and `reject`, which led to compilation errors in Xcode.

I have submitted a pull request to update the dependency patch script:

Changes Made
1. **Updated `getArray` Signature**: Modified the patch for `LocalNotificationsPlugin.swift` to include the required second argument (`[]`) for `call.getArray` and removed the optional chaining since the new API returns a non-optional `JSArray`.
2. **Fixed `reject` Method**: Replaced calls to the deprecated `call.reject(...)` method with `call.error(...)` to align with the latest Capacitor plugin requirements.
3. **Corrected Patch Logic**: Ensured the patch correctly transforms the original source code into a format compatible with Capacitor v8.

Recommended Next Steps
1. **Merge the PR**: Once merged, the next CI run will apply the corrected patches to the `node_modules`.
2. **Local Verification**: Run `bun run patch:capacitor-local-notifications` locally and verify that `apps/mobile/ios/App` builds successfully in Xcode.

</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.

<prev_assistant>

Implemented — I updated `/home/runner/work/okcode/okcode/scripts/patch-capacitor-local-notifications.ts` exactly as requested.

✅ Changes made in `REPLACEMENTS`
- Added `[]` as the second argument to `call.getArray(...)`
- Removed optional chaining (`?.`) from those `getArray` replacements
- Replaced all `call.reject(` with `call.error(`

So the relevant block now matches your target form, including:

- `call.getArray("notifications", []).compactMap(...)`
- `call.getArray("types", []).compactMap(...)`
- `call.error(` replacement entry
- existing `bridge?.localURL` switch replacement retained

CI failure investigation done
Per CI-failure workflow, I checked GitHub Actions and pulled logs for job `72082365800`; logs confirm the exact Capacitor v8 API breakages you listed (`getArray` signature + optional chaining + missing `reject`).

Validation run
- `parallel_validation` completed:
  - Code Review: no findings
  - CodeQL: no alerts

Note on local repo checks
I attempted required local checks (`bun run fmt`, `bun run lint`, `bun run typecheck`) before/after changes, but this environment has Bun package manifest download/parse failures from registry responses, so those commands could not complete successfully here.

<current>

<request>

You are working on a task in the 'OpenKnots/okcode' repository.

<repository_context>

I've cloned the repository in the directory /home/runner/work/okcode/okcode (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-20T07:47:01.782Z</current_datetime>

Consider the following problem statement:

<problem_statement>
resolve conflicts in open pr
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.