cf42e1be-3014-4fd7-b8f5-5277168cd024

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'phuocle/Dataverse-Dialog-Builder' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Dataverse-Dialog-Builder/Dataverse-Dialog-Builder (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-12-07T23:31:50.918Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Fix bugs in GrapesJS: invalid SVG xmlns, class mismatch, orphan tags, style syntax
</pr_title>

<pr_description>
Code review of the GrapesJS project identified several bugs affecting component rendering and styling.

Fixed Issues

- **Invalid SVG namespace URLs** (`const.js`): `xmlns="http =//..."` → `xmlns="http://..."` in IconLock, IconEvent, PcfIcon, IconClick constants
- **Class name mismatch** (`richtextbox.js`): Component declared `DDBRichTextBox` but isComponent checks for `DDBControlRichTextBox`
- **Orphan closing tags** (`label.js`, `button.js`, `optionset.js`): Removed stray `</span>` tags with no matching opener
- **Style syntax** (`traits.js`): `style.backgroundColor = 'gray;'` → `'gray'` (semicolons invalid in JS style values)
- **View name separator** (`subgrid.js`, `chart.js`): Multiple view names concatenated without delimiter; added `, ` separator

Example

Before:
```javascript
// const.js - broken SVG
export const IconLock = `<svg xmlns="http =//www.w3.org/2000/svg">...`;

// traits.js - invalid style syntax
input.style.backgroundColor = 'gray;';
```

After:
```javascript
export const IconLock = `<svg xmlns="http://www.w3.org/2000/svg">...`;

input.style.backgroundColor = 'gray';
```

</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_reviews>

<comment_thread_resolved>

<file>DataverseDialogBuilder.GrapesJS/src/components/control/chart.js:166</file>
<original_commit>7d446a8</original_commit>

<comment_old>
<author>@phuocle</author>
Why -2 pls explain, my code -1
</comment_old>

</comment_thread_resolved>

<comment_thread>
<file>DataverseDialogBuilder.GrapesJS/src/components/control/subgrid.js:174</file>
<original_commit>7d446a8</original_commit>

```
<comment_new>
<comment_id>2596694484</comment_id>
<author>@phuocle</author>
Why -2
</comment_new>
```

```
<comment_new>
<comment_id>2596694484</comment_id>
<author>@phuocle</author>
@copilot
</comment_new>
```

</comment_thread>

</pr_reviews>

<pr_comments>

```
<comment_new>
<comment_id>3549711016</comment_id>
<author>copilot-pull-request-reviewer[bot]</author>
## Pull request overview

This pull request fixes several bugs in the GrapesJS component that were affecting component rendering, SVG display, and string formatting. The changes address invalid SVG namespace URLs, incorrect JavaScript style syntax, a component class name mismatch, orphan HTML closing tags, and improper string concatenation for multiple view names.

### Key Changes
- Fixed invalid SVG namespace URLs by correcting
```

```
`xmlns="http =//..."` to `xmlns="http://..."` in four SVG
icon constants
- Corrected JavaScript style property assignments by
removing trailing semicolons from string values
- Fixed component detection bug by aligning the class name
used in the component definition with the isComponent check
- Removed orphan `</span>` closing tags that had no matching
opening tags in three component files
- Improved view name concatenation by using comma-space
separator instead of semicolon/nothing and adjusting
substring offset accordingly

### Reviewed changes

Copilot reviewed 9 out of 10 changed files in this pull
request and generated no comments.









---

💡 <a>Add Copilot custom instructions</a> for smarter, more
guided reviews. <a href="https://docs.github.com/en/copilot/
customizing-copilot/adding-repository-custom-instructions-
for-github-copilot">Learn how to get started</a>.
</comment_new>
```

```
</pr_comments>

</comments>

----
The last **3** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>
```

```
Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
```

Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.

<prev_assistant>

The explanation has been provided to the user. The change I made is correct - using `, ` as a separator requires `-2` to remove the trailing separator. The original code with `-1` was actually a bug since no separator was being added between view names.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'phuocle/Dataverse-Dialog-Builder' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/Dataverse-Dialog-Builder/Dataverse-Dialog-Builder (not in /tmp/inputs). Always use absolute paths when referring to files in the

repository.
</repository_context>

<current_datetime>2025-12-14T00:12:55.865Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Fix bugs in GrapesJS: invalid SVG xmlns, class mismatch, orphan tags, style syntax
</pr_title>

<pr_description>
Code review of the GrapesJS project identified several bugs affecting component rendering and styling.

Fixed Issues

- **Invalid SVG namespace URLs** (`const.js`): `xmlns="http =//..."` → `xmlns="http://..."` in IconLock, IconEvent, PcfIcon, IconClick constants
- **Class name mismatch** (`richtextbox.js`): Component declared `DDBRichTextBox` but isComponent checks for `DDBControlRichTextBox`
- **Orphan closing tags** (`label.js`, `button.js`, `optionset.js`): Removed stray `</span>` tags with no matching opener
- **Style syntax** (`traits.js`): `style.backgroundColor = 'gray;'` → `'gray'` (semicolons invalid in JS style values)
- **View name separator** (`subgrid.js`, `chart.js`): Multiple view names concatenated without delimiter; added `, ` separator

Example

Before:
```javascript
// const.js - broken SVG
export const IconLock = `<svg xmlns="http =//www.w3.org/2000/svg">...`;

// traits.js - invalid style syntax
input.style.backgroundColor = 'gray;';
```

```

After:
```javascript
export const IconLock = `<svg xmlns="http://www.w3.org/2000/
svg">...`;

input.style.backgroundColor = 'gray';
```


</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_reviews>

<comment_thread_resolved>
<file>DataverseDialogBuilder.GrapesJS/src/components/control/
chart.js:166</file>
<original_commit>7d446a8</original_commit>

<comment_old>
<author>@phuocle</author>
Why -2 pls explain, my code -1
</comment_old>

</comment_thread_resolved>

<comment_thread>
<file>DataverseDialogBuilder.GrapesJS/src/components/control/
subgrid.js:174</file>
<original_commit>7d446a8</original_commit>

<comment_old>
<author>@phuocle</author>
Why -2
</comment_old>

<comment_old>
<author>@phuocle</author>
@copilot
</comment_old>
```

<comment_old>
<author>@copilot</author>
The `-2` is needed because I changed the separator from nothing to `, ` (comma + space = 2 characters).

Original code:
```javascript
viewnames += `${await Crm.GetViewName(...)}`;  // no separator
viewnames.substring(0, viewnames.length - 1);  // removes last char of last name (bug)
```

My fix:
```javascript
viewnames += `${await Crm.GetViewName(...)}, `;  // adds ", " separator
viewnames.substring(0, viewnames.length - 2);   // removes trailing ", "
```

The original `-1` was actually a bug since no trailing character was being added - it would incorrectly truncate the last view name. If you'd prefer to keep the original behavior without a separator, I can revert this change.
</comment_old>

</comment_thread>

</pr_reviews>

<pr_comments>

<comment_old>
<author>copilot-pull-request-reviewer[bot]</author>
Pull request overview

This pull request fixes several bugs in the GrapesJS component that were affecting component rendering, SVG display, and string formatting. The changes address invalid SVG namespace URLs, incorrect JavaScript style syntax, a component class name mismatch, orphan HTML closing tags, and improper string concatenation for multiple view names.

Key Changes
- Fixed invalid SVG namespace URLs by correcting `xmlns="http=//..."` to `xmlns="http://..."` in four SVG icon constants

- Corrected JavaScript style property assignments by removing trailing semicolons from string values
- Fixed component detection bug by aligning the class name used in the component definition with the isComponent check
- Removed orphan `</span>` closing tags that had no matching opening tags in three component files
- Improved view name concatenation by using comma-space separator instead of semicolon/nothing and adjusting substring offset accordingly

Reviewed changes

Copilot reviewed 9 out of 10 changed files in this pull request and generated no comments.

💡 <a>Add Copilot custom instructions for smarter, more guided reviews. Learn how to get started.
</comment_old>

<comment_new>
<comment_id>3649959573</comment_id>
<author>@phuocle</author>
@copilot approved

> ## Pull request overview
>
> This pull request fixes several bugs in the GrapesJS component that were affecting component rendering, SVG display, and string formatting. The changes address invalid SVG namespace URLs, incorrect JavaScript style syntax, a component class name mismatch, orphan HTML closing tags, and improper string concatenation for multiple view names.
>
> ### Key Changes
> - Fixed invalid SVG namespace URLs by correcting `xmlns="http =//..."` to `xmlns="http://..."` in four SVG

```
icon constants
&gt; - Corrected JavaScript style property assignments by
removing trailing semicolons from string values
&gt; - Fixed component detection bug by aligning the class
name used in the component definition with the isComponent
check
&gt; - Removed orphan `</span>` closing tags that had no
matching opening tags in three component files
&gt; - Improved view name concatenation by using comma-space
separator instead of semicolon/nothing and adjusting
substring offset accordingly
&gt;
&gt; ### Reviewed changes
&gt;
&gt; Copilot reviewed 9 out of 10 changed files in this pull
request and generated no comments.
&gt;
&gt;
&gt;
&gt;
&gt;
&gt;
&gt;
&gt;
&gt;
&gt; ---
&gt;
&gt; 💡 <a>Add Copilot custom instructions</a> for smarter,
more guided reviews. <a href="https://docs.github.com/en/
copilot/customizing-copilot/adding-repository-custom-
instructions-for-github-copilot">Learn how to get started</
a>.


</comment_new>
</pr_comments>

</comments>

----
The last **3** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>


Analyze and determine if action or explanation is needed
<rules_for_making_changes>
```

```
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>




A **CI/Build Failure** has been mentioned in the problem statement,
make sure to follow your instructions for addressing CI/Build
Failures.
```