cff99e1d-3d8b-427a-b70b-636a18bb0f36

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'MervinPraison/PraisonAI' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/PraisonAI/PraisonAI (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-24T09:15:43.960+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
fix: DbSessionAdapter.clear_session must purge persisted messages
</pr_title>

<pr_description>
Bug and impact

`DbSessionAdapter.clear_session()` only cleared the in-memory `_history_cache`. Callers such as `BotSessionManager._save_history()` use **clear + rewrite** to trim history. Persisted messages in the database were never removed, so `on_agent_start()` reloaded the full old history after a process restart or a new adapter instance.

```
**User impact:** DB-backed bots and managed agents appeared to
trim/clear chat history in-process, but stale messages came back
on reload—wrong context for the LLM and possible privacy issues
(cleared messages resurfacing).

## Root cause

`clear_session` did not call `conversation.delete_messages()`
(when available) and did not reset `_sessions` / hydration from
`on_agent_start`, so appended DB rows accumulated across trim
operations.

## Fix

- Purge persisted messages via
`conversation.delete_messages(session_id, None)` when the DB
exposes a conversation store
- End active session with `on_agent_end` before reset
- Track cleared sessions so the next `on_agent_start` does not
repopulate cache from stale DB rows

## Validation

- Repro script confirmed stale reload before fix
- `tests/managed/
test_managed_persistence.py::TestDbSessionAdapter::test_clear_se
ssion_purges_db_history`
- Existing `tests/unit/session/test_session_store.py` race tests
still pass

## Recent scan context

Commits #1724–#1727 fixed analogous TOCTOU issues on
`DefaultSessionStore` (file-backed). This closes the same class
of bug for the DB-backed adapter path.




</pr_description>

## Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>
```

<comment_new>
<comment_id>4527930809</comment_id>
<author>@MervinPraison</author>
@coderabbitai review
</comment_new>

<comment_new>
<comment_id>4527930830</comment_id>
<author>@MervinPraison</author>
/review
</comment_new>

<comment_new>
<comment_id>4527941221</comment_id>
<author>@MervinPraison</author>
@copilot Do a thorough review of this PR. Read ALL existing reviewer comments above from Qodo, Coderabbit, and Gemini first — incorporate their findings.

Review areas:
1. **Bloat check**: Are changes minimal and focused? Any unnecessary code or scope creep?
2. **Security**: Any hardcoded secrets, unsafe eval/exec, missing input validation?
3. **Performance**: Any module-level heavy imports? Hot-path regressions?
4. **Tests**: Are tests included? Do they cover the changes adequately?
5. **Backward compat**: Any public API changes without deprecation?
6. **Code quality**: DRY violations, naming conventions, error handling?
7. **Address reviewer feedback**: If Qodo, Coderabbit, or Gemini flagged valid issues, include them in your review
8. Suggest specific improvements with code examples where possible
</comment_new>

</pr_comments>

</comments>

The last **1** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the

<comments> before making any changes. Treat <comment_old> comments as context only and do not make changes solely to satisfy them.
* Only act on <comment_new> comments that explicitly mention you (@copilot). To understand the context of comments that explicitly mention you, you may use other comments that do not explicitly mention you. Do not act on comments that don't explicitly mention you or reply to them, even if they are marked as <comment_new>.
* If the PR author has pushed back on or rejected a suggestion in a thread, do not act on that thread.
* For each comment you decide to act on, determine:
    - If it is a request for changes, a question on the code, or a suggestion.
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

<system_reminder>
You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command should be sequential as it requires the sessionID).
</system_reminder>

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.