d2192b31-1363-42f7-bbe2-90d53afc5db8

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'intrafind/ihub-apps' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/ihub-apps/ihub-apps (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-21T18:09:28.764Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
[WIP] Add enable/disable tools functionality in chat
</pr_title>

<pr_description>
Thanks for assigning this issue to me. I'm starting to work on it and will keep this PR's description up to date as I form a plan and make progress.

<issue_title>Enable/disable Tools in chat</issue_title>
><issue_description>For apps, which have tools configured, I want to be able to enable/disable them. This would allow to have one chat app, where I can decide if I want the model to search in the internet or not for example. </issue_description>
>

```
  &gt; ## Comments on the Issue (you are @copilot in this section)
  &gt;
  &gt;<comments>
  &gt;</comments>
  &gt;</pr_description>

  ## Comments on the PR (you are @copilot in this section)

  <comments>

  <pr_comments>
    <comment_new>
    <comment_id>3688682091</comment_id>
    <author>@manzke</author>
    @copilot retry
    </comment_new>
  </pr_comments>

  </comments>

  ----
  The last **1** git commits in this branch are the changes you
  have made so far. Use those as your change commit history.
  </problem_statement>


Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```

<prev_assistant>

Copilot encountered an unknown Git error. If the problem persists, please contact GitHub Support. To retry, leave a comment on this pull request asking Copilot to try again.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'intrafind/ihub-apps' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/ihub-apps/ihub-apps (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-22T10:58:54.745Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
[WIP] Add enable/disable tools functionality in chat
</pr_title>

<pr_description>
Implementation Plan

Goal
Add the ability for users to enable/disable individual tools during a chat session for apps that have tools configured.

```
### Implementation Steps

**1. Frontend Changes:**
- [x] Understand existing architecture
- [ ] Add `enabledTools` state to `useAppSettings` hook
- [ ] Save/load `enabledTools` in session storage
- [ ] Add tools selection UI in `AppConfigForm` component
- [ ] Pass `enabledTools` to chat API calls
- [ ] Add translations for new UI elements

**2. Backend Changes:**
- [ ] Modify `RequestBuilder` to accept `enabledTools` parameter
- [ ] Update `getToolsForApp` to filter by enabled tools
- [ ] Ensure tools are properly filtered before being sent to
LLM

**3. Testing &amp;amp; Validation:**
- [ ] Test with apps that have tools configured
- [ ] Verify tools can be enabled/disabled
- [ ] Ensure settings persist across sessions
- [ ] Test with different tool combinations

### Technical Details

The implementation will:
1. Add a new `enabledTools` array to app settings (stored in
sessionStorage)
2. Default to all tools enabled (backward compatible)
3. Allow users to toggle individual tools on/off in the settings
panel
4. Filter tools on the backend based on user selection
5. Provide a checkbox list UI similar to existing settings
controls

<issue_title>Enable/disable Tools in chat</issue_title>
&amp;gt;<issue_description>For apps, which have tools configured, I
want to be able to enable/disable them. This would allow to have
one chat app, where I can decide if I want the model to search
in the internet or not for example. </issue_description>
&amp;gt;
&amp;gt; ## Comments on the Issue (you are @copilot in this section)
&amp;gt;
&amp;gt;<comments>
&amp;gt;</comments>
&amp;gt;</pr_description>

## Comments on the PR (you are @copilot in this section)
```

```
<comments>

<pr_comments>

<comment_old>
<author>@manzke</author>
@copilot retry
</comment_old>

  <comment_new>
  <comment_id>3783781890</comment_id>
  <author>@manzke</author>
  @copilot retry
  </comment_new>

</pr_comments>

</comments>

----
The last **1** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement>
```

```
Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```