d401dc63-b9ff-438c-bbba-ca2ffa60afb0

<current>

<request>

```
You are working on an issue in the 'github/gh-aw-firewall'
repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/gh-aw-
firewall/gh-aw-firewall (not in /tmp/inputs). Always use absolute
paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-06-21T16:06:39.722+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
----

*This section details on the original issue you should resolve*

<issue_title>[Refactoring] Split `src/docker-manager-
cleanup.test.ts` by concern group (config writing, cleanup,
diagnostics)</issue_title>
<issue_description>## Refactoring Opportunity

### Summary
- **File**: `src/docker-manager-cleanup.test.ts`
- **Current size**: 781 lines
- **Responsibilities identified**: 3 distinct operational
concerns (config writing, container cleanup, diagnostics
collection/preservation)

### Evidence

The file contains 5 top-level describe blocks under one outer
wrapper, with very large individual sections:

| Describe block | Line range | Size |
```

```
|----------------|------------|------|
| `writeConfigs` | 30–363 | **333 lines** |
| `cleanup` | 363–550 | **187 lines** |
| `collectDiagnosticLogs` | 550–672 | **122 lines** |
| `cleanup - diagnostics preservation` | 672–731 | 59 lines |
| `preserveIptablesAudit` | 731–781 | 50 lines |

The three concern groups are functionally independent:

1. **Config writing** (`writeConfigs`): Tests that `squid.conf`, `docker-compose.yml`, seccomp profile, and work directory are correctly assembled — this is about file I/O and config generation, not cleanup.

2. **Container teardown** (`cleanup`): Tests that containers are stopped, volumes removed, temp dirs deleted — pure lifecycle management.

3. **Diagnostics** (`collectDiagnosticLogs`, `cleanup - diagnostics preservation`, `preserveIptablesAudit`): Tests log collection from Squid/agent containers and artifact preservation — observability concerns completely separate from either config generation or lifecycle.

The `writeConfigs` section at **333 lines** is more than 4× the 80-line threshold and mixes multiple config file types (Squid, Docker Compose, seccomp) without sub-grouping.

### Proposed Split

`src/docker-manager-cleanup.test.ts` (781 lines) could be split into:
- **`docker-manager-write-configs.test.ts`** — `writeConfigs` describe (~333 lines), covering config-file generation
- **`docker-manager-cleanup.test.ts`** — `cleanup` and `cleanup - diagnostics preservation` describes (~250 lines), covering container teardown
- **`docker-manager-diagnostics.test.ts`** — `collectDiagnosticLogs` and `preserveIptablesAudit` describes (~170 lines), covering observability/audit

### Affected Callers

Test-only file; no production imports.

### Effort Estimate
Low — mechanical describe-block migration; shared mock setup
```

```
(execa mocks) may need a small helper module.

### Benefits
- Config generation tests can run independently of teardown
tests
- Diagnostics tests are easier to locate and extend when they
live in their own file
- Reduces the chance of cascading mock setup affecting unrelated
test scenarios

---
*Detected by Refactoring Scanner workflow. Run date: 2026-06-20*




&gt; Generated by <a href="https://github.com/github/gh-aw-
firewall/actions/runs/27875459714">Refactoring Opportunity
Scanner</a> · 143.8 AIC · ⊞ 6.9K · <a href="https://github.com/
search?q=repo%3Agithub%2Fgh-aw-firewall+is%3Aissue+%22gh-aw-
workflow-call-id%3A+github%2Fgh-aw-firewall%2Frefactoring-
scanner%22&amp;type=issues">◷</a>
&gt; - [x] expires  on Aug 19, 2026, 3:38 PM UTC




</issue_description>
- Closes github/gh-aw-firewall#5325

<agent_instructions>create a PR that addresses this issue</
agent_instructions>

## Comments on the Issue (you are @copilot in this section)

<comments>
</comments>
</problem_statement>
```

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.