d7957689-e2df-4162-8121-5ea2ddbbecce

<prev_user>

<request>

You are working on an issue in the 'pmndrs/docs' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/docs/docs (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-27T12:30:32.225Z</current_datetime>

Consider the following problem statement:

<problem_statement>
dans la page renomme getting-started/authoring.mdx en authoring/introduction.mdx puis fais de chaque composant : Intro, Keypoints, Img... etc une page dediee, eg: authoring/intro.mdx, ... etc. Remplace `<details>` par `## Result` Enfin, test() chacune dans app/[...slug]/page.test.ts
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

Perfect! The build is successful. Now let me create a summary of the work completed:

Summary

I've successfully completed the task to restructure the authoring

documentation. Here's what was done:

Changes Made:

1. **Renamed and Moved Main File:**
   - Renamed `docs/getting-started/authoring.mdx` to `docs/authoring/introduction.mdx`

2. **Created Separate Component Pages:**
   - `authoring/intro.mdx` - Intro component documentation
   - `authoring/keypoints.mdx` - Keypoints component documentation
   - `authoring/img.mdx` - Image component documentation
   - `authoring/code.mdx` - Codation
   - `authoring/mermaid.mdx` - Mermaid diagrams documentation
   - `authoring/grid.mdx` - Grid component documentation
   - `authoring/sandpack.mdx` - Sandpack component documentation
   - `authoring/codesandbox.mdx` - Codesandbox component documentation
   - `authoring/gha.mdx` - GitHub Alerts documentation
   - `authoring/hint.mdx` - Hint component documentation (deprecated)
   - `authoring/contributors.mdx` - Contributors component documentation
   - `authoring/backers.mdx` - Backers component documentation

3. **Replaced `<details>` Tags:**
   - All `<details>` tags have been replaced with `## Result` section headers throughout all the new documentation pages

4. **Moved Supporting Assets:**
   - Moved `authoring-sandpack-cloud/` folder to `docs/authoring/`
   - Moved `gutenberg.jpg` image to `docs/authoring/`

5. **Updated Tests:**
   - Updated `src/app/[...slug]/page.test.ts` to include tests for all new pages
   - Each page has both light and dark mode test variants (26 new tests total)

Verification:
- ✅ Build successful
- ✅ Linter passed on all changed files
- ✅ Act CI dry-run validation passed
- ✅ Code review passed with no issues after addressing initial feedback
- ✅ All supporting assets moved correctly

The restructuring improves the documentation by giving each component its own dedicated page, making it easier to find and understand specific components.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'pmndrs/docs' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/docs/docs (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-01-27T12:50:11.559Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Split authoring docs into component-specific pages
</pr_title>

<pr_description>
Restructures the monolithic `getting-started/authoring.mdx` into discrete pages under `authoring/`, one per component.

Changes

- **Renamed**: `getting-started/authoring.mdx` → `authoring/introduction.mdx`
- **Split into component pages**: Intro, Keypoints, Img, Code, Mermaid, Grid, Sandpack, Codesandbox, Gha, Hint, Contributors, Backers (12 new pages)
- **Replaced** `<details>` collapsibles with `## Result` section headers
- **Moved assets**: `authoring-sandpack-cloud/` and `gutenberg.jpg` to `authoring/` directory
- **Added tests**: 26 new test cases in `page.test.ts` (light/dark variants for each page)

```
## Example

Before: `/getting-started/authoring` with all components
documented in one file

After:
- `/authoring/introduction` - Overview and frontmatter
- `/authoring/intro` - Intro component
- `/authoring/sandpack` - Sandpack component
- ...etc

&gt; [!WARNING]
&gt;
&gt;
```

```
</pr_description>

## Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>
```

```
<comment_new>
<comment_id>3805052282</comment_id>
<author>@abernier</author>
@copilot remove " Component" from authoring pages title

set `## Result` a h3 instead
</comment_new>
```

```
</pr_comments>

</comments>

----
The last **5** git commits in this branch are the changes you
```

```
have made so far. Use those as your change commit history.
</problem_statement>
```

```
Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address them.
Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a
suggestion.
    - Is it addressed to you or someone else, e.g. "Hey
@username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can
stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and
ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```