d9391cff-99eb-47eb-a490-d97ba9eb1289

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'dotnet/runtime' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/runtime/runtime (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-06T23:11:44.580Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add analyzer+codefix for unsafe methods missing [RequiresUnsafe]
</pr_title>

<pr_description>
Description

Cherry-pick of PR #125195 (agocke/runtime). Adds a Roslyn analyzer and code fixer that warns on methods with the `unsafe` modifier but missing `[RequiresUnsafe]`, and applies `[RequiresUnsafe]` to all `unsafe` methods in System.Private.CoreLib.

- **Analyzer** (`UnsafeMethodMissingRequiresUnsafeAnalyzer`): Reports `IL2900` on `unsafe` methods lacking `[RequiresUnsafe]`

- **Code fixer**
(`UnsafeMethodMissingRequiresUnsafeCodeFixProvider`): Adds
`[RequiresUnsafe]` attribute automatically
- **Attribute application**: 276 files across CoreCLR and shared
CoreLib annotated with `[RequiresUnsafe]`
- **Merge conflict resolution**: `MdImport.cs` — kept current
`LibraryImport`/`partial` signature (diverged from fork's
`MethodImpl`/`extern`), added `[RequiresUnsafe]`
</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_reviews>

<comment_thread>
<file>src/libraries/System.Private.CoreLib/src/System/
IntPtr.cs:61</file>
<original_commit>eeb56b0</original_commit>

<comment_new>
<comment_id>2898255783</comment_id>
<author>@jkotas</author>
Revert IntPtr.cs and UIntPtr.cs. They are one of those
corner cases where pointers do not imply RequiresUnsafe.
</comment_new>

<comment_new>
<comment_id>2898255783</comment_id>
<author>@agocke</author>
@copilot+claude-opus-4.6 please fix
</comment_new>

</comment_thread>

</pr_reviews>

</comments>

The last **11** git commits in this branch are the changes you
have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the
<comments> before making any changes. You will only address the
<comment_new> comments. Reply to new comments as you address
them. Ignore comments that are not actionable or directed at

you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

<prev_assistant>

Reverted the `[RequiresUnsafe]` annotations from `IntPtr.cs` and `UIntPtr.cs` as requested by @jkotas, since pointers in those files are a corner case that doesn't imply `RequiresUnsafe`. The revert was done in commit `c3d93e46`.

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'dotnet/runtime' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/runtime/runtime (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-06T23:19:54.986Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add analyzer+codefix for unsafe methods missing [RequiresUnsafe]
</pr_title>

<pr_description>
Description

Cherry-pick of PR #125195 (agocke/runtime). Adds a Roslyn analyzer and code fixer that warns on methods with the `unsafe` modifier but missing `[RequiresUnsafe]`, and applies `[RequiresUnsafe]` to all `unsafe` methods in System.Private.CoreLib.

- **Analyzer** (`UnsafeMethodMissingRequiresUnsafeAnalyzer`): Reports `IL2900` on `unsafe` methods lacking `[RequiresUnsafe]`
- **Code fixer** (`UnsafeMethodMissingRequiresUnsafeCodeFixProvider`): Adds `[RequiresUnsafe]` attribute automatically
- **Attribute application**: 276 files across CoreCLR and shared CoreLib annotated with `[RequiresUnsafe]`
- **Merge conflict resolution**: `MdImport.cs` — kept current `LibraryImport`/`partial` signature (diverged from fork's `MethodImpl`/`extern`), added `[RequiresUnsafe]`
- **Corner case exclusion**: Reverted `[RequiresUnsafe]` from `IntPtr.cs` and `UIntPtr.cs` — pointers in those files do not imply `RequiresUnsafe`
</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_reviews>

<comment_thread_resolved>
<file>src/libraries/System.Private.CoreLib/src/System/IntPtr.cs:61</file>
<original_commit>eeb56b0</original_commit>

<comment_old>
<author>@jkotas</author>

Revert IntPtr.cs and UIntPtr.cs. They are one of those corner cases where pointers do not imply RequiresUnsafe.
</comment_old>

<comment_old>
<author>@agocke</author>
@copilot+claude-opus-4.6 please fix
</comment_old>

<comment_old>
<author>@copilot</author>
Reverted both `IntPtr.cs` and `UIntPtr.cs` in c3d93e46.
</comment_old>

</comment_thread_resolved>

<comment_thread>
<file>src/libraries/System.Private.CoreLib/src/System/Runtime/CompilerServices/Unsafe.cs:163</file>
<original_commit>c3d93e4</original_commit>

<comment_new>
<comment_id>2898331769</comment_id>
<author>@jkotas</author>
@copilot Revert RequiresUnsafe on Add and Subtract methods in this file. They do not dereference the pointer:
</comment_new>

</comment_thread>

</pr_reviews>

</comments>

The last **12** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".

```
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you
can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment
and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>
```