e1b9d81f-9ea7-425b-986a-3735b3c63f

<prev_user>

<request>

You are working on an issue in the 'Fraunhofer-AISEC/cpg' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/cpg/cpg (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-02-19T11:53:00.530Z</current_datetime>

Consider the following problem statement:

<problem_statement>
Already very good. Please split the page into multiple (maybe extra for examples and function references) and can you also provide some example code to analyse (maybe in C) for the example queries, to illustrate the dataflow example.
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

All changes are committed and pushed. Here's a summary of what was done:

Summary

The single `graph-traversal.md` page has been split into three focused pages under a new `graph-traversal/` subfolder:

1. `graph-traversal/index.md` — Overview & Parameters
- Introduction to the `followXXX` design
- `FulfilledAndFailedPaths` return type with `FailureReason` enum

- May/Must analysis tip
- Full parameter docs for: `predicate`, `collectFailedPaths`, `findAllPossiblePaths`, `direction`, `sensitivities` (all 5 options), `scope` (all 3 variants), `earlyTermination`, `ctx`

2. `graph-traversal/reference.md` — Function Reference
- Full signatures for every `followXXX` function (DFG, EOG, PDG, CDG)
- Summary tables for each group
- Complete list of all `collectAllXXX` helpers

3. `graph-traversal/examples.md` — Examples with C source code
Seven annotated examples, each shown with a **C source file** (tab-switched with the Kotlin analysis) to make the data flows concrete:

#	C program	Analysis technique
1	`encrypt_check.c`	Backward DFG — key argument must be a literal
2	`logging_check.c`	Intraprocedural DFG — sanitize before log_message
3	`malloc_check.c`	`earlyTermination` at function borders
4	`password_leak.c`	`maxCallDepth = 2` interprocedural
5	`null_check.c`	EOG reachability — null-check before dereference
6	`access_control.c`	Backward CDG — if-condition guards sensitive write
7	`user_input.c`	`collectAllNextDFGPaths` from `fgets` buffer

<current>

<request>

You are working on an issue in the 'Fraunhofer-AISEC/cpg' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/cpg/cpg (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-02-19T13:49:56.655Z</current_datetime>

Consider the following problem statement:

```
<problem_statement>
I cannot see these changes in the pull request
</problem_statement>
```

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.