e3e1ad4b-f72b-4a2d-a603-30559393dbc8

<prev_user>

<request>

You are working on an issue in the 'microsoft/webui' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/webui/webui (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-24T01:02:54.029Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section details on the original issue you should resolve

<issue_title>Crates have to be prefixed with microsoft-</issue_title>
<issue_description>That is our unique name, so update all the crates to be that</issue_description>

<agent_instructions>Make sure all the crates adn their references use microsoft-</agent_instructions>

Comments on the Issue (you are @copilot in this section)

<comments>
</comments>
</problem_statement>

Implement the necessary changes to the repository so that the requirements specified in the <problem_statement> are met.

<prev_assistant>

Here's a summary of everything that was done:

Summary

Problem: All Rust crates needed the `microsoft-` prefix for publishing to crates.io.

Approach:
Rather than touching every Rust source file, the change uses Cargo's `[lib] name` field. When set, it determines the Rust module name regardless of the package name — so `use webui_handler::...` keeps working even though the package is now called `microsoft-webui-handler`. This is the standard Cargo pattern for crate namespace renames.

Files changed:

File	Change
`crates/webui/Cargo.toml`	`name = "m| `crates/webui-expressions/Cargo.toml`	`name = "microsoft-webui-expressions"`, added `[lib] name = "webui_expressions"`
`crates/webui-ffi/Cargo.toml`	`name = "microsoft-webui-ffi"` (`[lib] name = "webui_ffi"` was already present)
`crates/webui-handler/Cargo.toml`	`name = "microsoft-webui-handler"`, added `[lib] name = "webui_handler"`
`crates/webui-node/Cargo.toml`	`name = "microsoft-webui-node"`, added `name = "webui_node"` to `[lib]`
`crates/webui-parser/Cargo.toml`	`name = "microsoft-webui-parser"`, added `[lib] name = "webui_parser"`
`crates/webui-protocol/Cargo.toml`	`name = "microsoft-webui-protocol"`, added `[lib] name = "webui_protocol"`
`crates/webui-state/Cargo.toml`	`name = "microsoft-webui-state"`, added `[lib] name = "webui_state"`
`crates/webui-test-utils/Cargo.toml`	`name = "microsoft-webui-test-utils"`, added `[lib] name = "webui_test_utils"`
`crates/webui-wasm/Cargo.toml`	`name = "microsoft-webui-wasm"`, added `name = "webui_wasm"` to `[lib]`
All example `Cargo.toml` files	Updated dependency keys to `microsoft-webui-*`
`xtask/src/main.rs`	Updated `-p` args for `cargo bench` to new crate names

| `xtask/src/build_examples.rs` | Updated `-p webui-cli` → `-p microsoft-webui-cli` |
| `xtask/src/dotnet.rs` | Updated build hint string |

Result: 649 tests pass, zero Rust source file changes required.

<current>

<request>

You are working on a task in the 'microsoft/webui' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/webui/webui (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-03-24T03:41:30.273Z</current_datetime>

Consider the following problem statement:

<problem_statement>
Soemthing broke the ci did we forget t rename? https://github.com/microsoft/webui/actions/runs/23468702123/job/68295068418?pr=123

https://github.com/microsoft/webui/actions/runs/23468702113/job/68294074926?pr=123. seems missed webui-ffi to microsoft-webui-ff
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.