e6f4c51c-330d-417e-b193-3ceaa8db1dd9

<prev_user>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'microsoft/chartifact' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/chartifact/chartifact (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-10-15T19:19:12.084Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add treebark plugin demo page with card examples
</pr_title>

<pr_description>
This PR adds a comprehensive demo page for the Treebark plugin at `packages/web-deploy/json/features/11.treebark.idoc.json`.

What's included

The demo showcases the key capabilities of the Treebark plugin

through four interactive examples:

1. **Static Card Example** - Basic card component with inline data demonstrating the template structure
2. **Dynamic Card with Variables** - Interactive card with textbox and slider controls showing real-time data binding using calculated variables
3. **Data-Driven Cards** - Responsive grid of cards generated from an array using the `$bind` attribute to iterate over team member data
4. **Conditional Rendering** - Dynamic messages that change based on score values using the `$if` attribute

Styling

Added 13 custom CSS rules for professional card presentation:
- Card components with shadows, borders, and rounded corners
- Badge indicators for active/inactive status
- Color-coded performance scores (green/yellow/red)
- Responsive CSS Grid layout for multi-card display
- Info boxes with accent borders

Documentation

The demo includes a prominent link to the official Treebark documentation at https://danmarshall.github.io/treebark/ to encourage further exploration of the library's capabilities.

Preview

View the live demo: https://microsoft.github.io/chartifact/view/?load=https://raw.githubusercontent.com/microsoft/chartifact/f15f196b2601c6fa0f799238c533ef34baacc9af/packages/web-deploy/json/features/11.treebark.idoc.json

Fixes the request to add a demo page for the treebark plugin in the features examples directory.

</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_new>
<comment_id>3407926081</comment_id>
<author>@danmarshall</author>
@copilot nice job! There's one error with your section on conditionals. See the console. Specifically:
```json
                {
                  "div": {
                    "$if": "score &gt;= 70 &amp;&amp; score &lt; 90",
                    "$children": [
                      {
                        "strong": {
                          "$children": [
                            "Good Performance"
                          ]
                        }
                      },
                      " Your score of {{score}} is above average."
                    ]
                  }
                }
```
the `$if` is used as a container tag, please see the treebark docs.
</comment_new>

</pr_comments>

</comments>

The last **3** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:

- If it a request for changes, a question on the code or a suggestion.
- Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
- Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

Ensure that you lint, build and test early and iteratively to validate each code change thoroughly.

<prev_assistant>

<empty>

<current>

<request>

You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'microsoft/chartifact' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/chartifact/chartifact (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2025-10-15T19:23:36.145Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
Add treebark plugin demo page with card examples
</pr_title>

<pr_description>
- [x] Research treebark library usage and card examples
- [x] Create treebark demo JSON file at packages/web-deploy/json/features/11.treebark.idoc.json
- [x] Add CSS styling for card display
- [x] Include link to https://danmarshall.github.io/treebark/ for documentation
- [x] Validate JSON structure
- [x] Fix data binding to use proper variableId mechanism
- [x] Fix conditional rendering to not use container divs
- [x] Generate preview link for testing

Preview Link
View the demo page at: https://microsoft.github.io/chartifact/view/?load=https://raw.githubusercontent.com/microsoft/chartifact/f15f196b2601c6fa0f799238c533ef34baacc9af/packages/web-deploy/json/features/11.treebark.idoc.json

Demo Features

The demo page includes 6 sections showcasing different treebark plugin capabilities:

1. **Introduction**: Overview and link to treebark documentation
2. **Static Card**: Simple card with static data
3. **Dynamic Card**: Interactive card with textbox, slider controls that update in real-time
4. **Data-Driven Cards**: Grid of cards generated from an array using `$bind`
5. **Conditional Rendering**: Dynamic messages using `$if` directly on elements
6. **Learn More**: Additional resources and documentation links

CSS Styling
Custom CSS classes for:
- Card components (header, body, footer)
- Badge indicators (active/inactive)

- Score coloring (high/medium/low)
- Responsive grid layout
- Info boxes with accent border

The demo follows the existing pattern of feature examples in the repository and includes proper schema validation.

</pr_description>

Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@danmarshall</author>
@copilot nice job! There's one error with your section on conditionals. See the console. Specifically:
```json
                {
                  "div": {
                    "$if": "score &gt;= 70 &amp;&amp; score &lt;
90",
                    "$children": [
                      {
                        "strong": {
                          "$children": [
                            "Good Performance"
                          ]
                        }
                      },
                      " Your score of {{score}} is above
average."
                    ]
                  }
                }
```
the `$if` is used as a container tag, please see the treebark docs.
</comment_old>

<comment_old>
<author>@copilot</author>

> @copilot nice job! There's one error with your section on conditionals. See the console. Specifically:
> ```json
>                 {
...

Fixed in d55a1d9. The `$if` attribute is now applied directly to the elements (strong tags and text nodes) instead of using wrapper div containers.
</comment_old>

<comment_new>
<comment_id>3407941089</comment_id>
<author>@danmarshall</author>
@copilot `$if` is a tag, not an attribute. look at the console and re-read the docs.
</comment_new>

</pr_comments>

</comments>

The last **4** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement>

Analyze and determine if action or explanation is needed
<rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

```
Ensure that you lint, build and test early and iteratively to
validate each code change thoroughly.
```