edc5f832-e4a1-4491-87ef-726f5e339010

<prev_user>

<request>

You are working on a task in the 'tveronesi/imdbinfo' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/imdbinfo/imdbinfo (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-08T12:40:28.468+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
try to run some script in the examples directory. those are kikw tests
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in

parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command should be sequential as it requires the sessionID).</system_reminder>

<prev_assistant>

I ran `examples/usage_example.py` after installing dependencies; it failed because DNS/network access to `api.graphql.imdb.com` isn't available in this environment. If you want a different example or a way to run it offline, tell me which script and any mock data to use.

<current>

<request>

You are working on a task in the 'tveronesi/imdbinfo' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/imdbinfo/imdbinfo (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-08T12:45:00.830+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
change files to make pytest installed by default
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a

```
single response.
For maximum efficiency, whenever you need to perform multiple
independent operations, ALWAYS call tools simultaneously whenever
the actions can be done in parallel rather than sequentially (e.g.
multiple reads/edits to different files). Especially when exploring
repository, searching, reading files, viewing directories,
validating changes. For example, you can read 3 different files in
parallel, or edit different files in parallel. However, if some tool
calls depend on previous calls to inform dependent values like the
parameters, do NOT call these tools in parallel and instead call
them sequentially (e.g. reading shell output from a previous command
should be sequential as it requires the sessionID).</
system_reminder>
```