f8eb00e6-4dfb-4b16-b100-8a1d9badd223

<current>

<request>
You have been given comments on the previous commits you made in the repository.

You are working on an issue in the 'joesdu/EasilyNET' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/EasilyNET/EasilyNET (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-04-11T20:17:32.965Z</current_datetime>

Consider the following problem statement:

<problem_statement>

This section includes details on the pull request with code changes you have already submitted to fix the problem above.

<pr_title>
更新 AGENTS.md 文件，修正生成日期和提交信息，增强各模块描述，添加依赖关系和复杂性热点信息
</pr_title>

<pr_description>
📝 描述 (Description)

🔗 相关问题 (Related Issues)

- Closes #

- Fixes #

🏷 变更类型 (Type of Change)

- [ ] 🐛 错误修复 (Bug fix) (non-breaking change which fixes an issue)
- [ ] ✨ 新功能 (New feature) (non-breaking change which adds functionality)
- [ ] 💥 破坏性变更 (Breaking change) (fix or feature that would cause existing functionality to not work as expected)
- [ ] 📚 文档更新 (Documentation update)
- [ ] 🔧 重构 (Refactor) (no functional changes)
- [ ] 🧪 测试 (Tests) (adding or updating tests)
- [ ] 🛠 构建/CI 变更 (Build/CI changes)
- [ ] 🎨 样式变更 (Style changes) (formatting, etc.)
- [ ] 🚀 性能改进 (Performance improvements)
- [ ] 🔒 安全改进 (Security improvements)

✔ 检查清单 (Checklist)

- [ ] 我的代码遵循项目的编码标准 (My code follows the project's coding standards)
- [ ] 我已经对自己的代码进行了自我审查 (I have performed a self-review of my own code)
- [ ] 我已经在难以理解的区域注释了我的代码 (I have commented my code, particularly in hard-to-understand areas)
- [ ] 我已经对文档进行了相应的更改 (I have made corresponding changes to the documentation)
- [ ] 我的更改不会产生新的警告或错误 (My changes generate no new warnings or errors)
- [ ] 我已经添加了证明我的修复有效或我的功能工作的测试 (I have added tests that prove my fix is effective or that my feature works)
- [ ] 新增和现有的单元测试在本地通过我的更改 (New and existing unit tests pass locally with my changes)
- [ ] 任何依赖变更都已合并并发布到下游模块 (Any dependent changes have been merged and published in downstream modules)

🧪 测试 (Testing)

- [ ] 单元测试 (Unit tests)

```
- [ ] 集成测试 (Integration tests)
- [ ] 手动测试 (Manual testing)
- [ ] 其他 (请指定) (Other (please specify)):

## 📸 截图 (如果适用) (Screenshots (if applicable))



## 🔍 附加说明 (Additional Notes)

</pr_description>

## Comments on the PR (you are @copilot in this section)

<comments>

<pr_comments>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
## Pull request overview

### EN

**Summary**
Documentation-only PR updating multiple `AGENTS.md` knowledge-base files to refresh module descriptions, add dependency notes, and highlight complexity hotspots.

**Changes:**
- Enriched per-module `AGENTS.md` overviews/structure guides (WebCore/Security/RabbitBus/Mongo/Core/AutoDI/sample).
- Added/expanded repository-level dependency graph, conventions, testing notes, and “complexity hotspots” sections in root `AGENTS.md`.
- Updated root `AGENTS.md` generated timestamp and commit metadata.

### Reviewed changes

Copilot reviewed 8 out of 8 changed files in this pull request and generated 5 comments.
```

</comment_old>

</pr_comments>

<pr_reviews>

<comment_thread_resolved>
<file>AGENTS.md:28-29</file>
<original_commit>d24cdae</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
结构树中声明存在 `test/EasilyNET.Core.Benchmark/`，但仓库当前 `test/` 目录下仅有 `EasilyNET.Test.Unit/`（未找到 Benchmark 项目/目录）。建议删除该条目或补充实际路径，避免误导贡献者。
```suggestion
│   └── EasilyNET.Test.Unit/  # Covers Core, Security, AutoDI
```
</comment_old>

</comment_thread_resolved>

<comment_thread_resolved>
<file>src/EasilyNET.Security/AGENTS.md:5</file>
<original_commit>d24cdae</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
这里写的 `BouncyCastle 2.7.0-beta` 与中央包版本不一致：`src/Directory.Packages.props` 中为 `BouncyCastle.Cryptography` 2.7.0-beta.98。另外，BouncyCastle 也被 RSA（如 `RsaKeyConverter`）使用，不仅是 SM2/SM3/RIPEMD。建议更新为准确版本与实际使用范围。
```suggestion
Cryptographic algorithms: AES, SM2/SM3/SM4, RSA, RIPEMD, DES, RC4, MD5. This package depends on `BouncyCastle.Cryptography` 2.7.0-beta.98 for RSA, SM2, SM3, and RIPEMD related implementations.
```
</comment_old>

</comment_thread_resolved>

<comment_thread>
<file>src/EasilyNET.AutoDependencyInjection/AGENTS.md:5</file>
<original_commit>d24cdae</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
依赖描述中的 `AutoDependencyInjection.Core` 与实际项目名不一致：`EasilyNET.AutoDependencyInjection` 通过 `ProjectReference` 引用的是 `EasilyNET.AutoDependencyInjection.Core`。建议在文档中使用完整包名/项目名以避免混淆。
</comment_old>

<comment_new>
<comment_id>3068546619</comment_id>
<author>@joesdu</author>
@copilot apply changes based on this feedback
</comment_new>

</comment_thread>

<comment_thread>
<file>src/EasilyNET.AutoDependencyInjection/AGENTS.md:21-22</file>
<original_commit>d24cdae</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
此处提到的 sibling 包名为 `AutoDependencyInjection.Core`，但仓库中的实际项目/包为 `EasilyNET.AutoDependencyInjection.Core`（见 `src/EasilyNET.AutoDependencyInjection.Core/EasilyNET.AutoDependencyInjection.Core.csproj`）。建议更正以便读者能正确定位。
</comment_old>

</comment_thread>

<comment_thread_resolved>
<file>src/EasilyNET.AutoDependencyInjection/AGENTS.md:30</file>
<original_commit>d24cdae</original_commit>

<comment_old>
<author>@copilot-pull-request-reviewer</author>
`Keyed services` 这一行仍引用 `DependencyInjectionAttribute` 所在包名为 `AutoDI.Core`/`AutoDependencyInjection.Core` 的表述（括号内）。建议统一为 `EasilyNET.AutoDependencyInjection.Core`，与 csproj/目录命名保持一致。
```suggestion
| Keyed services | `DependencyInjectionAttribute.ServiceKey` (in EasilyNET.AutoDependencyInjection.Core) |
```

```
</comment_old>

</comment_thread_resolved>

</pr_reviews>

</comments>

----
The last **4** git commits in this branch are the changes you have made so far. Use those as your change commit history.
</problem_statement><rules_for_making_changes>
* Start by fully understanding <problem_statement> and the <comments> before making any changes. You will only address the <comment_new> comments. Reply to new comments as you address them. Ignore comments that are not actionable or directed at you.
* For each new comment, determine:
    - If it a request for changes, a question on the code or a suggestion.
    - Is it addressed to you or someone else, e.g. "Hey @username, ..." or "@username can you ...".
    - Is it a general comment or praise.
* If there are no comments you need to address or reply to, you can stop now without exploring or explaining yourself.
* If the user's ask is not clear, you can reply to the comment and ask for clarification.
* If an action or explanation is needed, follow the steps below.
</rules_for_making_changes>

A **CI/Build Failure** has been mentioned in the problem statement, make sure to follow your instructions for addressing CI/Build Failures.
```