fe1dee0e-de57-4968-b530-1a75dd14f2c6

<prev_user>

<request>

You are working on a task in the 'nbauma109/jd-gui-duo' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/jd-gui-duo/jd-gui-duo (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-14T16:10:05.125+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
instructions for dev.to are incorrect! No API key at https://dev.to/settings/account !
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories,

validating changes. For example, you can read 3 different files in parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command should be sequential as it requires the sessionID).</system_reminder>

<prev_assistant>

You’re right — that instruction was outdated.

For Dev.to, use:

- **`https://dev.to/settings/extensions`**
- then the **DEV API Keys** section
- copy that value into `DEVTO_API_KEY`

I’ve updated the repo docs accordingly (`docs/distribution-submission.md`).

Note: I also ran the project test command first, but it failed in this environment because Java 25 is not available (`release version 25 not supported`).

<current>

<request>

You are working on a task in the 'nbauma109/jd-gui-duo' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/jd-gui-duo/jd-gui-duo (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-05-14T16:16:05.127+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
we forget about Twitter/X because it is not free! Let's remove it form the workflow file and the docs !
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<system_reminder>You have the capability to call multiple tools in a single response.
For maximum efficiency, whenever you need to perform multiple independent operations, ALWAYS call tools simultaneously whenever the actions can be done in parallel rather than sequentially (e.g. multiple reads/edits to different files). Especially when exploring repository, searching, reading files, viewing directories, validating changes. For example, you can read 3 different files in parallel, or edit different files in parallel. However, if some tool calls depend on previous calls to inform dependent values like the parameters, do NOT call these tools in parallel and instead call them sequentially (e.g. reading shell output from a previous command should be sequential as it requires the sessionID).</system_reminder>