ffbc7ff8-60b7-4a60-aff1-e3a8603af8f1

<prev_user>

<request>

You are working on a task in the 'langchain-ai/langchain-azure' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/langchain-azure/langchain-azure (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-06-29T18:29:08.263+00:00</current_datetime>

Consider the following problem statement:

<problem_statement>
Poetry has been removed as a package manager for this project, and now all the libraries should use the uv. Update the agent definition https://github.com/langchain-ai/langchain-azure/blob/main/.github/agents/langchain-azure.agent.md.
</problem_statement>

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.

<prev_assistant>

I've updated the agent definition at `.github/agents/langchain-azure.agent.md` to use **uv** instead of Poetry. The changes are documentation-only (no code), made after verifying the actual repository state:

- All packages now ship a `uv.lock` (confirmed under each `libs/*/`), and the Makefiles wrap `uv run --frozen` (e.g., `libs/azure-ai/Makefile`).
- CI (`.github/workflows/_lint.yml`) runs `uv lock --check`, not `poetry check`.

Specific edits:
1. **Repository Overview** — `poetry.lock` → `uv.lock`.
2. **Build System and Tooling** — replaced the "All packages use **Poetry**" intro and the `poetry install` / `poetry run` command block with uv equivalents (`uv sync --group ...`, `uv run --frozen --all-extras --group test pytest ...`, plus `uv lock --check` / `uv lock` for lockfile management).
3. **CI/CD** — `_lint.yml` description now lists `uv lock --check` instead of `poetry check`.
4. **Testing best-practices note** — the interactive `poetry run pytest ...` example is now the uv equivalent.

Other files in the repo (e.g., `.github/copilot-instructions.md`, `CONTRIBUTING.md`, `.githooks/`, devcontainer, and sample projects) still reference Poetry, but those are outside the scope of this task, which targeted the agent definition specifically. Let me know if you'd like those updated too.

<current>

<request>

You are working on a task in the 'langchain-ai/langchain-azure' repository.

<repository_context>
I've cloned the repository in the directory /home/runner/work/langchain-azure/langchain-azure (not in /tmp/inputs). Always use absolute paths when referring to files in the repository.
</repository_context>

<current_datetime>2026-06-30T13:32:48.579+00:00</current_datetime>

Consider the following problem statement:

```
<problem_statement>
Update the CONTRIBUTING.md, devcontainer, sample projects,
and .githooks/. For .github/copilot-instructions.md, remove the
file completely
</problem_statement>
```

First, determine whether the <problem_statement> requires code changes, an explanation, a plan, or analysis. Then follow the appropriate path:

If the task requires code changes:

If the task is a question or only requires creating a plan or analysis: respond directly without making code changes.