




1) Open Elastic Benstalk



2) Add Details

The screenshot shows the 'Name, review, and create' step in the AWS IAM console. The 'Role name' field is filled with 'nishal'. The 'Description' field contains 'Allows EC2 instances to call AWS services on your behalf.' Below this, the 'Trust policy' is displayed as a JSON snippet:

```
1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Effect": "Allow",
6       "Action": [
7         "sts:AssumeRole"
8       ],
9       "Principal": {
10        "Service": [
11          "ec2.amazonaws.com"
12        ]
13      }
14    ]
15  }
```

The screenshot shows the 'Roles' page in the AWS IAM console. A green banner at the top states 'Role nishal created.' Below this, a table lists the roles:

Role name	Trusted entities	Last activity
AWSServiceRoleForSupport	AWS Service: support (Service-Linker)	-
AWSServiceRoleForTrustedAdvisor	AWS Service: trustedadvisor (Service-Linker)	-
nishal	AWS Service: ec2	-


Below the table, there are sections for 'Roles Anywhere', 'Access AWS from your non AWS workloads', 'X.509 Standard', and 'Temporary credentials'.

3) Comeback to the Elastic Beanstalk

The screenshot shows the 'Roles' page in the AWS IAM console with a search for 'elasticbe'. The search results for 'elasticbe' are displayed on the left side of the page:

- Services**
 - [Elastic Beanstalk](#) - Run and Manage Web Apps
 - [Elastic Transcoder](#) - Easy-to-Use Scalable Media Transcoding
 - [Elastic Container Service](#) - Highly secure, reliable, and scalable way to run containers
 - [Elastic Container Registry](#) - Fully-managed Docker container registry: Share and deploy container software, publ...
- Features**
 - [Applications](#)
 - [Elastic Beanstalk feature](#)
 - [Environments](#)
 - [Elastic Beanstalk feature](#)
 - [Elastic IPs](#)
 - [EC2 feature](#)

The right side of the page shows the 'Role nishal created.' banner and the 'Roles' table.



Step 1
Configure environment

Step 2
Configure service access

Step 3 - optional
Set up networking, database, and tags

Step 4 - optional
Configure instance traffic and scaling

Step 5 - optional
Configure updates, monitoring, and logging

Step 6
Review

Configure environment [Info](#)

Environment tier [Info](#)

Amazon Elastic Beanstalk has two types of environment tiers to support different types of web applications.

☒ **Web server environment**
Run a website, web application, or web API that serves HTTP requests. [Learn more](#)

☐ **Worker environment**
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. [Learn more](#)

Application information [Info](#)

Application name
WebApp
Maximum length of 100 characters.

► Application tags (optional)

Environment information [Info](#)

Choose the name, subdomain and description for your environment. These cannot be changed later.

Environment name
WebApp-env
Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.

Domain
Leave blank for autogenerated value .eu-north-1.elasticbeanstalk.com [Check availability](#)

Platform info

Platform type

☒ Managed platform
Platforms published and maintained by Amazon Elastic Beanstalk. [Learn more](#)

☐ Custom platform
Platforms created and owned by you. This option is unavailable if you have no platforms.

Platform

Python

Platform branch

Python 3.11 running on 64bit Amazon Linux 2023

Platform version

4.1.4 (Recommended)

Application code

Sample application

☐ Existing version
Application versions that you have uploaded.

☐ Upload your code
Upload a source bundle from your computer or copy one from Amazon S3.

Presets

Start from a preset that matches your use case or choose custom configuration to unset recommended values and use the service's default values.

Python

Platform branch

Python 3.11 running on 64bit Amazon Linux 2023

Platform version

4.1.4 (Recommended)

Application code

Sample application

☐ Existing version
Application versions that you have uploaded.

☐ Upload your code
Upload a source bundle from your computer or copy one from Amazon S3.

Presets

Configuration presets

☒ Single instance (free tier eligible)
☐ Single instance (using spot instance)
☐ High availability
☐ High availability (using spot and on-demand instances)
☐ Custom configuration

Cancel

Next

Services

Search

[Alt+S]

Stockholm

Nishal

Step 1
Configure environment

Step 2
Configure service access

Step 3 - optional
Set up networking, database, and tags

Step 4 - optional
Configure instance traffic and scaling

Step 5 - optional
Configure updates, monitoring, and logging

Step 6
Review

Configure service access

Service access

IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. [Learn more](#)

Service role

☒ Create and use new service role
☐ Use an existing service role

Service role name

aws-elasticbeanstalk-service-role

View permission details

EC2 key pair

Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)

Choose a key pair

EC2 instance profile

Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.

nishal



View permission details

Cancel

Skip to review

Previous

Next



Successfully Done

Environment successfully launched.

Elastic Beanstalk

> Create application

Create new application info

Application information

Application name
jeril
Maximum length of 100 characters.

Description

Tags

Apply up to 50 tags. You can use tags to group and filter your resources. A tag is a key-value pair. The key must be unique within the resource and is case-sensitive. [Learn more](#)

No tags associated with the resource.

Add new tag
You can add 50 more tags.

Cancel

Create

WS

Services

Search

[Alt+S]

Environment successfully launched.

Step 4

Configure service access

Step 5 - optional

Set up networking, database, and tags

Step 4 - optional

Configure instance traffic and scaling

Step 5 - optional

Configure updates, monitoring, and logging

Step 6

Review

Environment tier info

Amazon Elastic Beanstalk has two types of environment tiers to support different types of web applications.

☒ Web server environment
Run a website, web application, or web API that serves HTTP requests. [Learn more](#)

☐ Worker environment
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. [Learn more](#)

Application information info

Application name
jeril
Maximum length of 100 characters.

Application tags (optional)

Environment information info

Choose the name, subdomain and description for your environment. These cannot be changed later.

Environment name
Jeril-env
Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.

Domain

Leave blank for autogenerated value

.eu-north-1.elasticbeanstalk.com

Check availability

Environment description

Environment successfully launched.

Configure service access [Info](#)

Step 1 [Configure environment](#)

Step 2 **Configure service access**

Step 3 - optional
[Set up networking, database, and tags](#)

Step 4 - optional
[Configure instance traffic and scaling](#)

Step 5 - optional
[Configure updates, monitoring, and logging](#)

Step 6
[Review](#)

Service access

IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. [Learn more](#)

Service role

☒ Create and use new service role
☐ Use an existing service role

Service role name

Enter the name for an IAM role that Elastic Beanstalk will create to assume as a service role. Beanstalk will attach the required managed policies to it.

[View permission details](#)

EC2 key pair

Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)

[Refresh](#)

EC2 instance profile

Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.

[View permission details](#)

[Cancel](#) [Skip to review](#) [Previous](#) [Next](#)

Environment successfully launched.

Jeril-env [Info](#)

[Actions](#) [Upload and deploy](#)

Environment overview

Health: Warning

Domain: [Jeril-env.eba-ize3vch.eu-north-1.elasticbeanstalk.com](#)

Environment ID: [e-myr5kuwq4w](#)

Application name: [jeril](#)

Platform

Platform: Corretto 21 running on 64bit Amazon Linux 2023/4.3.1

Running version: -

Platform state: Supported

[Change version](#)

[Events](#) [Health](#) [Logs](#) [Monitoring](#) [Alarms](#) [Managed updates](#) [Tags](#)

Events (12) [Info](#)

Time	Type	Details
September 14, 2024 16:20:43 (UTC+5:30)	INFO	Successfully launched environment: Jeril-env
September 14, 2024 16:20:05 (UTC+5:30)	WARN	Environment health has transitioned from Pending to Warning. Initialization completed 2 seconds ago and took 2 minutes. There are no instances. Unable to assume role "arn:aws:iam::637423438492:role/nishal". Verify that the role exists and is configured correctly.
September 14, 2024 16:20:05 (UTC+5:30)	INFO	Added instance [i-09f80c16766bd2b88] to your environment.

Step 1
Configure environment

Step 2
Configure service access

Step 3 - optional
Set up networking, database, and tags

Step 4 - optional
Configure instance traffic and scaling

Step 5 - optional
Configure updates, monitoring, and logging

Step 6
Review

Configure environment info

Environment tier info

Amazon Elastic Beanstalk has two types of environment tiers to support different types of web applications.

☒ **Web server environment**
Run a website, web application, or web API that serves HTTP requests. [Learn more](#)

☐ **Worker environment**
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. [Learn more](#)

Application information info

Application name

Maximum length of 100 characters.

▶ Application tags (optional)

Environment information info

Choose the name, subdomain and description for your environment. These cannot be changed later.

Environment name

Must be from 4 to 40 characters in length. The name can contain only letters, numbers, and hyphens. It can't start or end with a hyphen. This name must be unique within a region in your account.

Domain
 .eu-north-1.elasticbeanstalk.com

Step 1
Configure environment

Step 2
Configure service access

Step 3 - optional
Set up networking, database, and tags

Step 4 - optional
Configure instance traffic and scaling

Step 5 - optional
Configure updates, monitoring, and logging

Step 6
Review

Platform info

Platform type

☒ **Managed platform**
Platforms published and maintained by Amazon Elastic Beanstalk. [Learn more](#)

☐ **Custom platform**
Platforms created and owned by you. This option is unavailable if you have no platforms.

Platform

Platform branch

Platform version

Application code info

☐ **Sample application**

☐ **Existing version**
Application versions that you have uploaded.

☒ **Upload your code**
Upload a source bundle from your computer or copy one from Amazon S3.

Version label
Unique name for this version of your application code.

Source code origin. Maximum size 500 MB.

☒ **Local file**
Upload application

Step 1
[Configure environment](#)

Step 2
Configure service access

Step 3 - optional
[Set up networking, database, and tags](#)

Step 4 - optional
[Configure instance traffic and scaling](#)

Step 5 - optional
[Configure updates, monitoring, and logging](#)

Step 6
[Review](#)

Configure service access info

Service access

IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. [Learn more](#)

Service role


☐ Create and use new service role

☒ **Use an existing service role**

Existing service roles
Choose an existing IAM role for Elastic Beanstalk to assume as a service role. The existing IAM role must have the required IAM managed policies.

EC2 key pair
Select an EC2 key pair to securely log in to your EC2 instances. [Learn more](#)

EC2 instance profile
Choose an IAM instance profile with managed policies that allow your EC2 instances to perform required operations.



Successfully Done