```
mysql> alter table stud modify column name varchar(60);
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> desc stud:
                        | Null | Key | Default | Extra
 Field
           Type
           varchar(60)
                         YES
                                      NULL
 name
 id
           int
                         NO
                                PRI
                                      NULL
 address | varchar(50) | YES
                                      NULL
 marks
           int
                         YES
                                      NULL
 phoneno | int
                         YES
                                     NULL
5 rows in set (0.00 sec)
mysql> alter table stud drop column phoneno;
Query OK, 0 rows affected (0.01 sec)
Records: 0 Duplicates: 0 Warnings: 0
mysql> select * from stud;
         id | address | marks
 name
 ruchi | 12 |
              pune
                           78
 sima
              delhi
         23
                           55
2 rows in set (0.00 sec)
mysql> desc stud;
 Field
           Type
                        | Null | Key | Default | Extra
          varchar(60) YES
                                      NULL
 name
           int
 id
                         NO
                                PRI
                                      NULL
 address | varchar(50) | YES
                                      NULL
 marks
           int
                         YES
                                      NULL
 rows in set (0.00 sec)
```

```
MySQL 8.0 Command Line Cli ×
Query OK, 1 row affected (0.00 sec)
mysql> insert into student values ('ram',45,'hari',78),('ravi',17,'pune',55);
ERROR 1136 (21501): Column count doesn't match value count at row 1
mysql> select * from stud;
 name | id | address | marks |
  ruchi | 12 | ruchika
sima | 23 | r
                                   78 |
55 |
2 rows in set (0.00 sec)
mysql> select name from stud;
  ruchi
sima
2 rows in set (0.00 sec)
mysql> select name, marks from stud;
| name | marks |
  ruchi
sima
2 rows in set (0.00 sec)
mysql> select * from stud where id=12;
| name | id | address | marks |
| ruchi | 12 | ruchika |
                                   78 |
1 row in set (0.00 sec)
mysql>
```

```
MySQL 8.0 Command Line Cli × + v
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> show my databases;
ERROR 1864 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'm
y databases' at line 1
mysql> show databases;
  Database
  college
demo
hoteldb
information_schema
  mysql
performance_schema
sakila
students
  sys
world
10 rows in set (0.00 sec)
mysql> use college;
Database changed
mysql> create table student(name varchar(50),rollnumber int(10),branch varchar(5));
Query OK, 0 rows affected, 1 warning (0.06 sec)
mysql> desc student;
                                      | Null | Key | Default | Extra |
  Field
                  | Type
                    varchar(50)
int
                                        YES
YES
YES
                                                          NULL
NULL
NULL
  rollnumber
branch
                   varchar(5)
3 rows in set (0.02 sec)
mysql>
```