ProofPath VAPT Report

Engagement: **demo-synthetic** · Generated: **2026-11-09 14:10:14 UTC** · Scope: **10.20.0.0/24**

7.1 Executive Summary

9 finding(s) identified across 2 asset(s). 0 critical and 2 high severity findings require immediate remediation. Top priority findings: F-0040-001-001 (high), F-0044-ZP001 (high), F-0042-OV001 (not_provided). Assessment scope: 10.20.0.0/24. No system-wide safe/unsafe verdict is inferred from this report — findings reflect only cited ledger evidence.

Metric	Value
Total correlated findings	9
Critical / High / Medium / Low	0 / 2 / 2 / 4
Confirmed findings (multi-tool)	1
Multi-tool corroborated	3
False-positive candidates	1
Findings with CVE identifiers	3
Grounded by AI verifier	5
Audit entries	299

7.2 Assessment Methodology

Rules of engagement: all targets are validated against the engagement scope policy before any action is taken. Active validation is limited to a human-approved, single-use GET/HEAD request on an allowlisted path. No exploit payloads, shell commands, or unapproved network traffic are sent.

Assets tested: 10.20.0.10, 10.20.0.11

Tool execution and source matrix:

Tool	Status	Source note
Nmap	Live	Live-capable; this workstation's WSL Ubuntu 7.98 run was verified only against 127.0.0.1 inside WSL and returned a close

Tool	Status	Source note
Nikto	Import-only	Imports bounded Nikto JSON or XML reports. Web configuration issues, sensitive paths, and headers are normalized with so
OWASP ZAP	Import-only	Imports bounded OWASP ZAP XML or JSON alert reports. Web application alerts, CWE/WASC classifications, and solutions are
Nessus	Import-only	Imports bounded NessusClientData_v2 XML. Synthetic fixture only; verify details against an export from the installed Nes
Burp Suite	Import-only	Imports bounded issue XML; one validated internal ELEMENT/ATTLIST DTD subset is accepted after stripping. Entities, exte
OpenVAS	Import-only	Imports bounded OpenVAS / Greenbone XML report exports. Vulnerability checks, CVSS, and CVE references are normalized wi
Metasploit	Import-only	Imports human-approved, lab-controlled Metasploit findings and validation exports. Autonomous exploitation is strictly p
ProofPath HTTP validation	Live	One human-approved GET/HEAD to a configured path on one in-scope port; no body, custom headers, or redirect following.
sqlmap	Unsupported	No integration and no action name.
nmap	Import-only	imported, not live-executed — imported recorded nmap XML; parsed 6 port observations
nessus	Import-only	imported, not live-executed — imported Nessus XML with 5 report items
burp	Import-only	imported, not live-executed — imported Burp XML with 4 issues
openvas	Import-only	imported, not live-executed — Imported OpenVAS XML report with 1 item(s)
nikto	Import-only	imported, not live-executed — Imported Nikto JSON report with 1 item(s)
zap	Import-only	imported, not live-executed — Imported OWASP ZAP XML report with 1 alert(s)
metasploit	Import-only	imported, not live-executed — Imported Metasploit XML report with 1 record(s)

7.3 Severity Distribution & Risk Prioritization



Rank	ID	Title	Asset	Sev / CVSS	Status	Score	Key Risk Factors
1	F-0040-001-001	SYNTHETIC shared web issue	10.20.0.10	HIGH / N/A	confirmed	74.0	reported_severity=high; analyst_criticality=medium; correlation_confidence=high
2	F-0044-ZP001	Cross Site Scripting (Reflected)	10.20.0.10	HIGH / N/A	suspected	65.0	reported_severity=high; analyst_criticality=medium; correlation_confidence=medium
3	F-0042-OV001	Apache HTTP Server Path Traversal	10.20.0.10	NOT_PROVIDED / 7.5	suspected	63.0	reported_cvss=7.5; analyst_criticality=medium; correlation_confidence=medium
4	F-0041-B003-10_20_0_10	SYNTHETIC third web issue	10.20.0.10	MEDIUM / N/A	suspected	57.0	reported_severity=medium; analyst_criticality=medium; correlation_confidence=medium
5	F-0040-002-001	SYNTHETIC same CVE second host	10.20.0.11	MEDIUM / N/A	suspected	48.0	reported_severity=medium; analyst_criticality=medium; correlation_confidence=low

Rank	ID	Title	Asset	Sev / CVSS	Status	Score	Key Risk Factors
6	F-0043-NK001	Nikto: /icons/README	10.20.0.10	LOW / N/A	suspected	45.0	reported_severity=low; analyst_criticality=medium; correlation_confidence=medium
7	F-0040-001-002	SYNTHETIC low confidence issue	10.20.0.10	LOW / N/A	suspected	36.0	reported_severity=low; analyst_criticality=medium; correlation_confidence=low
8	F-0041-B002-10_20_0_11	SYNTHETIC same CVE second host	10.20.0.11	LOW / N/A	suspected	36.0	reported_severity=low; analyst_criticality=medium; correlation_confidence=low
9	F-0040-001-003	SYNTHETIC closed port false-positive can	10.20.0.10	LOW / N/A	false positive candidate	36.0	reported_severity=low; analyst_criticality=medium; correlation_confidence=low

7.4 Detailed Vulnerability Findings

1. [HIGH] F-0040-001-001 — SYNTHETIC shared web issue

Asset	10.20.0.10:80/tcp
Service	http
CVE(s)	CVE-2099-900001
CWE(s)	CWE-79
CVSS	not provided
Confidence	High
Status	Confirmed
Validation	Not Validated
Sources	nessus, burp
Grounding	Grounded ✔

Observed: nessus: Nessus plugin DEMO-001: SYNTHETIC shared web issue; Port 80/tcp; Description: Synthetic shared issue CVE-2099-900001 CWE-79. | burp: Burp issue: SYNTHETIC shared web issue; Host: http://10.20.0.10:80; Path: /demo; Location: demo; Issue detail: Synthetic shared issue CVE-2099-900001 CWE-79.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01, mapped to Common Vulnerabilities and Exposures (CVE)

Evidence EV-0040 · locator: `/NessusClientData_v2/Report[1]/ReportHost[1]/ReportItem[1]` · excerpt: <ReportItem port="80" svc_name="http" protocol="tcp" severity="3" pluginID="DEMO-001" pluginName="SYNTHETIC shared web issue"><description>Synthetic shared issue CVE-2099-900001 CWE-79.</description><

Evidence EV-0041 · locator: `/issues/issue[1]` · excerpt: <issue><serialNumber>700001</serialNumber><type>999</type><name>SYNTHETIC shared web issue</name><host>http://10.20.0.10:80</host><path>/demo</path><location>demo</location><severity>High</severity><c

2. [LOW] F-0040-001-002 — SYNTHETIC low confidence issue

Asset	10.20.0.10:443/tcp
Service	https
CVE(s)	not provided
CWE(s)	CWE-89
CVSS	not provided
Confidence	Low
Status	Suspected
Validation	Not Validated
Sources	nessus
Grounding	Grounded ✔

Observed: Nessus plugin DEMO-002: SYNTHETIC low confidence issue; Port 443/tcp; Description: Synthetic low confidence issue CWE-89.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1190 (Exploit Public-Facing Application), mapped to NIST CSF 2.0:PR.DS-01

Evidence EV-0040 · locator: `/NessusClientData_v2/Report[1]/ReportHost[1]/ReportItem[2]` · excerpt: <ReportItem port="443" svc_name="https" protocol="tcp" severity="1" pluginID="DEMO-002" pluginName="SYNTHETIC low confidence issue"><description>Synthetic low confidence issue CWE-89.</description><cw

3. [LOW] F-0040-001-003 — SYNTHETIC closed port false-positive candidate

Asset	10.20.0.10:8443/tcp
Service	https
CVE(s)	not provided
CWE(s)	CWE-200
CVSS	not provided
Confidence	Low
Status	False Positive Candidate

Asset	10.20.0.10:8443/tcp
Validation	Not Validated
Sources	nessus, nmap
Grounding	Grounded ✔

Observed: Nessus plugin DEMO-004: SYNTHETIC closed port false-positive candidate; Port 8443/tcp; Description: Synthetic low-confidence finding contradicted by imported closed-port evidence CWE-200.

Cross-tool conflicts: Conflict: nessus reports a finding; nmap reports 8443/tcp state=closed.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A05 (Security Misconfiguration), mapped to MITRE ATT&CK:T1592 (Gather Victim Host Information), mapped to NIST CSF 2.0:PR.DS-05

Evidence EV-0040 · locator: `/NessusClientData_v2/Report[1]/ReportHost[1]/ReportItem[3]` · excerpt: <ReportItem port="8443" svc_name="https" protocol="tcp" severity="1" pluginID="DEMO-004" pluginName="SYNTHETIC closed port false-positive candidate"><description>Synthetic low-confidence finding contr

Evidence EV-0039 · locator: `/nmaprun/host[1]/ports[1]/port[5]` · excerpt: <port protocol="tcp" portid="8443"><state state="closed"/><service name="https"/></port>

4. [MEDIUM] F-0040-002-001 — SYNTHETIC same CVE second host

Asset	10.20.0.11:80/tcp
Service	http
CVE(s)	CVE-2099-900001
CWE(s)	CWE-79
CVSS	not provided
Confidence	Low
Status	Suspected
Validation	Not Validated
Sources	nessus
Grounding	Grounded ✔

Observed: Nessus plugin DEMO-003: SYNTHETIC same CVE second host; Port 80/tcp; Description: Synthetic same CVE on second host CVE-2099-900001 CWE-79.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01, mapped to Common Vulnerabilities and Exposures (CVE)

Evidence EV-0040 · locator: `/NessusClientData_v2/Report[1]/ReportHost[2]/ReportItem[1]` · excerpt: <ReportItem port="80" svc_name="http" protocol="tcp" severity="2" pluginID="DEMO-003" pluginName="SYNTHETIC same CVE second host"><description>Synthetic same CVE on second host CVE-2099-900001 CWE-79.

5. [LOW] F-0041-B002-10_20_0_11 — SYNTHETIC same CVE second host

Asset	10.20.0.11:80/tcp
Service	http

Asset	10.20.0.11:80/tcp
CVE(s)	not provided
CWE(s)	CWE-79
CVSS	not provided
Confidence	Low
Status	Suspected
Validation	Not Validated
Sources	burp
Grounding	Evidence-only (AI inference omitted)

Observed: Burp issue: SYNTHETIC same CVE second host; Host: http://10.20.0.11:80; Path: /demo-conflict; Location: demo; Issue background: CVE-2099-900001; Issue detail: Synthetic same CVE and CWE-79 with conflicting severity on second host.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01

Evidence EV-0041 · locator: `/issues/issue[2]` · excerpt: <issue><serialNumber>700002</serialNumber><type>998</type><name>SYNTHETIC same CVE second host</name><host>http://10.20.0.11:80</host><path>/demo-conflict</path><location>demo</location><severity>Low<

6. [MEDIUM] F-0041-B003-10_20_0_10 — SYNTHETIC third web issue

Asset	10.20.0.10:8080/tcp
Service	http
CVE(s)	not provided
CWE(s)	CWE-20
CVSS	not provided
Confidence	Medium
Status	Suspected
Validation	Not Validated
Sources	burp
Grounding	Evidence-only (AI inference omitted)

Observed: Burp issue: SYNTHETIC third web issue; Host: http://10.20.0.10:8080; Path: /demo-third; Location: demo; Issue detail: Synthetic finding CWE-20.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021, mapped to MITRE ATT&CK Enterprise, mapped to NIST CSF 2.0:PR.IP

Evidence EV-0041 · locator: `/issues/issue[3]` · excerpt: <issue><serialNumber>700003</serialNumber><type>997</type><name>SYNTHETIC third web issue</name><host>http://10.20.0.10:8080</host><path>/demo-third</path><location>demo</location><severity>Medium</se

7. [NOT_PROVIDED] F-0042-OV001 — Apache HTTP Server Path Traversal

Asset	10.20.0.10:80/tcp
Service	unknown
CVE(s)	CVE-2021-41773
CWE(s)	CWE-22
CVSS	7.5
Confidence	Medium
Status	Suspected
Validation	Not Validated
Sources	openvas, metasploit
Grounding	Grounded ✔

Observed: openvas: OpenVAS result: Apache HTTP Server Path Traversal; Port: 80/tcp; Description: Path traversal vulnerability detected on Apache HTTP Server.; NVT: Apache Path Traversal Check; Solution: Upgrade to Apache 2.4.51 or later. | metasploit: Metasploit finding: Apache 2.4.49/2.4.50 Path Traversal Lab Validation; Port: 80/tcp; Details: Controlled non-destructive lab validation confirmed Apache path traversal vulnerability response.

Cross-tool conflicts: Severity conflict: openvas=high; metasploit=medium.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A01 (Broken Access Control), mapped to MITRE ATT&CK:T1083 (File and Directory Discovery), mapped to NIST CSF 2.0:PR.AC-04, mapped to Common Vulnerabilities and Exposures (CVE)

Evidence EV-0042 · locator: `//results/result[1]` · excerpt: <result id='ov-res-001'>Apache HTTP Server Path Traversal</result>

Evidence EV-0045 · locator: `//host//vuln[1]` · excerpt: <vuln>Apache 2.4.49/2.4.50 Path Traversal Lab Validation</vuln>

8. [LOW] F-0043-NK001 — Nikto: /icons/README

Asset	10.20.0.10:80/tcp
Service	http
CVE(s)	not provided
CWE(s)	not provided
CVSS	not provided
Confidence	Medium
Status	Suspected
Validation	Not Validated
Sources	nikto

Asset	10.20.0.10:80/tcp
Grounding	Evidence-only (AI inference omitted)

Observed: Nikto finding: Nikto: /icons/README; Target: 10.20.0.10:80; URI: /icons/README; Details: Apache default file found via directory listing. Server banner exposes version details.

Mapped to: mapped to NIST SP 800-115

Evidence EV-0043 · locator: `#/vulnerabilities/1` · excerpt: Nikto issue: Apache default file found via directory listing. Server banner exposes version details. [URI: /icons/README]

9. [HIGH] F-0044-ZP001 — Cross Site Scripting (Reflected)

Asset	10.20.0.10:8080/tcp
Service	http
CVE(s)	not provided
CWE(s)	CWE-79
CVSS	not provided
Confidence	Medium
Status	Suspected
Validation	Not Validated
Sources	zap
Grounding	Evidence-only (AI inference omitted)

Observed: OWASP ZAP alert: Cross Site Scripting (Reflected); Port: 8080/tcp; URI: http://10.20.0.10:8080/search?q=test; Description: Reflected cross site scripting was identified in search query parameter.; Parameter: q; Solution: Ensure all user inputs are properly contextual HTML entity encoded.

Mapped to: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01

Evidence EV-0044 · locator: `//site[1]//alertitem[1]` · excerpt: <alertitem>Cross Site Scripting (Reflected)</alertitem>

7.5 Impact & Actionable Remediation

Impact assessments are grounded in tool-reported severity, CVSS vectors, and observed exposure states. Remediation recommendations prioritize defense-in-depth, configuration hardening, and vendor security updates. Standards references use 'mapped to' wording; they are not a claim of formal compliance.

F-0040-001-001 — SYNTHETIC shared web issue

Business & Technical Impact: High — exposure of sensitive assets, unauthorized manipulation, or lateral movement risk. Remediate within 7 days.

Actionable Remediation: 1. Apply current vendor security updates for CVE-2099-900001. 2. Review and harden service configuration on port 80/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01, mapped to Common Vulnerabilities and Exposures (CVE)

F-0040-001-002 — SYNTHETIC low confidence issue

Business & Technical Impact: Low/Informational — hardening opportunity. Address in next maintenance window.

Actionable Remediation: 1. Apply current vendor security updates. 2. Review and harden service configuration on port 443/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1190 (Exploit Public-Facing Application), mapped to NIST CSF 2.0:PR.DS-01

F-0040-001-003 — SYNTHETIC closed port false-positive candidate

Business & Technical Impact: Low/Informational — hardening opportunity. Address in next maintenance window.

Actionable Remediation: 1. Apply current vendor security updates. 2. Review and harden service configuration on port 8443/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A05 (Security Misconfiguration), mapped to MITRE ATT&CK:T1592 (Gather Victim Host Information), mapped to NIST CSF 2.0:PR.DS-05

F-0040-002-001 — SYNTHETIC same CVE second host

Business & Technical Impact: Medium — misconfiguration or weakness facilitating information disclosure. Remediate within 30 days.

Actionable Remediation: 1. Apply current vendor security updates for CVE-2099-900001. 2. Review and harden service configuration on port 80/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01, mapped to Common Vulnerabilities and Exposures (CVE)

F-0041-B002-10_20_0_11 — SYNTHETIC same CVE second host

Business & Technical Impact: Low/Informational — hardening opportunity. Address in next maintenance window.

Actionable Remediation: 1. Apply current vendor security updates. 2. Review and harden service configuration on port 80/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01

F-0041-B003-10_20_0_10 — SYNTHETIC third web issue

Business & Technical Impact: Medium — misconfiguration or weakness facilitating information disclosure. Remediate within 30 days.

Actionable Remediation: 1. Apply current vendor security updates. 2. Review and harden service configuration on port 8080/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021, mapped to MITRE ATT&CK Enterprise, mapped to NIST CSF 2.0:PR.IP

F-0042-OV001 — Apache HTTP Server Path Traversal

Business & Technical Impact: Low/Informational — hardening opportunity. Address in next maintenance window.

Actionable Remediation: 1. Apply current vendor security updates for CVE-2021-41773. 2. Review and harden service configuration on port 80/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A01 (Broken Access Control), mapped to MITRE ATT&CK:T1083 (File and Directory Discovery), mapped to NIST CSF 2.0:PR.AC-04, mapped to Common Vulnerabilities and Exposures (CVE)

F-0043-NK001 — Nikto: /icons/README

Business & Technical Impact: Low/Informational — hardening opportunity. Address in next maintenance window.

Actionable Remediation: 1. Apply current vendor security updates. 2. Review and harden service configuration on port 80/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115

F-0044-ZP001 — Cross Site Scripting (Reflected)

Business & Technical Impact: High — exposure of sensitive assets, unauthorized manipulation, or lateral movement risk. Remediate within 7 days.

Actionable Remediation: 1. Apply current vendor security updates. 2. Review and harden service configuration on port 8080/tcp. 3. Enforce input validation and least-privilege access controls. 4. Verify network ingress/egress controls for this asset.

Standards Alignment: mapped to NIST SP 800-115, mapped to OWASP Top 10:2021-A03 (Injection), mapped to MITRE ATT&CK:T1189 (Drive-by Compromise), mapped to NIST CSF 2.0:PR.DS-01

7.6 Standards & Reference Frameworks

The following standards and frameworks are applied where applicable. Use of a framework in this report does not constitute formal compliance with it.

Framework	Version	Application in this assessment
NIST SP 800-115	2008	Lifecycle stages — recon, vulnerability analysis, validation — follow this Technical Guide.
OWASP Top 10	2021	Web findings from Burp, ZAP, Nikto mapped to OWASP Top 10:2021 where CWE/issue type matches.
CVE / NVD	MITRE/NIST	CVE identifiers from scanners preserved verbatim. Absent CVEs shown as 'not provided', never fabricated.
CVSS v3.1	FIRST	Scanner-reported CVSS scores drive risk factor scoring. NVD context fetched for findings without scanner score.
CWE	MITRE	CWE identifiers from findings preserved in section 7.4 and Appendix A.
MITRE ATT&CK	Enterprise	Technique IDs (e.g. T1190 Exploit Public-Facing Application) mapped to service exposure and web findings.

Framework	Version	Application in this assessment
NIST CSF 2.0	2024	Remediation recommendations reference CSF 2.0 functions: Identify, Protect, Detect, Respond, Recover.

7.7 Assessment Limitations

• This report uses synthetic data.

• No external host was contacted during report generation.

• Assessment timestamp (UTC): 2026-11-09T14:10:14.245017+00:00.

• Grounded findings: 5 of 9 passed the AI grounding verifier.

• Approval audit: approval_requested by demo-requester at 2026-11-06T18:46:22.212631+00:00

• Approval audit: approval_decision by demo-approver at 2026-11-06T18:46:22.223413+00:00

• Approval audit: active_validation_outcome by demo-requester at 2026-11-06T18:46:22.256221+00:00

• Finding F-0040-001-003 status: false_positive_candidate.

Appendix A: Evidence Index

Evidence ID	Tool	Mode	SHA-256 (first 16)	Captured at	Filename
EV-0039	nmap	imported	bfe0034c058f9059…	2026-11-09T14:09:51	EV-0039.bin
EV-0040	nessus	imported	e53deab55eec1b8c…	2026-11-09T14:09:51	EV-0040.bin
EV-0041	burp	imported	4b6021ed30d725d2…	2026-11-09T14:09:51	EV-0041.bin
EV-0042	openvas	imported	07968a3f442497a8…	2026-11-09T14:09:51	EV-0042.bin
EV-0043	nikto	imported	51e615834c85748b…	2026-11-09T14:09:51	EV-0043.bin
EV-0044	zap	imported	2e75b33312629a72…	2026-11-09T14:09:51	EV-0044.bin
EV-0045	metasploit	imported	c64e44843cd505ac…	2026-11-09T14:09:51	EV-0045.bin

Appendix B: Integration Status Matrix

Tool	Status	Limitation
Nmap	Live	Live-capable; this workstation's WSL Ubuntu 7.98 run was verified only against 127.0.0.1 inside WSL and returned a close
Nikto	Import-only	Imports bounded Nikto JSON or XML reports. Web configuration issues, sensitive paths, and headers are normalized with so
OWASP ZAP	Import-only	Imports bounded OWASP ZAP XML or JSON alert reports. Web application alerts, CWE/WASC classifications, and solutions are
Nessus	Import-only	Imports bounded NessusClientData_v2 XML. Synthetic fixture only; verify details against an export from the installed Nes
Burp Suite	Import-only	Imports bounded issue XML; one validated internal ELEMENT/ATTLIST DTD subset is accepted after stripping. Entities, exte
OpenVAS	Import-only	Imports bounded OpenVAS / Greenbone XML report exports. Vulnerability checks, CVSS, and CVE references are normalized wi
Metasploit	Import-only	Imports human-approved, lab-controlled Metasploit findings and validation exports. Autonomous exploitation is strictly p
ProofPath HTTP validation	Live	One human-approved GET/HEAD to a configured path on one in-scope port; no body, custom headers, or redirect following.
sqlmap	Unsupported	No integration and no action name.

Appendix C: Audit & Report Hashes

Audit chain head before generation: `57fb978cd0e34a6dbdd64b82d1031f742237ce6293fa2d9dde33aee6bb47f8ac`

PDF SHA-256 is recorded in the chained **report_generated** audit event after this file is written.