ProofPath Security Assessment

Engagement: demo-synthetic · Generated: 2026-11-06T18:46:22.326085+00:00

7.1 Executive summary and scope

6 finding(s); 2 with reported CVE identifiers. Top prioritized findings: F-0002-001-001 (high), F-0003-B003-10_20_0_10 (medium), F-0002-002-001 (medium). Overall assessment: 6 reported finding(s) are present; no system-wide safe/unsafe verdict is inferred. Assessment scope: 10.20.0.0/24. This report reflects only cited ledger records and configured integration status.

7.2 Methodology

Rules of engagement: targets and ports are checked against the engagement scope. Active validation is limited to a separately approved GET/HEAD request on an allowlisted path. No exploit payloads are sent.

Assets represented in observations or findings: 10.20.0.10, 10.20.0.11

Tool execution summary and status matrix:

Tool	Status	Execution/source note
Nmap	Live	Live-capable; this workstation's WSL Ubuntu 7.98 run was verified only against 127.0.0.1 inside WSL and returned a closed port. The Windows in-process server was not reachable from WSL loopback. Recorded XML import remains labeled imported. Guarded skip_host_discovery maps to -Pn and defaults off.
Nikto	Planned	No executor is registered.
OWASP ZAP	Planned	The Docker daemon API is not wired.
Nessus	Import-only	Imports bounded NessusClientData_v2 XML. Synthetic fixture only; verify details against an export from the installed Nessus version.
Burp Suite	Import-only	Imports bounded issue XML; one validated internal ELEMENT/ATTLIST DTD subset is accepted after stripping. Entities, external identifiers, and other DTD forms are refused.
OpenVAS	Planned	The intended mode is report import. The parser is not built.
Metasploit	Planned	No Metasploit integration is built.
ProofPath HTTP validation	Live	One human-approved GET/HEAD to a configured path on one in-scope port; no body, custom headers, or redirect following.
sqlmap	Unsupported	No integration and no action name.
nmap	Import-only	imported, not live-executed; imported recorded nmap XML; parsed 6 port observations
nessus	Import-only	imported, not live-executed; imported Nessus XML with 5 report items

Tool	Status	Execution/source note
burp	Import-only	imported, not live-executed; imported Burp XML with 4 issues

7.3 Severity distribution and prioritized findings



Rank	ID	Severity/CVSS	Status	Score	Factor breakdown (value · source · weight)
1	F-0002-001-001	high / not provided	confirmed	74.0	reported_severity: high · finding:F-0002-001-001.severity · 20%; reported_cvss: not provided · finding:F-0002-001-001.cvss · 20%; observed_exposure: unknown · no matching open nmap observation · 15%; reported_exploitability: not provided · finding:F-0002-001-001.exploit_available · 15%; analyst_criticality: medium · analyst-set; default medium · 15%; correlation_confidence: high · correlator:F-0002-001-001.confidence · 15%
2	F-0003-B003-10_20_0_10	medium / not provided	suspected	57.0	reported_severity: medium · finding:F-0003-B003-10_20_0_10.severity · 20%; reported_cvss: not provided · finding:F-0003-B003-10_20_0_10.cvss · 20%; observed_exposure: unknown · no matching open nmap observation · 15%; reported_exploitability: not provided · finding:F-0003-B003-10_20_0_10.exploit_available · 15%; analyst_criticality: medium · analyst-set; default medium · 15%; correlation_confidence: medium · correlator:F-0003-B003-10_20_0_10.confidence · 15%

Rank	ID	Severity/CVSS	Status	Score	Factor breakdown (value · source · weight)
3	F-0002-002-001	medium / not provided	suspected	48.0	reported_severity: medium · finding:F-0002-002-001.severity · 20%; reported_cvss: not provided · finding:F-0002-002-001.cvss · 20%; observed_exposure: unknown · no matching open nmap observation · 15%; reported_exploitability: not provided · finding:F-0002-002-001.exploit_available · 15%; analyst_criticality: medium · analyst-set; default medium · 15%; correlation_confidence: low · correlator:F-0002-002-001.confidence · 15%
4	F-0002-001-002	low / not provided	suspected	36.0	reported_severity: low · finding:F-0002-001-002.severity · 20%; reported_cvss: not provided · finding:F-0002-001-002.cvss · 20%; observed_exposure: unknown · no matching open nmap observation · 15%; reported_exploitability: not provided · finding:F-0002-001-002.exploit_available · 15%; analyst_criticality: medium · analyst-set; default medium · 15%; correlation_confidence: low · correlator:F-0002-001-002.confidence · 15%
5	F-0003-B002-10_20_0_11	low / not provided	suspected	36.0	reported_severity: low · finding:F-0003-B002-10_20_0_11.severity · 20%; reported_cvss: not provided · finding:F-0003-B002-10_20_0_11.cvss · 20%; observed_exposure: unknown · no matching open nmap observation · 15%; reported_exploitability: not provided · finding:F-0003-B002-10_20_0_11.exploit_available · 15%; analyst_criticality: medium · analyst-set; default medium · 15%; correlation_confidence: low · correlator:F-0003-B002-10_20_0_11.confidence · 15%
6	F-0002-001-003	low / not provided	false positive candidate	36.0	reported_severity: low · finding:F-0002-001-003.severity · 20%; reported_cvss: not provided · finding:F-0002-001-003.cvss · 20%; observed_exposure: unknown · no matching open nmap observation · 15%; reported_exploitability: not provided · finding:F-0002-001-003.exploit_available · 15%; analyst_criticality: medium · analyst-set; default medium · 15%; correlation_confidence: low · correlator:F-0002-001-003.confidence · 15%

7.4 Detailed findings

1. F-0002-001-001 — SYNTHETIC shared web issue

Asset: 10.20.0.10 · Port: 80/tcp · Severity/CVSS: high / not provided · CVE: CVE-2099-900001 · CWE: CWE-79

Observed: nessus: Nessus plugin DEMO-001: SYNTHETIC shared web issue; Port 80/tcp; Description: Synthetic shared issue CVE-2099-900001 CWE-79. | burp: Burp issue: SYNTHETIC shared web issue; Host: http://10.20.0.10:80; Path: /demo; Location: demo; Issue detail: Synthetic shared issue CVE-2099-900001 CWE-79.

Confidence: high · Status: confirmed · Validation: not_validated · Grounding: grounded

Evidence EV-0002 · locator /NessusClientData_v2/Report[1]/ReportHost[1]/ReportItem[1] · verbatim excerpt: <ReportItem port="80" svc_name="http" protocol="tcp" severity="3" pluginID="DEMO-001" pluginName="SYNTHETIC shared web issue"><description>Synthetic shared issue CVE-2099-900001 CWE-79.</description><cve>CVE-2099-900001</cve><cwe>CWE-79</cwe></ReportItem>

Evidence EV-0003 · locator /issues/issue[1] · verbatim excerpt: <issue><serialNumber>700001</serialNumber><type>999</type><name>SYNTHETIC shared web issue</name><host>http://10.20.0.10:80</host><path>/demo</path><location>demo</location><severity>High</severity><confidence>Firm</confidence><issueDetail>Synthetic shared issue CVE-2099-900001 CWE-79.</issueDetail>

2. F-0002-001-002 — SYNTHETIC low confidence issue

Asset: 10.20.0.10 · Port: 443/tcp · Severity/CVSS: low / not provided · CVE: not provided · CWE: CWE-89

Observed: Nessus plugin DEMO-002: SYNTHETIC low confidence issue; Port 443/tcp; Description: Synthetic low confidence issue CWE-89.

Confidence: low · Status: suspected · Validation: not_validated · Grounding: grounded

Evidence EV-0002 · locator /NessusClientData_v2/Report[1]/ReportHost[1]/ReportItem[2] · verbatim excerpt: <ReportItem port="443" svc_name="https" protocol="tcp" severity="1" pluginID="DEMO-002" pluginName="SYNTHETIC low confidence issue"><description>Synthetic low confidence issue CWE-89.</description><cwe>CWE-89</cwe></ReportItem>

3. F-0002-001-003 — SYNTHETIC closed port false-positive candidate

Asset: 10.20.0.10 · Port: 8443/tcp · Severity/CVSS: low / not provided · CVE: not provided · CWE: CWE-200

Observed: Nessus plugin DEMO-004: SYNTHETIC closed port false-positive candidate; Port 8443/tcp; Description: Synthetic low-confidence finding contradicted by imported closed-port evidence CWE-200.

Confidence: low · Status: false_positive_candidate · Validation: not_validated · Grounding: grounded

Evidence EV-0002 · locator /NessusClientData_v2/Report[1]/ReportHost[1]/ReportItem[3] · verbatim excerpt: <ReportItem port="8443" svc_name="https" protocol="tcp" severity="1" pluginID="DEMO-004" pluginName="SYNTHETIC closed port false-positive candidate"><description>Synthetic low-confidence finding contradicted by imported closed-port evidence CWE-200.</description><cwe>CWE-200</cwe></ReportItem>

Evidence EV-0001 · locator /nmaprun/host[1]/ports[1]/port[5] · verbatim excerpt: <port protocol="tcp" portid="8443"><state state="closed"/><service name="https"/></port>

4. F-0002-002-001 — SYNTHETIC same CVE second host

Asset: 10.20.0.11 · Port: 80/tcp · Severity/CVSS: medium / not provided · CVE: CVE-2099-900001 · CWE: CWE-79

Observed: Nessus plugin DEMO-003: SYNTHETIC same CVE second host; Port 80/tcp; Description: Synthetic same CVE on second host CVE-2099-900001 CWE-79.

Confidence: low · Status: suspected · Validation: not_validated · Grounding: grounded

Evidence EV-0002 · locator /NessusClientData_v2/Report[1]/ReportHost[2]/ReportItem[1] · verbatim excerpt: <ReportItem port="80" svc_name="http" protocol="tcp" severity="2" pluginID="DEMO-003" pluginName="SYNTHETIC same CVE second host"><description>Synthetic same CVE on second host CVE-2099-900001 CWE-79.</description><cve>CVE-2099-900001</cve><cwe>CWE-79</cwe></ReportItem>

5. F-0003-B002-10_20_0_11 — SYNTHETIC same CVE second host

Asset: 10.20.0.11 · Port: 80/tcp · Severity/CVSS: low / not provided · CVE: not provided · CWE: CWE-79

Observed: Burp issue: SYNTHETIC same CVE second host; Host: http://10.20.0.11:80; Path: /demo-conflict; Location: demo; Issue background: CVE-2099-900001; Issue detail: Synthetic same CVE and CWE-79 with conflicting severity on second host.

Confidence: low · Status: suspected · Validation: not_validated · Grounding: AI inference omitted; evidence-only template fallback

Evidence EV-0003 · locator /issues/issue[2] · verbatim excerpt: <issue><serialNumber>700002</serialNumber><type>998</type><name>SYNTHETIC same CVE second host</name><host>http://10.20.0.11:80</host><path>/demo-conflict</path><location>demo</location><severity>Low</severity><confidence>Tentative</confidence><issueDetail>Synthetic same CVE and CWE-79 with conflict

6. F-0003-B003-10_20_0_10 — SYNTHETIC third web issue

Asset: 10.20.0.10 · Port: 8080/tcp · Severity/CVSS: medium / not provided · CVE: not provided · CWE: CWE-20

Observed: Burp issue: SYNTHETIC third web issue; Host: http://10.20.0.10:8080; Path: /demo-third; Location: demo; Issue detail: Synthetic finding CWE-20.

Confidence: medium · Status: suspected · Validation: not_validated · Grounding: AI inference omitted; evidence-only template fallback

Evidence EV-0003 · locator /issues/issue[3] · verbatim excerpt: <issue><serialNumber>700003</serialNumber><type>997</type><name>SYNTHETIC third web issue</name><host>http://10.20.0.10:8080</host><path>/demo-third</path><location>demo</location><severity>Medium</severity><confidence>Firm</confidence><issueDetail>Synthetic finding CWE-20.</issueDetail></issue>

7.5 Impact and remediation

Impact is limited to the tool-reported finding details and observations above. Remediation text is included only when supplied by an imported tool; otherwise use generic guidance to review the affected service configuration and vendor-supported fixes. Standards references are shown as mapped to only when present in the source finding.

F-0002-001-001 — standards mapped to: no standards mapping provided

F-0002-001-002 — standards mapped to: no standards mapping provided

F-0002-001-003 — standards mapped to: no standards mapping provided

F-0002-002-001 — standards mapped to: no standards mapping provided

F-0003-B002-10_20_0_11 — standards mapped to: no standards mapping provided

F-0003-B003-10_20_0_10 — standards mapped to: no standards mapping provided

7.6 Assessment limitations

This report uses synthetic data.

No external host was contacted during PDF generation.

Assessment timestamp: 2026-11-06T18:46:22.326085+00:00.

Approval audit: approval_requested by demo-requester at 2026-11-06T18:46:22.212631+00:00; {'approval_id': 'AP-demo-active-once', 'action_id': 'demo-active-once', 'action_hash': '1640ab4e1383f41b95c0484a78ad5eed17de835ee91d308ee0553a6bb6681600', 'requested_by': 'demo-requester', 'action': {'id': 'demo-active-once', 'name': 'active_validate', 'target': '127.0.0.1', 'ports': [65433], 'arguments': {'method': 'GET', 'path': '/', 'finding_id': 'F-0002-001-001'}, 'engagement_id': 'demo-synthetic', 'requested_by': 'demo-requester'}, 'justification': 'synthetic demo exact-action approval', 'expires_at': '2026-11-06T18:51:22.188645+00:00'}

Approval audit: approval_decision by demo-approver at 2026-11-06T18:46:22.223413+00:00; {'approval_id': 'AP-demo-active-once', 'action_id': 'demo-active-once', 'action_hash': '1640ab4e1383f41b95c0484a78ad5eed17de835ee91d308ee0553a6bb6681600', 'requested_by': 'demo-requester', 'decided_by': 'demo-approver', 'state': 'approved', 'decided_at': '2026-11-06T18:46:22.213222+00:00'}

Approval audit: active_validation_outcome by demo-requester at 2026-11-06T18:46:22.256221+00:00; {'action_id': 'demo-active-once', 'approval_id': 'AP-demo-active-once', 'requested_by': 'demo-requester', 'approved_by': 'demo-approver', 'decided_at': '2026-11-06T18:46:22.213222+00:00', 'finding_id': 'F-0002-001-001', 'validation_status': 'validated_approved', 'evidence_id': 'EV-0004', 'sha256': '280ca7f38aae83a7789d9f97fdaf9eab8168480ff7008c729302a9f838ff50b3', 'status_code': 200, 'headers': {'server': 'BaseHTTP/0.6 Python/3.13.4'}, 'excerpt': 'synthetic approved response', 'truncated': False}

Finding F-0002-001-003: status false_positive_candidate.

Appendix A: evidence index

Evidence ID	Tool	Source mode	SHA-256	Captured at	Artifact filename
EV-0001	nmap	imported	bfe0034c058f90597066c5bcdf83f052b24772ff94f9007b61833a0eb4c2b31d	2026-11-06T18:46:12.602274+00:00	EV-0001.bin
EV-0002	nessus	imported	e53deab55eec1b8c0e7ad054347066f94d5e7acb5f8d408ba9dfcf308b6d74bd	2026-11-06T18:46:12.619262+00:00	EV-0002.bin
EV-0003	burp	imported	4b6021ed30d725d2b449bded9fcc9f10265042071a8d0f810850a93877363a56	2026-11-06T18:46:12.768105+00:00	EV-0003.bin

Appendix B: integration status matrix

Tool	Status	Limitation
Nmap	Live	Live-capable; this workstation's WSL Ubuntu 7.98 run was verified only against 127.0.0.1 inside WSL and returned a closed port. The Windows in-process server was not reachable from WSL loopback. Recorded XML import remains labeled imported. Guarded skip_host_discovery maps to -Pn and defaults off.
Nikto	Planned	No executor is registered.
OWASP ZAP	Planned	The Docker daemon API is not wired.
Nessus	Import-only	Imports bounded NessusClientData_v2 XML. Synthetic fixture only; verify details against an export from the installed Nessus version.
Burp Suite	Import-only	Imports bounded issue XML; one validated internal ELEMENT/ATTLIST DTD subset is accepted after stripping. Entities, external identifiers, and other DTD forms are refused.
OpenVAS	Planned	The intended mode is report import. The parser is not built.
Metasploit	Planned	No Metasploit integration is built.
ProofPath HTTP validation	Live	One human-approved GET/HEAD to a configured path on one in-scope port; no body, custom headers, or redirect following.
sqlmap	Unsupported	No integration and no action name.

Appendix C: audit and report hashes

Audit chain head before report generation: 9eeef9dd7add2347626468799da3e91c442fadba8ca00a52a7049fb88db8407f

The PDF SHA-256 is recorded in the chained report_generated audit event after this file is written.