**Duration : 4.406 s** Start: May 19, 7:28:57.723 PM End: May 19, 7:29:02.129 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 8 8 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100

Feature			Scer	nario	rio F S		Step			
Name	Duration	T	P	F	S	T	P	F	S	
login page feature	4.406 s	1	0	1	0	8	0	0	8	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	login page feature	check the user able to login

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration	
1	login page feature	1	0	1	0	4.406 s	

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration	
1	login page feature	check the user able to login	8	0	0	8	4.403 s	

DETAILED SECTION -- 6 --

## login page feature

FAILED	DURATION - 4.406 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 7:28:57.723 PM // 7	7:29:02.129 PM /	Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 8	

## check the user able to login



#	Step / Hook Details	Status	Duration
	BEFORE - org.applicationhooks.AppHooks.launchBrowser()	FAILED	4.367 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Host info: host: 'SHUBHAM', ip: '192.168.53.214' Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os. name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.19' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: MicrosoftEdge, ms:edgeOptions: {args: [remote-allow-origins=*], extensions: []}}}] at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:561) at org.openqa.selenium.remote.RemoteWebDriver.   at org.openqa.selenium.remote.RemoteWebDriver. (RemoteWebDriver.java:157)   at org.openqa.selenium.chromium.ChromiumDriver. (ChromiumDriver.java:101)   at org.openqa.selenium.edge.EdgeDriver. (EdgeDriver.java:56)   at org.openqa.selenium.edge.EdgeDriver. (EdgeDriver.java:48)		4.001 3
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:44)</init>		
	at org.factory.DriverFactory.initdriver(DriverFactory.java:30)		
	at org.applicationhooks.AppHooks.launchBrowser(AppHooks.java:25)		
	Caused by: java.lang.NoSuchMethodError: com.google.common.collect.lmmutableMap.of(Ljava/lang/Object;Lj		
	Object;Ljava/lang/Object;Ljava		

#	Step / Hook Details	Status	Duration
	lang/Object;Ljava/lang/Object;)Lcom/google/common/collect/ImmutableMap;		
	at org.openqa.selenium.chrome.AddHasCasting.getAdditionalCommands(AddHasCasting.java:38)		
	at org.openqa.selenium.remote.Dialect.lambda\$bindAdditionalCommands\$1(Dialect.java:80)		
	at java.base/java.lang.Iterable.forEach(Iterable.java:75)		
	at org.openqa.selenium.remote.Dialect.bindAdditionalCommands(Dialect.java:79)		
	at org.openqa.selenium.remote.Dialect.access\$100(Dialect.java:29)		
	at org.openqa.selenium.remote.Dialect\$2.getCommandCodec(Dialect.java:54)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:229)		
	at org.openqa.selenium.remote.RemoteWebDriver. <init>(RemoteWebDriver.java:157)</init>		
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:101)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:60)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:56)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:48)</init>		
	at org.openqa.selenium.edge.EdgeDriver. <init>(EdgeDriver.java:44)</init>		
	at org.factory.DriverFactory.initdriver(DriverFactory.java:30)		
	at org.applicationhooks.AppHooks.launchBrowser(AppHooks.java:25)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:78)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:137)		
	at org.junit.runner.JUnitCore.run(JUnitCore.java:115)		
	at org.junit.vintage.engine.execution.RunnerExecutor.execute(RunnerExecutor.java:42)		
	at org.junit.vintage.engine.VintageTestEngine.executeAllChildren(VintageTestEngine.java:80)		
	at org.junit.vintage.engine.VintageTestEngine.execute(VintageTestEngine.java:72)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:147)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:127)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:90)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda\$execute\$0(EngineExecutionOrchestrator.java:55)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:102)		
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:54)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:114)		
	at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:95)		
	at org.junit.platform.launcher.core.DefaultLauncherSession\$DelegatingLauncher.execute(DefaultLauncherSession.java:91)		
	at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:60)		
	at org.eclipse.jdt.internal.junit5.runner.JUnit5TestReference.run(JUnit5TestReference.java:98)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
1	Given User is on login page	SKIPPED	0.002 s
2	Then Username field is displayed	SKIPPED	0.001 s
3	And Password field is displayed	SKIPPED	0.001 s
4	And Login page is displayed	SKIPPED	0.005 s
5	And User enters username	SKIPPED	0.000 s
6	And User enters password	SKIPPED	0.001 s
7	Then Click on login butten	SKIPPED	0.000 s
8	And Dashboard URL should be displayed as "https://testing.presolv360.com/admin/dashboard"	SKIPPED	0.000 s
	AFTER - org.applicationhooks.AppHooks.takescreenshot(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at org.applicationhooks.AppHooks.takescreenshot(AppHooks.java:33)		
	AFTER - org.applicationhooks.AppHooks.tearDown()	FAILED	0.001 s
	java.lang.NullPointerException at org.applicationhooks.AppHooks.tearDown(AppHooks.java:39)		